windmill


all about fans

2026



An Exclusive Designer Product from TULLU green

OUR STORY



Certificate of Incorporation.

No. 164 of 1947-1948.

I hereby certify that U. P. National Manufacturers Limited

is this day incorporated under the Indian Companies Act, VII of 1913, and that the Company is Limited, by shares as a Private Company.

Given under my hand at Lucknow this twentieth day of November One thousand nine hundred and forty seven.

We are a manufacturing company located in India, serving customers since 1947.

Our brand TULLU Green is recognised for Quality and Performance across the country.

+ made in India

+ handmade with care

+ major production exported worldwide

+ in-house research & development team

+ trusted by leading architects & designers

+ available worldwide though our trusted partners

HOW TO CHOOSE YOUR CEILING FAN

STEP 1 SIZE

< 60 FT^2	60 - 100 FT^2	100 - 135 FT^2	135 - 200 FT^2	> 200 FT^2
Blade Sweep 900 mm or less	Blade Sweep upto 1050 mm	Blade Sweep upto 1200 mm	Blade Sweep upto 1400 mm	Blade Sweep 1500 mm.

STEP 2 MOUNT


CEILING HEIGHT

9 FEET OR LESS	9 FEET OR MORE	10 FEET OR MORE	SLOPING (MAX. 25°)
			
HUGGER	FAN with ROD	EXTENSION ROD	SLOPE MOUNT

STEP 3 STYLE

			
MODERN	CONTEMPORARY	CLASSIC	HERITAGE

SELECTING THE RIGHT FAN ROD LENGTH



Minimum Ceiling Clearance

Keep at least 7 inches between fan blades and the ceiling.

Increased Stability

Contrary to popular belief, fans with longer rods experience significantly less wobble.


Ideal Blade Height: 8 to 9 Feet

Maintain this distance from the ground level for optimal airflow and safety.

Custom Downrod

Fully Customizable Lengths

Downrods can be tailored to any specific length beyond the standard 8-10 inches.




Single Piece Up to 1.5 Meters

Lengths up to 1.5m are provided as a sleek, seamless single piece.

Jointed Extended Rods


Lengths exceeding 1.5 meters are supplied in multiples using secure joints.

ONE FAN FOR SUMMER AND WINTER



SUMMER OPERATION

clockwise operation pushes air down with a cooling breeze saves cooling cost by supporting air conditioners



WINTER OPERATION

anti-clockwise operation recirculates warm air trapped on the ceiling down through the walls without creating a breeze. Saves heating cost by eliminating hot air stratification.

ACCESSORIES



FAN REMOTE

4 Fan speeds

Operate multiple fans with One remote

Radio control - no need to point at sensor



WALL CONTROLLER


Solid State Choke type controller

Extreme Long Life

Heavy Duty

No Electronic Parts

Suits all AC Models



REVERSE OPERATION

Switch to be Manually operated



CUSTOM RODS



LED LIGHT KIT

16 Watt High Power

Long Life DIMMABLE driver

SMD Led with long Life

Supplied remote control (to operate fan and light separately)



SLOPE ROOF MOUNT

Special Mount for raked / slant ceilings

Can mount upto 25 Degree slope

ADVANTAGES OF BLDC

ENERGY SAVING

SILENT



FAN REMOTE

6
speed

6 SPEED

REVERSE
BY REMOTE

WHY CHOOSE US

HANDMADE IN
INDIA
SINCE 1947

4
Years

MOTOR
GUARANTEE

HIGH
PERFORMANCE

SMART GUIDE


AUTOMATING YOUR AC FAN MOTOR

USE CASE 1: DIRECT AUTOMATION SPEED CONTROL




AC MOTOR SELECTION (NO REMOTE)

Choose a Windmill fan with an AC motor and no remote controller for this setup.



STEPPED SPEED CONTROLLER ONLY


Avoid Triac dimmers to prevent motor humming



SYSTEM-DEFINED SPEED LEVELS


The automation system manages speeds based on its specific programmed capability and settings

USE CASE 2: SMART ON/OFF WITH REMOTE MEMORY




HYBRID REMOTE & AUTOMATION SETUP

Use any Windmill fan model that includes a remote speed control.



AUTOMATION FOR POWER, REMOTE FOR SPEED


The automation system handles ON/OFF functions while the remote retains fine speed control.



LAST OPERATION MEMORY


The fan automatically resumes its last set speed when triggered by the automation system

USE CASE 3: IR/RF BLASTER INTEGRATION




DEDICATED RECEIVER INSTALLATION (IR/RF)

Ensure the order specifies IR/RF so the fan is installed with a compatible receiver



FREQUENCY LEARNING/TRAINING:

Program the IR or RF blaster to 'learn' the specific operating frequencies of the Windmill remote



AUTOMATION SYSTEM HANDS-FREE OPERATION:


Once trained, physical remotes are set aside as the automation system takes full control

UNIVERSAL INTEGRATION RULES



MANUAL REVERSE OPERATION

Reverse fan direction cannot be automated and must be switched manually on all models



PREVENT SIGNAL INTERFERENCE

Disconnect existing remote controls when using automation speed controllers to avoid system conflicts

PRODUCTS

Hugger Mount



Airxone hugger



Asana Hugger



Rockefeller hugger



Bijou Hugger



October hugger



Spitfire Hugger



Vortex hugger



Stealth Hugger



Amante hugger



Velocita hugger



Amalfi hugger



Heritage Hugger

Rod Mount



Asana



Airnautik



Airxone



Asana Neo



Amalfi



Belize



Bijou



Airxone LED



Amante



Curtiss



Generation



Heritage 1910



Heritage 1914



Heritage 1925



Colonial



Antonov

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

Rod mount



Curtiss Jr.



Hornet



Industrie



Mareilly



Modena



Persia



Rockefeller



Sabre



Sceptre



Sirocco



Spitfire



Stark



Stealth



Triton 3



October



Triton 5

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

Rod mount



The Arif 3



The Arif 5



Quattro



Aeris



Barollo Ceiling



Sicocco Lotus



Heritage 1910 Twin

Wall Fans



Classic Cabin



Barollo Wall



Barollo Leaf

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

Pedestal Fans



Classico Pedestal



Tripod pedestal



Riviera



Riviera Mark 2

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

Speed controllers



Classic 5 speed wall regulator at a restaurant in Shanghai



4 Speed RF

GENERAL FEATURE

Radio Frequency (No pointing on device)

Efficient LCD speed display

Huge operating range of 10 meters
(non-obstucted)

Last Operation Memory
(Auto-Resume on power failure)

Light Dimmer (included)



HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL





Classic 5 Speed

GENERAL FEATURE

5 Speed
Solid state speed control
Ultra - long life and sturdy operation
Custom finish as per request

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

Hugger mount fans



1200 mm. Airxone hugger matt black with matt black aluminum blades



Airxone

HUGGER

SOPHISTICATED AND MODERN DESIGN,
CLEAN SCREW-LESS LOOK WITH THREE
BLADES.

HUGGER (FLUSH CEILING MOUNTING)
DESIGNED TO INSTALL CEILING FAN FOR LOW
HEIGHT CEILINGS, WITHOUT COMPROMISE
ON AIR DELIVERY

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



36 INCH 900 MM

48 INCH 1200 MM

Matt pewter
Teak laminate wood blades
(Walnut Matt)



36 INCH 900 MM

48 INCH 1200 MM

Oil Rubbed Bronze
Teak laminate wood blades
(Walnut Matt)



36 INCH 900 MM

48 INCH 1200 MM

Matt White



36 INCH 900 MM

48 INCH 1200 MM

Matt Black

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

BLDC



REMOTE



REVERSE

LOW CEILING

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 32 W

Airflow : 6000 CFM

RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

HUGGER MOUNT

ROD MOUNT

AC MOTOR

LOW CEILING

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 50 W

Airflow : 5900 CFM

RPM: 260

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 900 / 1050 / 1200 / 1300

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

LED Light : 27 Watt High Power Light kit (supplied with remote Control)

WALL MOUNT

PEDESTAL

Airxone


HUGGER LED



Remote control with multiple fan speed and Light ON/ OFF

NOTE: Airxone Hugger LED is a different model. Airxone Hugger cannot be converted/retro-fitted with LED.

All technical, mounting, finish specifications remain same as Airxone Hugger





Dining hall with a corner 450 mm. Barollo ceiling with solid teak wood blades, adapting to spaces where traditional fan can't be placed.



1200 mm. Asana hugger matt black with matt black aluminum blades



Asana
hugger

HUGGER (FLUSH CEILING MOUNTING)
DESIGNED TO INSTALL CEILING FAN FOR LOW HEIGHT CEILINGS, WITHOUT COMPROMISE ON AIR DELIVERY

“ SIMPLE IS SOPHISTICATED “, CLEAN SCREW-LESS LOOK WITH THREE BLADES.

SOLID TEAK WOOD BLADES TO CHANGE THE LOOK OF THE FAN COMPLETELY.



Matt white

42 INCH 1050 MM

48 INCH 1200 MM



Matt Black

42 INCH 1050 MM

48 INCH 1200 MM



Matt Black
Teak laminate wood
(Walnut matt)

42 INCH 1050 MM

48 INCH 1200 MM



Matt White
Teak laminate wood
Walnut matt)

42 INCH 1050 MM

48 INCH 1200 MM

AC MOTOR

LOW CEILING

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Aluminum blades
Teak laminate wood blades (Walnut Matt)

MOTOR SPECS.

Power: 55 W
Airflow : 6500 CFM
RPM: 260
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :
900 / 1050 / 1200 / 1300
Blades : Aluminum / Teak laminate Wood / Solid Teak wood / Birch wood
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1200 mm. Rockefeller hugger matt silver with teak laminate wood blades (Walnut matt finish)



Rockefeller

hugger

REMINISCENT OF THE ART DECO PERIOD, ROCKEFELLER IS A CONTEMPORARY DESIGNED FAN WITH DISTINCT LINES AND EDGES.

BY COMBINING ALUMINUM AND TEAK WOOD THE FAN DESIGN LENDS WARMTH TO ITS SURROUNDINGS.

HIGH SPEED MOTOR AND FLEXIBILITY OF SWEEP OPTIONS MAKES THIS FAN IDEAL FOR ALL SPACES.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48 INCH 1200 MM

Matt Silver
Matt Black Aluminum blades



48 INCH 1200 MM

Matt White



48 INCH 1200 MM

Matt Black
Teak Laminate wood blades
(Walnut Matt)



48 INCH 1200 MM

Matt Black
Matt Black aluminum blades

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

BLDC



REMOTE



REVERSE

LOW CEILING

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Beech Wood

Teak Laminate wood

MOTOR SPECS.


Power: 32 W

Airflow : 6000 CFM

RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300

Blades : Teak Laminate wood / Beech wood

Colours : Refer to custom colour chart.

AC MOTOR

LOW CEILING

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Beech Wood

Teak Laminate wood

MOTOR SPECS.


Power: 50 W

Airflow : 5900 CFM

RPM: 260

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 900 / 1050 / 1200 / 1300

Blades : Teak Laminate wood / Beech Wood

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



600 mm. Bijou hugger matt black with matt black blades



Bijou
hugger

HUGGER (FLUSH CEILING MOUNTING)
DESIGNED TO INSTALL CEILING FAN FOR LOW HEIGHT CEILINGS, WITHOUT COMPROMISE ON AIR DELIVERY.

BIJOU MEANING “SMALL” NOW REDESIGNED FOR BATHROOMS AND CLOSETS WITH LOW CEILING SPACES.

POWERHOUSE MOTOR WITH MINIMAL FAN DROP MAKES THIS A PERFECT CHOICE FOR YOUR SPACE.



24 INCH 600 MM

36 INCH 900 MM

Matt white



24 INCH 600 MM

36 INCH 900 MM

Matt black



24 INCH 600 MM

36 INCH 900 MM

Matt Pewter

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

AC MOTOR

LOW CEILING

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Aluminum Blades
Teak Laminate wood blades


MOTOR SPECS.

Power: 45 W
Airflow : 2000 CFM
RPM: 390
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 600 / 900
Blades : Aluminum / Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



1200 mm. Amalfi hugger matt grey with teak wood blades (Walnut Matt finish)



Amalfi
hugger

INSPIRED BY THE PRISTINE, SURREAL COASTLINES OF ITALY, AMALFI EMBODIES A SENSE OF PURE, UNDERSTATED BEAUTY IN A REFINED HUGGER PROFILE FOR LOW CEILINGS.

ITS CLEAN, SCULPTURAL FORM SITS CLOSE TO THE CEILING, BRINGING SIMPLICITY AND ELEGANCE IN THEIR MOST DISTILLED EXPRESSION.

VERSATILE BY DESIGN, AMALFI COMPLEMENTS MODERN, CONTEMPORARY, AND CLASSIC INTERIORS WITH EFFORTLESS HARMONY.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48 INCH 1200 MM

Metallic White
Teak laminate wood Blades
(Walnut matt)



48 INCH 1200 MM

Matt Grey
Teak laminate wood Blades
(Walnut matt)



48 INCH 1200 MM

Matt Black
Teak laminate wood Blades
(Walnut matt)

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

BLDC



REMOTE



REVERSE

LOW CEILING

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 42 W

Airflow : 6200 CFM

RPM: 280

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

AC MOTOR

LOW CEILING

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 50 W

Airflow : 5900 CFM

RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 900 / 1050 / 1200 / 1300

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



1170 mm. Amante Hugger Matt Beige with Birchwood propeller blades (Walnut matt finish)



Amante′
hugger

A BOLD EXPRESSION OF ELEGANCE AND ATTITUDE, FEATURING A TWIN-BLADE PROPELLER CARVED FROM A SINGLE BLOCK OF BIRCHWOOD.

THE SEAMLESS, AERODYNAMIC FORM DELIVERS SMOOTH, NATURAL AIRFLOW WITH EFFORTLESS EFFICIENCY.

NEAR-SILENT EVEN AT HIGH SPEEDS, IT IS PERFECTLY SUITED FOR REFINED WORKSPACES, BEDROOMS, AND PRIVATE CORNERS.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



47 INCH 1180 MM

Matt White
Solid wood propepler Blades
(Walnut matt)



47 INCH 1180 MM

Matt Black
Solid wood propepler Blades
(Walnut matt)



47 INCH 1180 MM

Matt Silver
Solid wood propepler Blades
(Walnut matt)



47 INCH 1180 MM

Matt Beige
Solid wood propepler Blades
(Walnut matt)

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

BLDC



REMOTE



REVERSE

LOW CEILING

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 40 W

Airflow : 6800 CFM


RPM: 280

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1180 / 1400

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

AC MOTOR

LOW CEILING

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 55 W

Airflow : 6300 CFM

RPM: 275

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 900 / 1050 / 1180 / 1400

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control


Reverse : Summer/Winter Reverse switch

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



1200 mm. October Oil rubbed bronze with beechwood blades (natural matt)



October
hugger

ENGINEERED FOR LOW-HEIGHT CEILINGS, THE OCTOBER HUGGER MAXIMIZES SPACE WITHOUT SACRIFICING AIR DELIVERY.

ITS ULTRA-SLEEK, ORGANIC CURVES AND BEECH WOOD BLADES CREATE A REFINED AMBIANCE, BLENDING HIGH-END PERFORMANCE WITH WHISPER-SILENT OPERATION.

FULLY COMPATIBLE WITH ALL AUTOMATION SYSTEMS, IT OFFERS A SEAMLESS, MODERN COOLING SOLUTION FOR THE SOPHISTICATED HOME.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



36 INCH 900 MM

48 INCH 1200 MM

Matt White
Beech wood blades
(Natural Matt)



36 INCH 900 MM

48 INCH 1200 MM

Matt White
Teak laminate wood blades
(Walnut Matt)



36 INCH 900 MM

48 INCH 1200 MM

Matt Black
Beech wood blades
(Natural Matt)

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

BLDC



REMOTE



REVERSE

LOW CEILING

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Beech Wood

Teak Laminate wood

MOTOR SPECS.


Power: 32 W

Airflow : 6000 CFM


RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300

Blades : Teak Laminate wood / Beech wood

Colours : Refer to custom colour chart.

AC MOTOR

LOW CEILING

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Beech Wood

Teak Laminate wood

MOTOR SPECS.


Power: 55 W

Airflow : 5900 CFM


RPM: 260

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 900 / 1050 / 1200 / 1300

Blades : Teak Laminate wood / Beech Wood

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1300 mm. Spitfire Hugger matt black with Birch wood propeller blades (Walnut matt finish)



Spitfire
hugger

HUGGER (FLUSH CEILING MOUNTING)
DESIGNED TO INSTALL CEILING FAN FOR LOW
HEIGHT CEILINGS, WITHOUT COMPROMISE
ON AIR DELIVERY.

NAMED FROM A WORLD WAR II FIGHTER
PLANE, THE PROPELLERS ARE HAND-CARVED
FROM A SOLID PIECE OF WOOD.

SYMMETRICALLY DESIGNED MOTOR,
AESTHETICALLY ELEGANT YET POWERFUL
ENOUGH TO GENERATE A STORM.



52 INCH 1300 MM

Matt black
BIRCH wood propepler Blades
(Walnut matt)



52 INCH 1300 MM

Matt White
BIRCH wood propepler Blades
(Walnut matt)



52 INCH 1300 MM

Matt Pewter
BIRCH wood propepler Blades
(Walnut matt)

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

AC MOTOR

LOW CEILING

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Birch wood carved propeller (Walnut Matt)
Beech wood carved propeller (Natural Matt)

MOTOR SPECS.

Power: 67 W
Airflow : 8600 CFM
RPM: 260
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300 / 1400
Blades : Solid Birch wood / Solid Beech Wood
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1300 mm. Velocita hugger matt black with beechood propeller blades (natural matt finish)



Velocita
hugger

HUGGER (FLUSH CEILING MOUNTING)
DESIGNED TO INSTALL CEILING FAN FOR LOW
HEIGHT CEILINGS, WITHOUT COMPROMISE
ON AIR DELIVERY.

ULTRA SLEEK, MODERN LINES COUPLED WITH
AREODYNAMIC CARVED SOLID BEECH WOOD
PROPELLER.

BEST IN PERFORMANCE AND LUXURY WITH
SILENT AIR DELIVERY.



52 INCH 1300 MM

Matt Black
Solid beech wood propeller
(Natural Matt)



52 INCH 1300 MM

Matt Pewter
Solid beech wood propeller
(Natural Matt)



52 INCH 1300 MM

Antique Bronze
Solid beech wood propeller
(Natural Matt)



52 INCH 1300 MM

Matt Silver
Solid beech wood propeller
(Natural Matt)

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

BLDC



REMOTE



REVERSE

LOW CEILING

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Solid Beech wood propeller

MOTOR SPECS.


Power: 45 W

Airflow : 6500 CFM

RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300

Blades : Solid Beech wood propeller

Colours : Refer to custom colour chart.

AC MOTOR

LOW CEILING

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Solid Beech wood propeller

MOTOR SPECS.


Power: 60 W

Airflow : 5900 CFM

RPM: 260

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300

Blades : Solid Beech wood propeller

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



1300 mm. Vortex hugger matt beige with matt beige aluminum blades



Vortex
hugger

HUGGER (FLUSH CEILING MOUNTING)
DESIGNED TO INSTALL CEILING FAN FOR LOW
HEIGHT CEILINGS, WITHOUT COMPROMISE
ON AIR DELIVERY.

ULTRA SLEEK, MODERN LINES COUPLED WITH
AREODYNAMIC CARVED SOLID BEECH WOOD
PROPELLER.

BEST IN PERFORMANCE AND LUXURY WITH
SILENT AIR DELIVERY.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48 INCH 1200 MM

Matt Black



48 INCH 1200 MM

Matt Grey



48 INCH 1200 MM

Matt Beige



48 INCH 1200 MM

Matt White

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

BLDC



REMOTE



REVERSE

LOW CEILING

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Aluminum blades

MOTOR SPECS.


Power: 45 W

Airflow : 6000 CFM


RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300

Blades : Aluminium blades

Colours : Refer to custom colour chart.

AC MOTOR

LOW CEILING

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Aluminum blades

MOTOR SPECS.


Power: 60 W

Airflow : 5500 CFM


RPM: 260

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300

Blades : Aluminium blades

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



1200 mm. Heritage 1910 HUGGER matt beige with teak wood blades (Walnut matt finish)



Heritage
1910 hugger

A TIMELESS CLASSIC, REIMAGINED FOR CONTEMPORARY LOW CEILINGS—HERITAGE 1910 HUGGER BRINGS THE CHARM OF OLD CAFÉS AND VILLAS INTO A REFINED, CLOSE-TO-CEILING FORM.

ROOTED IN EARLY 20TH-CENTURY DESIGN, IT CARRIES FORWARD THE SAME BOLD CHARACTER AND ENDURING ELEGANCE.

CRAFTED IN CAST METAL WITH PRECISION, IT DELIVERS A GENTLE BREEZE AT LOW SPEEDS AND POWERFUL AIRFLOW AT FULL SPEED — REMARKABLY SILENT THROUGHOUT.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48 INCH 1200 MM

Matt White
Teak laminate wood blades (Walnut Matt)



48 INCH 1200 MM

Matt black
Teak laminate wood blades (Natural Matt)



48 INCH 1200 MM

Olive Green
Teak laminate wood blades (Natural Matt)

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

BLDC



REMOTE



REVERSE

LOW CEILING

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Aluminum blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 40 W

Airflow : 6500 CFM


RPM: 260

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

AC MOTOR

LOW CEILING

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Aluminum blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 62 W

Airflow : 6000 CFM


RPM: 250

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :

900 / 1050 / 1200 / 1300

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



1200 mm. Stealth hugger matt black with matt black blades



Stealth
hugger

HUGGER (FLUSH CEILING MOUNTING)
DESIGNED TO INSTALL CEILING FAN FOR LOW
HEIGHT CEILINGS, WITHOUT COMPROMISE
ON AIR DELIVERY.

A LOOK INSPIRED FROM A STEALTH
AIRCRAFT; SHARP BENDS AND STRAIGHT
LINES.

AC TECHNOLOGY BRINGS ABOUT THE BEST
IN PERFORMANCE WITH COMPLETE
AUTOMATION COMPATIBILITY.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



36 INCH 900 MM

48 INCH 1200 MM

Matt White



36 INCH 900 MM

48 INCH 1200 MM

Matt Black



36 INCH 900 MM

48 INCH 1200 MM

Matt Pewter

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

BLDC





LOW CEILING

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 32 W

Airflow : 6000 CFM

RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300

Blades : Aluminum blades

Colours : Refer to custom colour chart.

AC MOTOR

LOW CEILING

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 55 W

Airflow : 5900 CFM

RPM: 260

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 900 / 1050 / 1200 / 1300

Blades : Aluminum blades

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

Rod mount



Scepter with Solid teak wood blades and custom length rod adorns this maximalist bedroom, blending style and performance.



1800 mm. Aeris matt black with matt black propeller blades



Aeris

AERIS BLENDS SCULPTURAL MINIMALISM WITH PRECISION ENGINEERING, FEATURING CARVED SOLID WOOD PROPELLER BLADES THAT DELIVER SMOOTH, AERODYNAMIC AIRFLOW.

POWERED BY AN ADVANCED BLDC MOTOR, IT ENSURES ULTRA-QUIET OPERATION WITH EXCEPTIONAL ENERGY EFFICIENCY.

DESIGNED FOR REFINED ARCHITECTURAL SPACES, AERIS IS WHERE NATURAL MATERIALITY MEETS MODERN PERFORMANCE.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



72
INCH
1800 MM

Metallic White
Matt White Solid birchwood propeller blades



72
INCH
1800 MM

Matt Black
Matt Black Solid birchwood propeller blades

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

300 MM.
(12 INCH)
DOWNROD

REVERSE

REMOTE

BLDC

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Birchwood propeller blades

MOTOR SPECS.


Power: 45 W

Airflow : 8000 CFM


RPM: 170

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1400 / 1800

Blades : Birchwood propeller blades

Colours : Refer to custom colour chart.

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



1200 mm. Airnautik matt black with matt black aluminum blades



Airnautik

SOPHISTICATED AND MODERN DESIGN, CLEAN SCREW-LESS LOOK WITH THREE BLADES.

RUGGED DIE-CAST ALUMINIUM CONSTRUCTION, POWERED BY SUPER COOL REVERSIBLE MOTOR, DESIGNED TO PERFORM FOR A LIFETIME.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48
INCH
1200 MM

Matt black
Teak laminate wood Blades
(Walnut matt)



48
INCH
1200 MM

Matt white

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

AUTOMATION OK

200 MM. (8 INCH) DOWNROD

AC MOTOR

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 50 W

Airflow : 5900 CFM

RPM: 260

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 900 / 1050 / 1200 / 1300

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

200 MM. (8 INCH) DOWNROD

REVERSE

REMOTE

BLDC

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 32 W

Airflow : 6000 CFM

RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1200 mm. Airxone matt black with matt black aluminum blades



Airxone

SOPHISTICATED AND MODERN DESIGN, CLEAN SCREW-LESS LOOK WITH THREE BLADES.

RUGGED DIE-CAST ALUMINIUM CONSTRUCTION, POWERED BY SUPER COOL REVERSIBLE MOTOR, DESIGNED TO PERFORM FOR A LIFETIME.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48 INCH 1200 MM

Matt black



48 INCH 1200 MM

Oil Rubbed Bronze
Teak laminate wood Blades
(Walnut matt)



48 INCH 1200 MM

Matt white



48 INCH 1200 MM

Matt Pewter
Teak laminate wood Blades
(Walnut matt)

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

AUTOMATION OK

200 MM. (8 INCH) DOWNROD

AC MOTOR

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Aluminum Blades
Teak Laminate wood blades

MOTOR SPECS.

Power: 50 W
Airflow : 5900 CFM
RPM: 270
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 900 / 1050 / 1200 / 1300
Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

Airxone

LED





Remote control with multiple fan speed and Light ON/ OFF

NOTE: Airxone LED is a different model. Airxone cannot be converted/retro-fitted with LED.

All technical, mounting, finish specifications remain same as Airxone.



Modena in black and wood finish aluminum blades blends effortlessly in this modern contemporaty living space



1200 mm. Amalfi matt pewter with Teak wood blades (Walnut Matt finish)



Amalfi

LIKE THE PRISTINE AND SURREAL BEACHES OF ITALY, A FAN DESIGN INSPIRED FROM THE WORD PURE.

SIMPLICITY AND ELEGANCE IN ITS PUREST FORM; THIS DESIGN CAN COMPLIMENT ANY STYLE OF DECORATION.

MODERN, CONTEMPORARY AND CLASSIC ALL WORK WELL WITH AMALFI.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



52 INCH 1300 MM

Matt Black
Teak laminate wood Blades
(Walnut matt)



52 INCH 1300 MM

Oil Rubbed Bronze
Teak laminate wood Blades
(Walnut matt)



52 INCH 1300 MM

Matt Pewter
Teak laminate wood Blades
(Walnut matt)

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

BLDC


REMOTE


REVERSE

200 MM. (8 INCH) DOWNROD

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 32 W

Airflow : 6000 CFM


RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 50 W

Airflow : 5900 CFM


RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 900 / 1050 / 1200 / 1300

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1170 mm. Amante Oil rubbed bronze with Birchwood propeller blades (Walnut matt finish)



Amante'

ELEGANCE AND ATTITUDE. TWIN PROPELLER CRAFTED FROM THE SINGLE BLOCK OF BIRCHWOOD.

SMOOTH NATURAL AIRFLOW DUE TO NATURAL CUTTING OF AIR AND TWIN BLADES.

NEAR SILENT OPERATION ON HIGH SPEEDS MAKES THIS FAN IDEAL FOR CORNER OFFICES, BEDROOMS AND WORK FROM HOME SPACES.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



47 INCH 1180 MM

Oil Rubbed Bronze
Solid wood propepler Blades
(Walnut matt)



47 INCH 1180 MM

Matt Black
Solid wood propepler Blades
(Walnut matt)

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

BLDC



REMOTE



REVERSE

200 MM. (8 INCH) DOWNROD

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 32 W

Airflow : 6600 CFM


RPM: 290

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1180 / 1400

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 50 W

Airflow : 6300 CFM


RPM: 280

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 900 / 1050 / 1180 / 1400

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



1300 mm. Antonov polished aluminum with Beech wood propeller blades (Natural matt finish)



Antonov

MADE OUT OF AIR PLANE PROPELLERS, NEW MOTOR DESIGN WITH ENOUGH AIR TO LIFT YOUR SPIRITS.

DESIGN SO UNIQUE IT WILL BE NOTICED. ALL OF THIS WITHOUT MAKING A SOUND.

ANTONOV - APTLY NAMED AFTER AN AVIATION LEGEND.

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



52 INCH 1300 MM

Polished Shine
BEECH wood propepler Blades
(Natural matt)



52 INCH 1300 MM

Polished Shine
BIRCH wood propepler Blades
(Walnut matt)

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Birch wood carved propeller (Walnut Matt)
Beech wood carved propeller (Natural Matt)

MOTOR SPECS.

Power: 67 W
Airflow : 8600 CFM
RPM: 260
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS




CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300 / 1400 / 1800
Blades : Solid Birch wood / Solid Beech Wood
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1200 mm. Asana Matt white (Ral 9010) with Teak wood blades (Walnut matt finish)



Asana

" SIMPLE IS SOPHISTICATED ", CLEAN SCREW-LESS LOOK WITH THREE BLADES, WITH FLEXIBILITY TO ADD LED LIGHT KIT.

SOLID TEAK WOOD BLADES TO CHANGE THE LOOK OF THE FAN COMPLETELY.

RUGGED DIE-CAST ALUMINIUM CONSTRUCTION, POWERED BY A SUPER COOL MOTOR, DESIGNED TO PERFORM FOR A LIFETIME.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48 INCH 1200 MM

56 INCH 1400 MM

Matt white



48 INCH 1200 MM

56 INCH 1400 MM

Matt Black



48 INCH 1200 MM

56 INCH 1400 MM

Matt Black
Teak laminate wood
(Walnut matt)



48 INCH 1200 MM

56 INCH 1400 MM

Matt White
Teak laminate wood
Walnut matt)

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Aluminum Blades
Teak Laminate wood blades (Walnut Matt)

MOTOR SPECS.

Power: 55 W
Airflow : 6500 CFM
RPM: 260
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING




MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :
900 / 1050 / 1200 / 1300 / 1400 / 1500
Blades : Aluminum / Teak laminate wood / Solid Teak wood / Beech Wood
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1300 mm. Asana NEO matt white (Ral 9010) with matt white aluminum blades



Asana Neo

A FAN DESIGNED FOR LARGE SPACES WITH MINIMAL DESIGN ELEMENTS, STRAIGHT LINES AND ORGANIC SHAPES.

LIGHT BLADES ENABLE LARGE SWEEP SIZE
“SIMPLE IS SOPHISTICATED“
CLEAN SCREW-LESS LOOK.

FOUR BLADES ENHANCES THIS MODELS AESTHETICALLY PLEASING AND BALANCED FEEL.

DIE-CAST ALUMINIUM CONSTRUCTION WITH SUPER HEAVY DUTY MOTOR. SUITABLE FOR THE MOST DEMANDING APPLICATIONS.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48 INCH 1200 MM | 56 INCH 1400 MM

Matt white



48 INCH 1200 MM | 56 INCH 1400 MM

Matt white
Wood finish aluminum blades



48 INCH 1200 MM | 56 INCH 1400 MM

Matt Black



48 INCH 1200 MM | 56 INCH 1400 MM

Matt Black
Wood finish aluminum blades



48 INCH 1200 MM | 56 INCH 1400 MM

Matt pewter

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Aluminum blades
Wood finish Aluminum blades


MOTOR SPECS.

Power: 55 W
Airflow : 6500 CFM
RPM: 270
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :
1200 / 1300 / 1400 / 1500 / 1600
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



450 mm. Barollo Wall matt black with solid teak wood blades (Walnut Matt - custom red tone polish)



Barollo
wall

LIKE THE GREATEST WINE IN ITALY, COMES
THE MOST ELEGANT WALL FAN.

SOLID NATURAL TEAK BLADES, GUARD-LESS
DESIGN, 3 SPEED INBUILT SPEED REGULATOR,
360 DEGREE SWIVEL (MANUAL) ENSURES
ADAPTABILITY TO ANY SPACE.

DESIGNED TO INSPIRE.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



18
INCH
450 MM

Antique Bronze
Teak Laminate wood blades (Walnut Matt)



18
INCH
450 MM

Matt Black
Teak Laminate wood blades (Walnut Matt)

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

AC MOTOR

WALL MOUNT

3 SPEED PULL CHAIN

GENERAL FEATURE

AC Motor
Partially compatible with Automation systems


BLADE FEATURE

Teak laminate wood blades (Walnut Matt)
Beech Wood blades (Natural Matt)


MOTOR SPECS.

Power: 75 W
Airflow : 4175 CFM
RPM: 1150
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 400 / 450 / 550
Blades : Teak laminate Wood / Solid Teak wood / Birch wood
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



450 mm. Barollo Leaf (Wall mount) antique bronze with teak laminate wood blades (Walnut Matt)



Barollo leaf

wall

REINVENTING BAROLLO WITH TROPICAL LEAF BLADES.
INTRICATELY CARVED VEINS ADD GREAT DEPTH AND VISUAL APPEAL TO THE LEAF BLADE DESIGN.

GUARD-LESS DESIGN, 3 SPEED INBUILT SPEED REGULATOR, AUTO OSCILLATING MOVEMENT ENSURE WIDE AIR DELIVERY.

RE-DESIGNED TO INSPIRE.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



18
INCH
450 MM

Antique Bronze
Teak Laminate wood blades (Walnut Matt)

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

AC MOTOR

WALL MOUNT

3 SPEED PULL CHAIN

GENERAL FEATURE

AC Motor
Partially compatible with Automation systems


BLADE FEATURE

Teak laminate wood blades (Walnut Matt)


MOTOR SPECS.

Power: 75 W
Airflow : 3900 CFM
RPM: 1150
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 400 / 450 / 550
Blades : Teak laminate Wood
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



550 mm. Barollo Ceiling antique bronze with solid teak wood blades (Walnut Matt)



Barollo

ceiling

LIKE THE GREATEST WINE IN ITALY, COMES
THE MOST ELEGANT CEILING FAN.

18 INCH SOLID NATURAL TEAK BLADES,
GUARD-LESS DESIGN. 360 DEGREE SWIVEL
ENSURES ADAPTABILITY TO ANY SPACE.

DESIGNED TO INSPIRE.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



18 INCH
450 MM

Antique Bronze
Teak Laminate wood blades (Walnut Matt)



18 INCH
450 MM

Matt Silver
Teak Laminate wood blades (Natural Matt)

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Compatible with Automation systems


BLADE FEATURE

Teak laminate wood blades (Walnut Matt)
Beech Wood blades (Natural Matt)


MOTOR SPECS.

Power: 75 W
Airflow : 4175 CFM
RPM: 1150
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING




MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 400 / 450 / 550
Blades : Teak laminate Wood / Solid Teak wood / Beech wood
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1200 mm. Belize antique bronze with antique bronze aluminum blades



Belize

AN ELEGANT DESIGN WHICH IS ELEGANTLY CLASSIC AS WELL AS TROPICAL.

LARGE BODY AND SMOOTH EDGES MAKES THIS FAN BLEND WITH ANY DECORATIVE STYLE.

LARGE AIR DELIVERY GUARANTEED ALONG WITH SUBTLE STYLE AND AWE !

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48 INCH 1200 MM

56 INCH 1400 MM

Matt white



48 INCH 1200 MM

56 INCH 1400 MM

Antique Bronze

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Aluminum blades

MOTOR SPECS.

Power: 55 W
Airflow : 6500 CFM
RPM: 260
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :
900 / 1050 / 1200 / 1300 / 1400 / 1500
Blades : Aluminum blades
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



600 mm. Bijou matt black with matt black blades



Bijou

SIMPLICITY AND ELEGANCE IN A SMALL PACKAGE.

BIJOU MEANS “SMALL” IS SPECIALLY DESIGNED FOR SMALL SPACES. MOISTURE RESISTANT MOTOR FOR DAMP LOCATIONS.

POWERHOUSE MOTOR CHURNS OUT HUGE VOLUMES OF AIR WITH EASE.

THIS HIGH SPEED FAN IDEAL FOR WARDROBES, BATHROOMS, PATIOS AND BALCONIES.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



24 INCH 600 MM

36 INCH 900 MM

Matt white



24 INCH 600 MM

36 INCH 900 MM

Matt black



24 INCH 600 MM

36 INCH 900 MM

Matt Pewter

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Aluminum Blades
Teak Laminate wood blades


MOTOR SPECS.

Power: 45 W
Airflow : 2000 CFM
RPM: 390
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 600 / 900
Blades : Aluminum / Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1300 mm. Colonia polished aluminum with polished aluminum blades



Colonial

THE ORIGINAL COLONIAL CEILING FAN WITH AN INTERNATIONALLY ACCLAIMED DESIGN.

THESE CAN BE SEEN IN FRENCH VILLAS, BEACH HOUSES, CAFE'S ETC. WIDE BLADES, SILENT MOTOR AND PERFORMANCE TO LAST A LIFETIME.

UNLIMITED COMBINATIONS OF COLOURS, FINISH AND MATERIAL; THIS FAN IS A INTERIOR DESIGNERS DELIGHT.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48 INCH 1200 MM

56 INCH 1400 MM

Matt white



48 INCH 1200 MM

56 INCH 1400 MM

Matt Black

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

AC MOTOR

225 MM. (9 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Aluminum blades
Wood finish Aluminum blades


MOTOR SPECS.

Power: 65 W
Airflow : 6800 CFM
RPM: 270
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :
1050 / 1200 / 1300 / 1400 / 1500
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



300 mm. Colonial cabin antique bronze



Cabin

A POWERFUL, WALL OR CEILING MOUNTED FAN.

THESE ARE DESIGNED, KEEPING IN MIND SMALL SHOPS, STORE ROOMS ,COUNTERS, BOOTHS ETC. WHERE SPACE IS A CONSTRAINT.

THIS FAN CAN BE MOUNTED ANYWHERE.
THREE SPEED PULL CHAIN CONTROL.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



12 INCH 300 MM

16 INCH 400 MM

Antique Bronze

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

AC MOTOR

WALL MOUNT

3 SPEED PULL CHAIN

GENERAL FEATURE

AC Motor
Partially compatible with Automation systems


BLADE FEATURE

Aluminum Blades


MOTOR SPECS.

Power: 70 W
Airflow : 1800 CFM
RPM: 1150
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 300 / 400
Blades : Aluminum blades
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



400 mm. Classico pedestal antique bronze with wood pole and base (Walnut matt finish)



Classico

THE ALL HANDMADE SOLID WOOD
PEDESTAL FAN.

CLASSIC DESIGN IS BOUND TO BRING
CHARM AND WARMTH TO ANY ROOM,
OFFICE OR LIBRARY DECOR.

FUNCTIONAL DESIGN WITH OSCILLATION
AND 3 SPEED SELECTOR.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



12 INCH 300 MM

16 INCH 400 MM

Antique Bronze
Solid wood frame (Walnut Matt)

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

AC MOTOR

FLOOR MOUNT

3 SPEED PULL CHAIN

AUTO OSCILLATING

GENERAL FEATURE

AC Motor
Partially compatible with Automation systems


BLADE FEATURE

Aluminum Blades

MOTOR SPECS.

Power: 70 W
Airflow : 1800 CFM
RPM: 1150
Voltage: 230/240V 50Hz.

MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 300 / 400
Blades : Aluminum blades
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



1300 mm. Curtiss matt pewter with matt pewter aluminum blades



Curtiss

DESIGNED AND ENGINEERED FOR A SLEEK & MODERN CONTEMPORARY FEEL.

IT HAS ANGLED BLADES THAT PRODUCE A WIDER AIR SPREAD PATTERN AND MAKE IT PERFECT FOR LARGE ROOMS.

NEAR SILENT OPERATION ON LOWER SPEEDS MAKES THIS FAN IDEAL FOR CORNER OFFICES, BEDROOMS AND WORK FROM HOME SPACES.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



52
INCH
1300 MM

Matt Pewter



52
INCH
1300 MM

Matt White

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Aluminum blades


MOTOR SPECS.

Power: 62 W
Airflow : 8500 CFM
RPM: 250
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING




MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



900 mm. Curtiss Jr. matt pewter with matt pewter aluminum blades



Curtiss Jr.

DESIGNED AND ENGINEERED FOR A SLEEK MODERN CONTEMPORARY FEEL.

IT HAS WIDE ANGLED BLADES THAT PRODUCE A WIDER AIR SPREAD PATTERN AND MAKE IT PERFECT FOR SMALL ROOMS OR STUDIO SPACES.

HIGH SPEED MOISTURE PROOF MOTOR MAKES THIS FAN IDEAL FOR WARDROBES, BATHROOMS, PATIOS AND BALCONIES AND SMALL OFFICES.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



36 INCH 900 MM

Matt Pewter



36 INCH 900 MM

Matt White

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Aluminum blades


MOTOR SPECS.

Power: 45 W
Airflow : 2000 CFM
RPM: 350
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 600 / 900
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1400 mm. Generation matt black with matt black aluminum blades



Generation

GENERATION IS A FAN DESIGNED FOR LARGE SPACES. STRAIGHT LINES, ELEGANT AND PURE SOPHISTICATION.

POWER HOUSE MOTOR IN A SLEEK PACKAGE, DESIGNED TO KEEP THE LARGEST OF SPACES COOL WITH MINIMAL AIR CUTTING SOUND.

THE NAME OF THE FAN GENTLY REMINDS US OF THE GENERATION AHEAD DESIGN.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



52
INCH
1300 MM

Matt Pewter



52
INCH
1300 MM

Matt White



52
INCH
1300 MM

Matt Black

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

BLDC



REMOTE



REVERSE

200 MM. (8 INCH) DOWNROD

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Aluminum Blades

MOTOR SPECS.


Power: 32 W

Airflow : 8000 CFM

RPM: 250

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300 / 1400

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Aluminum blades

MOTOR SPECS.


Power: 62 W

Airflow : 8500 CFM

RPM: 250

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :

1200 / 1300 / 1400 / 1500 / 1600

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



1200 mm. Heritage 1910 matt white (Ral 9010) with Solid teak wood blades (Walnut matt finish)



Heritage 1910

A FAN WHICH CAN BE FOUND IN OLD CAFE'S AND VILLAS; BOLD AND TIMELESS.

A MARVEL OF DESIGN WHICH WAS MADE IN THE 1910'S NOW BROUGHT BACK TO LIFE, WITH THE SAME SPIRIT AND CLASS.

GENTLE BREEZE AT SLOW SPEED AND STRONG WIND AT FULL SPEED - ALL THIS WITHOUT MAKING A SOUND. HANDMADE ALL CAST METAL CEILING FAN.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48 INCH 1200 MM

Matt White
Teak laminate wood blades (Walnut Matt)



48 INCH 1200 MM

Antique Bronze
Teak laminate wood blades (Natural Matt)



48 INCH 1200 MM

Matt Pewter

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

BLDC





300 MM.
(12 INCH)
DOWNROD

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Aluminum blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 32 W

Airflow : 6000 CFM


RPM: 250

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300 / 1400

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

AC MOTOR

300 MM.
(12 INCH)
DOWNROD

AUTOMATION
OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Aluminum blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 62 W

Airflow : 6000 CFM


RPM: 250

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :

900 / 1050 / 1200 / 1300

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1200 mm. Heritage 1910 TWIN matt black with matt black aluminum blades



Heritage

1910 twin

A FAN WHICH CAN BE FOUND IN OLD CAFE'S AND VILLAS; BOLD AND TIMELESS.

A MARVEL OF DESIGN WHICH WAS MADE IN THE 1910'S NOW BROUGHT BACK TO LIFE, WITH THE SAME SPIRIT AND CLASS.

GENTLE BREEZE AT SLOW SPEED AND STRONG WIND AT FULL SPEED - ALL THIS WITHOUT MAKING A SOUND. HANDMADE ALL CAST METAL CEILING FAN.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48 INCH 1200 MM

Olive Green



48 INCH 1200 MM

Matt Beige



48 INCH 1200 MM

Matt Black

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

AC MOTOR

300 MM. (12 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Aluminum blades
Teak Laminate wood blades

MOTOR SPECS.

Power: 65 W
Airflow : 6000 CFM
RPM: 250
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :
900 / 1050 / 1200 / 1300
Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1200 mm. Heritage 1914 matt black with Solid teak wood blades (Walnut matt finish)



Heritage 1914

A FAN WHICH CAN BE FOUND IN OLD CAFE'S AND VILLAS; BOLD AND TIMELESS.

A MARVEL OF DESIGN WHICH WAS MADE IN THE 1910'S NOW BROUGHT BACK TO LIFE, WITH THE SAME SPIRIT AND CLASS. GENTLE BREEZE AT SLOW SPEED AND STRONG WIND AT FULL SPEED - ALL THIS WITHOUT MAKING A SOUND.

HANDMADE ALL CAST METAL CEILING FAN.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48
INCH
1200 MM

Matt Black
Solid Teak wood blades (Walnut Matt)

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

BLDC



REMOTE



REVERSE

300 MM. (12 INCH) DOWNROD

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Solid Teak wood blades

MOTOR SPECS.


Power: 32 W

Airflow : 6000 CFM


RPM: 250

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300 / 1400

Blades : Teak Laminate wood / Solid Teak wood

Colours : Refer to custom colour chart.

AC MOTOR

300 MM. (12 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Solid Teak wood blades

MOTOR SPECS.


Power: 62 W

Airflow : 5800 CFM


RPM: 250

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :

900 / 1050 / 1200 / 1300

Blades : Teak Laminate wood / Solid Teak wood

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1200 mm. Heritage 1925 matt black with Solid teak wood blades (Walnut matt finish)



Heritage 1925

A FAN WHICH CAN BE FOUND IN OLD CAFE'S AND VILLAS; BOLD AND TIMELESS.

A MARVEL OF DESIGN WHICH WAS MADE IN THE 1910'S NOW BROUGHT BACK TO LIFE, WITH THE SAME SPIRIT AND CLASS.

BODY MOUNTED HAND-CARVED METAL HOLDERS PROVIDE DESIGN FLEXIBILITY AND A CLASSIC FAN LOOK.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48
INCH
1200 MM

Matt Black
Solid Teak wood blades (Natural Matt)

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

BLDC



REMOTE



REVERSE

300 MM. (12 INCH) DOWNROD

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Solid Teak wood blades

MOTOR SPECS.


Power: 32 W

Airflow : 6000 CFM

RPM: 250

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300 / 1400

Blades : Teak Laminate wood / Solid Teak wood

Colours : Refer to custom colour chart.

AC MOTOR

300 MM. (12 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Solid Teak wood blades

MOTOR SPECS.


Power: 62 W

Airflow : 5800 CFM

RPM: 250

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :

1200 / 1300

Blades : Teak Laminate wood / Solid Teak wood

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control


Reverse : Summer/Winter Reverse switch

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



1200 mm. Hornet matt pewter with matt pewter aluminum blades



Hornet

HORNET IS DESIGNED FOR AN INDUSTRIAL INFLUENCED MODERN LOOK THE VISIBLE HOLDERS AND COOLING SLOTS GIVE THE DESIGN AN INDUSTRIAL EDGE.

HIDDEN INSIDE IS A POWERFUL MOTOR WHICH CHURNS THE AIR WITH EASE.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48
INCH
1200 MM

Matt Pewter

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

BLDC



REMOTE



REVERSE

200 MM. (8 INCH) DOWNROD

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Aluminium

MOTOR SPECS.


Power: 32 W

Airflow : 6000 CFM

RPM: 250

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300 / 1400

Blades : Teak Laminate wood / Solid Teak wood / Aluminum

Colours : Refer to custom colour chart.

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Aluminium

MOTOR SPECS.


Power: 62 W

Airflow : 5800 CFM

RPM: 250

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :

900 / 1050 / 1200 / 1300


Blades : Teak Laminate wood / Solid Teak wood / Aluminium

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1400 mm. Industrie matt pewter with matt pewter aluminum blades



Industrie

A CONTEMPORARY AND BOLD DESIGN WITH A VERY UNIQUE APPROACH TO FAN DESIGN.

CAPTURING THE ESSENCE OF MECHANICAL CONSTRUCTION WITH EXPOSED NUTS & BOLTS, EXTERNAL WIRE CARRIERS AND UNIQUE EDGE CUT BLADE DESIGN.

ALL THIS WITH INDUSTRY STANDARD AIR DELIVERY PERFORMANCE AND BUILD QUALITY.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48
INCH
1200 MM

Matt Pewter



48
INCH
1200 MM

Matt White

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Aluminium

MOTOR SPECS.

Power: 65 W
Airflow : 6500 CFM
RPM: 270
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :
1200 / 1300 / 1400 / 1500
Blades : Aluminium
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1300 mm. Mareilly matt white (Ral 9010) matt white aluminum blades



Mareilly

DESIGNED FROM FLAT-LINE COLLECTION OF THE PIONEER ITALIAN FAN MANUFACTURER MAREILLI.

SOLID CAST BODY WITH LINEAR LINES, DESIGN INFLUENCED HEAVILY FROM THE ART DECO PERIOD.

THIS WAS THE MOST SOLD FAN DESIGN IN THE 1920’S WITH A FEW ORIGINAL PIECES STILL IN OPERATION.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



52
INCH
1300 MM

Matt White

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

BLDC



REMOTE



REVERSE

250 MM. (10 INCH) DOWNROD

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Aluminium

MOTOR SPECS.


Power: 40 W

Airflow : 6000 CFM


RPM: 260

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300 / 1400

Blades : Aluminum

Colours : Refer to custom colour chart.

AC MOTOR

250 MM. (10 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Aluminium

MOTOR SPECS.


Power: 65 W

Airflow : 5800 CFM

RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :

900 / 1050 / 1200 / 1300

Blades : Aluminium

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



1400 mm. Modena brushed aluminium with brushed aluminium blades



Modena

A FAN DESIGNED FOR LARGE SPACES WITH MINIMAL DESIGN ELEMENTS, STRAIGHT LINES AND ORGANIC SHAPES.

LIGHT BLADES ENABLE LARGE SWEEP SIZES AND MORE AIR VOLUMES.

DIE-CAST ALUMINIUM CONSTRUCTION WITH 18 POLE SUPER HEAVY DUTY MOTOR. SUITABLE FOR THE MOST DEMANDING AND COMMERCIAL APPLICATIONS.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



56
INCH
1400 MM

Matt black
Wood finish blades



56
INCH
1400 MM

Matt black



56
INCH
1400 MM

Matt white



56
INCH
1400 MM

Matt white
Wood finish blades

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Aluminium


MOTOR SPECS.

Power: 70 W
Airflow : 7200 CFM
RPM: 250
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :
1200 / 1300 / 1400 / 1500 / 1600
Blades : Aluminium
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1200 mm. Persia Bright white (Ral 9003) with bright white aluminum blades (Blue Pottery bowl - blue)



Persia

THE ART OF BLUE POTTERY, A 14TH-CENTURY FUSION OF CHINESE GLAZING AND PERSIAN DECORATIVE ARTS, WAS BROUGHT TO JAIPUR IN THE 19TH CENTURY BY MAHARAJA SAWAI RAM SINGH II.

“PERSIA” PAYS HOMAGE TO THIS HERITAGE, MARKING THE FIRST TIME THIS EYE-CATCHING TRADITIONAL CRAFT HAS BEEN MASTERFULLY INTEGRATED INTO A CEILING FAN.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48 INCH 1200 MM

56 INCH 1400 MM

Matt white
Jaipur blue pottery bowl
(Blue fill)



48 INCH 1200 MM

56 INCH 1400 MM

Matt white
Jaipur blue pottery bowl
(Black fill)

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Aluminum blades
Wood finish Aluminum blades


MOTOR SPECS.

Power: 55 W
Airflow : 6500 CFM
RPM: 270
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :
1200 / 1300 / 1400 / 1500 / 1600
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1200 mm. Quattro matt black with teak laminate wood blades (Walnut matt finish)



Quattro

QUATTRO REIMAGINES AIRFLOW AS A COMPOSED ARCHITECTURAL GESTURE—FOUR SCULPTED WOOD BLADES, EACH DISTINCT YET HARMONIOUSLY BALANCED AROUND A REFINED CENTRAL FORM.

DESIGNED NOT TO OVERWHELM BUT TO ELEVATE, IT DELIVERS A QUIET, MEASURED BREEZE THAT ENHANCES COMFORT WITHOUT DISTURBING THE SPATIAL EXPERIENCE.

A STUDY IN PROPORTION, MATERIALITY, AND RESTRAINT, QUATTRO IS CRAFTED FOR INTERIORS WHERE EVERY ELEMENT IS INTENTIONAL.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



46 INCH 1150 MM

Antique Bronze
Teak laminate wood blades (walnut matt)



46 INCH 1150 MM

Matt Pewter
Teak laminate wood blades (walnut matt)



46 INCH 1150 MM

Matt Black
Teak laminate wood blades (walnut matt)



46 INCH 1150 MM

Matt White
Teak laminate wood blades (walnut matt)

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

BLDC



REMOTE



REVERSE

250 MM.
(10 INCH)
DOWNROD

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Teak Laminate wood blades

MOTOR SPECS.


Power: 45 W

Airflow : 6000 CFM

RPM: 240

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1050 / 1200 / 1300

Colours : Refer to custom colour chart.

AC
MOTOR

250 MM.
(10 INCH)
DOWNROD

AUTOMATION
OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Teak laminate wood blades

MOTOR SPECS.


Power: 75 W

Airflow : 5000 CFM

RPM: 276

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :
1050 / 1150

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



1200 mm. Rockefeller matt white with matt white aluminum blades



Rockefeller

REMINISCENT OF THE ART DECO PERIOD, ROCKEFELLER IS A CONTEMPORARY DESIGNED FAN WITH DISTINCT LINES AND EDGES.

BY COMBINING ALUMINUM AND TEAK WOOD THE FAN DESIGN LENDS WARMTH TO ITS SURROUNDINGS.

HIGH SPEED MOTOR AND FLEXIBILITY OF SWEEP OPTIONS MAKES THIS FAN IDEAL FOR ALL SPACES.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



52
INCH
1300 MM

Brushed Aluminum
Teak laminate wood Blades
(Natural matt)



52
INCH
1300 MM

Matt White
Matt White Aluminum blades

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

BLDC



REMOTE



REVERSE

200 MM. (8 INCH) DOWNROD

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 32 W

Airflow : 6000 CFM


RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

AC MOTOR

LOW CEILING

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 50 W

Airflow : 5900 CFM

RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 900 / 1050 / 1200 / 1300

Blades : Teak Laminate wood / Solid Teak wood / Wood Finish Aluminium

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



1300 mm. Sabre Oil rubbed bronze with solid wood propeller blades (Walnut matt finish - custom red tone)



Sabre

A STATEMENT CEILING FAN ENGINEERED FOR BOTH PERFORMANCE AND AESTHETICS—DELIVERING HIGH-SPEED AIRFLOW WITH STRIKING VISUAL PRESENCE. DESIGNED TO COMMAND ATTENTION IN REFINED INTERIORS.

SABRE FEATURES CARVED SOLID WOOD PROPELLER BLADES INSPIRED BY AIRCRAFT WINGS, METICULOUSLY HANDCRAFTED AND FINISHED IN A PREMIUM DARK MATTE POLISH FOR A BOLD, CONTEMPORARY EDGE.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



52
INCH
1300 MM

Matt Black
Solid wood propeller blades (Walnut Matt)



52
INCH
1300 MM

Polished Aluminium
Solid wood propeller blades (Walnut Matt)

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

BLDC



REMOTE



REVERSE

200 MM. (8 INCH) DOWNROD

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Solid wood propeller blades (Walnut Matt Finish)

MOTOR SPECS.


Power: 35 W

Airflow : 9000 CFM


RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1300

Blades : Solid wood propeller blades (Natural matt OR Walnut Matt Finish)

Colours : Refer to custom colour chart.

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Solid wood propeller blades (Walnut Matt Finish)

MOTOR SPECS.


Power: 60 W

Airflow : 8500 CFM


RPM: 260

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1300

Blades : Solid wood propeller blades (Natural matt OR Walnut Matt Finish)

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



1200 mm. Sceptre matt black with solid teak wood blades (Walnut matt finish)



Sceptre

A SUPER-EFFICIENT 7-BLADE DESIGN INSPIRED BY TURBINE ENGINEERING, DELIVERING HIGH AIR VOLUMES WITHIN A COMPACT, SPACE-EFFICIENT FORM.

PERFECTLY SUITED FOR COMMERCIAL, HOSPITALITY, AND RESIDENTIAL ENVIRONMENTS—IDEAL FOR DINING AREAS, MEETING ROOMS, AND CONTEMPORARY LIVING SPACES.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48
INCH
1200 MM

Matt Pewter
Solid wood propeller blades (Walnut Matt)



48
INCH
1200 MM

Matt White
Solid wood propeller blades (Walnut Matt)



48
INCH
1200 MM

Matt Black
Solid wood propeller blades (Walnut Matt)

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

BLDC



REMOTE



REVERSE

200 MM. (8 INCH) DOWNROD

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Aluminium blades

Solid wood blades (Walnut Matt Finish)

MOTOR SPECS.


Power: 35 W

Airflow : 6000 CFM

RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300

Blades : Solid wood propeller blades (Natural matt OR Walnut Matt Finish)

Colours : Refer to custom colour chart.

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Aluminum Blades

Solid wood blades (Walnut Matt Finish)

MOTOR SPECS.


Power: 55 W

Airflow : 5800 CFM

RPM: 260

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1050 / 1200 / 1300

Blades : Solid wood propeller blades (Natural matt OR Walnut Matt Finish)

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



1400 mm. Sirocco matt white (Ral 9010) with teak laminate wood blades (Walnut matt)



Sirocco

A TROPICAL CEILING FAN WITH ELEGANT, FLOWING CURVES, FEATURING RICH TEAK WOOD BLADES THAT EVOKE A NATURAL, WARM AESTHETIC. POWERED BY A BREEZY YET STRONG MOTOR, IT COMBINES FUNCTIONALITY WITH A TOUCH OF LUXURIOUS COASTAL STYLE.

SUITABLE FOR COMMERCIAL, HOSPITALITY AND RESIDENTIAL APPLICATIONS. IDEAL FOR LOUNGE, THEATRE ROOM, POOL ROOM, BAR, OUTDOOR GAZEEBO ETC.

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



56 INCH 1400 MM

Antique Bronze
Teak laminate wood leaf blades (Walnut Matt)



56 INCH 1400 MM

Matt black
Teak laminate wood leaf blades (Walnut Matt)



56 INCH 1400 MM

Matt White
Teak laminate wood leaf blades (Walnut Matt)

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

AC MOTOR

250 MM. (10 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Teak lamiate wood blades

MOTOR SPECS.

Power: 110 W
Airflow : 7500 CFM
RPM: 220
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :
1300 / 1400 / 1500
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1400 mm. Sirocco Lotus matt white (Ral 9010) with teak laminate wood blades (Walnut matt)



Sirocco

lotus

A TROPICAL CEILING FAN WITH ELEGANT, FLOWING CURVES, FEATURING RICH TEAK WOOD BLADES THAT EVOKE A NATURAL, WARM AESTHETIC. POWERED BY A BREEZY YET STRONG MOTOR, IT COMBINES FUNCTIONALITY WITH A TOUCH OF LUXURIOUS COASTAL STYLE.

SUITABLE FOR COMMERCIAL, HOSPITALITY AND RESIDENTIAL APPLICATIONS. IDEAL FOR LOUNGE, THEATRE ROOM, POOL ROOM, BAR, OUTDOOR GAZEEBO ETC.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



56 INCH 1400 MM

Olive Green
Teak laminate wood lotus leaf blades (Walnut Matt)



56 INCH 1400 MM

Matt White
Teak laminate wood lotus leaf blades (Walnut Matt)

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

AC MOTOR

250 MM. (10 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Teak lamiate wood blades

MOTOR SPECS.

Power: 110 W
Airflow : 7500 CFM
RPM: 220
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :
1300 / 1400 / 1500
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1300 mm. Spitfire matt black with Birch wood propeller blades (Walnut matt finish)



Spitfire

NAMED FROM A WORLD WAR II FIGHTER PLANE, THE PROPELLERS ARE HAND-CARVED FROM A SOLID PIECE OF WOOD.

SYMMETRICALLY DESIGNED MOTOR, AESTHETICALLY ELEGANT YET POWERFUL ENOUGH TO GENERATE A STORM.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



52 INCH
1300 MM

Matt black
BIRCH wood propepler Blades
(Walnut matt)



52 INCH
1300 MM

Matt Black
BEECH wood propepler Blades
(Natural matt)

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Birch wood carved propeller (Walnut Matt)
Beech wood carved propeller (Natural Matt)

MOTOR SPECS.

Power: 67 W
Airflow : 8600 CFM
RPM: 260
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300 / 1400 / 1800
Blades : Solid Birch wood / Solid Beech Wood
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



2100 mm. Stark matt black with matt black aluminum blades



Stark

STARK IS THE MOST POWERFUL FAN
WINDMILL HAS TO OFFER.

IT CAN BE USED TO COOL RESTAURANTS,
HOTEL LOBBIES, LOUNGE SPACES,
RETAIL SHOWROOMS, COMMERCIAL SPACES
AND RESIDENTIAL SPACES.

MODERN DESIGN WITH LIGHT INDUSTRIAL
ELEMENTS; ALL OF WHICH CAN BE
CUSTOMISED TO SUIT ANY PROJECT.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



72
INCH
1800 MM

Matt Black

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

AC MOTOR

400 MM. (16 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems


BLADE FEATURE

Aluminum blades

MOTOR SPECS.

Power: 140 W
Airflow : 10000 CFM
RPM: 190
Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) :
1200 / 1300 / 1400 / 1500 / 1600 / 1700 / 1800 / 2100
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control
Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1200 mm. Stealth matt black with matt black blades



Stealth

A LOOK INSPIRED FROM A STEALTH AIRCRAFT; SHARP BENDS AND STRAIGHT LINES.

ENERGY SAVING AC TECHNOLOGY BRINGS ABOUT THE BEST IN PERFORMANCE AND EFFICIENCY IN A FAN.

WIDE AIR SPREAD PATTERN WITH SMOOTH AIR MOVEMENT IN LOW SPEEDS MAKES THIS IDEAL FOR OFFICES, BEDROOMS AND WORK SPACES.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



48
INCH
1200 MM

Matt White



48
INCH
1200 MM

Matt Black

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

BLDC



REMOTE



REVERSE

200 MM. (8 INCH) DOWNROD

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 32 W

Airflow : 7000 CFM


RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300

Blades : Aluminium Blades / Wood Finish Aluminum blades

Colours : Refer to custom colour chart.

AC MOTOR

200 MM. (8 INCH) DOWNROD

AUTOMATION OK

GENERAL FEATURE

AC Motor

Fully compatible with Automation systems

BLADE FEATURE

Aluminum Blades

Teak Laminate wood blades

MOTOR SPECS.


Power: 50 W

Airflow : 6500 CFM


RPM: 260

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 900 / 1050 / 1200 / 1300

Blades : Aluminim Blades / Wood Finish aluminium blades

Colours : Refer to custom colour chart.

Remote : 4 Speed RF Remote control

Reverse : Summer/Winter Reverse switch

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



1400 mm. Riviera antique bronze with antique bronze blades



Riviera

RIVIERA CAN BE SEEN IN GRAND BALLROOMS WITH HIGH CEILINGS, COZY

PATIOS & SUNNY DECKS.
CURVED BLADES ELEGANTLY SPREAD THE COOL AIR DOWN AS THE FAN WHIRLS IN SILENCE.

ALL METAL POWDER PAINTED PARTS, ENSURES THE FAN STANDS THE HARSH HEAT, COLD AND DAMP WINDS.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



56
INCH
1400 MM

Antique Bronze

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

AC MOTOR

FLOOR MOUNT

3 SPEED REGULATOR

GENERAL FEATURE

AC Motor
Partially compatible with Automation systems
IP60 : Indoor rated

BLADE FEATURE

Aluminum Blades


MOTOR SPECS.

Power: 70 W
Airflow : 6500 CFM
RPM: 270
Voltage: 230/240V 50Hz.

MEASUREMENTS



SUITABLE MOUNTING



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1400 / 1500
Blades : Aluminum blades, Beechwood blades, Solid Teak wood, Teak Laminate wood blades
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



1400 mm. Riviera Mark 2 antique bronze with antique bronze blades



Riviera
mark 2

RIVIERA MARK 2 FEATURES RAIN PROTECTION. SO YOU CAN INSTALL THE FAN IN OPEN SPACES AND BE FREE OF MIND THAT RAIN CAN DO ANY HARM.

CURVED BLADES ELEGANTLY SPREAD THE COOL AIR DOWN AS THE FAN WHIRLS IN SILENCE.

ALL METAL POWDER PAINTED PARTS, ENSURES THE FAN STANDS THE HARSH HEAT, COLD AND DAMP WINDS.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



56
INCH
1400 MM

Matt Black

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

AC MOTOR

FLOOR MOUNT

5 SPEED WALL REGULATOR

GENERAL FEATURE

AC Motor
Fully compatible with Automation systems
IP64 : Outdoor Wet rated
5 Speed wall controller

BLADE FEATURE

Aluminum Blades


MOTOR SPECS.

Power: 75 W
Airflow : 7800 CFM
RPM: 270
Voltage: 230/240V 50Hz.

MEASUREMENTS



SUITABLE MOUNTING



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1400 / 1500 / 1600
Blades : Aluminum blades, Beechwood blades, Solid Teak wood, Teak Laminate wood blades
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



300 mm. Tripod pedestal matt pewter with solid wood legs (natural matt finish)



Tripod

HANDMADE ALL METAL RUGGED AND DURABLE FANS; CLASSIC TRIPOD DESIGN WITH HAND POLISHED SOLID WOOD LEGS.

A TRUE SYMBOL OF LUXURY FOR YOUR OFFICE, LOUNGE OR STUDY.

OSCILLATING DESIGN WITH GREAT AIR DELIVERY AND
BUILT-IN 3 SPEED CONTROLLER.

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



12 INCH 300 MM

16 INCH 400 MM

Antique Bronze
Solid wood legs (Walnut Matt)

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

AC MOTOR

FLOOR MOUNT

3 SPEED PULL CHAIN

AUTO OSCILLATING

GENERAL FEATURE

AC Motor
Partially compatible with Automation systems
IP40 : Indoor rated

BLADE FEATURE

Aluminum Blades

MOTOR SPECS.

Power: 70 W
Airflow : 1800 CFM
RPM: 1150
Voltage: 230/240V 50Hz.

MEASUREMENTS

Total fan height

300 mm. Sweep - 1200 mm.

400 mm. Sweep - 1275 mm.



CUSTOM OPTIONS

Sweep Sizes (mm.) : 300 / 400
Blades : Aluminum blades
Colours : Refer to custom colour chart.
Remote : 4 Speed RF Remote control

HUGGER MOUNT


ROD MOUNT

WALL MOUNT

PEDESTAL



1300 mm. Triton 5 matt beige finish with teak laminate wood blades (walnut matt finish)



Triton 5

AN ELEGANT DESIGN WHICH IS ELEGANTLY CLASSIC AS WELL AS TROPICAL.

LARGE BODY AND SMOOTH EDGES MAKES THIS FAN BLEND WITH ANY DECORATIVE STYLE.

LARGE AIR DELIVERY GUARANTEED ALONG WITH SUBTLE STYLE AND AWE !

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL



52
INCH
1300 MM

Beige Matt
Teak laminate Wood blades (Walnut Matt)



52
INCH
1300 MM

Olive Green
Teak laminate Wood blades (Natural Matt)

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

BLDC


REMOTE


REVERSE

250 MM.
(10 INCH)
DOWNROD

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Teak Laminate wood blades

MOTOR SPECS.


Power: 42 W

Airflow : 7000 CFM


RPM: 270

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300 / 1400

Blades : Teak laminate wood / Beech wood/ Birch wood

Colours : Refer to custom colour chart.

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL



1300 mm. Triton 3 matt white finish with teak laminate wood blades (walnut matt finish)



Triton3

AN ELEGANT DESIGN WHICH IS ELEGANTLY CLASSIC AS WELL AS TROPICAL.

LARGE BODY AND SMOOTH EDGES MAKES THIS FAN BLEND WITH ANY DECORATIVE STYLE.

LARGE AIR DELIVERY GUARANTEED ALONG WITH SUBTLE STYLE AND AWE !

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL



52
INCH
1300 MM

Matt black
Teak laminate Wood blades (Natural Matt)



52
INCH
1300 MM

Matt Beige
Teak laminate Wood blades (Walnut Matt)



52
INCH
1300 MM

Matt white
Teak laminate Wood blades (Walnut Matt)



52
INCH
1300 MM

Olive Green
Teak laminate Wood blades (Natural Matt)

HUGGER MOUNT | ROD MOUNT | WALL MOUNT | PEDESTAL

BLDC



REMOTE



REVERSE

250 MM.
(10 INCH)
DOWNROD

GENERAL FEATURE

BLDC Motor

PARTIALLLY compatible with Automation systems

6 Speed RF remote control

Summer/Winter reverse function by remote

BLADE FEATURE

Teak Laminate wood blades

MOTOR SPECS.


Power: 42 W

Airflow : 7000 CFM

RPM: 280

Voltage: 230/240V 50Hz.

SUITABLE MOUNTING



MEASUREMENTS



CUSTOM OPTIONS

Sweep Sizes (mm.) : 1200 / 1300 / 1400

Blades : Teak laminate wood / Beech wood/ Birch wood

Colours : Refer to custom colour chart.


HUGGER MOUNT


ROD MOUNT


WALL MOUNT


PEDESTAL

OUR PATRONS










OUR PATRONS









OUR PATRONS












OUR PATRONS









OUR PATRONS










OUR PATRONS








OUR PATRONS











OUR PATRONS







THE ART OF AIR

fan sweep customisation matrix

Rod mount

Sweep size (mm.)

Model Name	400	450	550	600	900	1050	1170	1200	1300	1400	1500	1600	1700	1800	2100
Aeris														✓	
Airnautik					✓	✓		✓	✓						
Airxone					✓	✓		✓	✓						
Amalfi					✓	✓		✓	✓						
Amante							✓			✓					
Antonov								✓	✓	✓				✓	
Asana					✓	✓		✓	✓	✓					
Asana Neo								✓	✓	✓	✓				
Barollo Ceiling	✓	✓	✓												
Belize					✓	✓		✓	✓	✓	✓				
Bijou				✓	✓										
Colonial					✓	✓		✓	✓	✓	✓				
Curtiss								✓	✓						
Curtiss Jr.				✓	✓										
Generation								✓	✓	✓	✓	✓			
Heritage 1910					✓	✓		✓	✓						
Heritage 1914						✓		✓	✓						
Heritage 1925						✓		✓	✓						
Hornet					✓	✓		✓	✓						
Industrie								✓	✓	✓	✓				
Mareilly								✓	✓	✓					
Modena								✓	✓	✓	✓				
Persia								✓	✓	✓	✓				
Quattro							✓								
Riviera								✓		✓	✓				
Riviera Mark 2								✓	✓	✓	✓				
Rockefeller					✓	✓		✓	✓						
Sabre									✓						
Sceptre						✓		✓	✓						
Sirocco								✓	✓	✓	✓				
Sirocco Lotus								✓	✓	✓	✓				
Spitfire								✓	✓	✓				✓	
Stark								✓	✓	✓	✓	✓	✓	✓	✓
Stealth								✓	✓						
Triton								✓	✓	✓					
Triton 3								✓	✓	✓	✓				
Velocita									✓						

Hugger fans

Sweep size (mm.)

Model Name	600	900	1050	1170	1200	1300	1400	1500	1600	1700	1800	2100
Airxone Hugger		✓	✓		✓	✓						
Amalfi Hugger		✓	✓		✓	✓						
Amante Hugger				✓			✓					
Asana Hugger		✓	✓		✓	✓						
Bijou Hugger	✓	✓										
Heritage 1910 Hugger		✓	✓		✓	✓						
October Hugger			✓		✓	✓						
Rockefeller Hugger		✓	✓		✓	✓						
Spitfire Hugger					✓	✓	✓					
Stealth hugger					✓	✓						
Velocita hugger						✓						
Vortex hugger					✓	✓						

Pedestal & Wall fans

Sweep size (mm.)

Model Name	300	400	450	550	600	900	1050	1170	1200	1300	1400	1500	1600	1700	1800	2100
Barollo Ceiling		✓	✓	✓												
Barollo Leaf		✓	✓	✓												
Barollo Wall		✓	✓	✓												
Cabin	✓	✓														
Classico Pedestal	✓	✓														
Riviera									✓		✓	✓				
Riviera Mark 2									✓	✓	✓	✓				
Tripod pedestal	✓	✓														

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

THE ART OF AIR

fan finish customisation matrix

Rod mount

Model Name	Matt Black	Matt White (RAL 9010)	Matt Pewter	Matt Beige	Matt Beige	Matt Grey	Oil rubbed Bronze	Bright White (RAL 9003)	Arctic White	Antique Bronze	Brushed Aluminum	Brushed Brass	Matt Copper	Olive Green	Glossy Copper	Aluminum Blades	Teak Laminate wood	Solid Teak wood blades	Beech Wood blades	Birch Wood Blades	Wood Finish Metal	Solid Wood propeller
Aeris	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							✓
Airnautik	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓	✓	✓	✓	✓	✓	
Airxone	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Amalfi	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓		✓			✓	
Amante	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓
Antonov	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							✓
Asana	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Asana Neo	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					✓	
Barollo Ceiling	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓			✓	✓	✓	✓		
Belize	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓	✓		✓	✓	✓	
Bijou	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Colonial	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Curtiss	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓					✓	
Curtiss Jr.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓					✓	
Generation	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓					✓	
Heritage 1910	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Heritage 1914	✓	✓	✓	✓	✓	✓	✓	✓	✓v	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Rod mount

Model Name	Matt Black	Matt White (RAL 9010)	Matt Pewter	Matt Beige	Matt Grey	Matt Silver	Oil rubbed Bronze	Bright White (RAL 9003)	Arctic White	Antique Bronze	Brushed Aluminum	Brushed Brass	Matt Copper	Olive Green	Glossy Copper	Aluminum Blades	Teak Laminate wood	Solid Teak wood	Beech Wood blades	Birch Wood Blades	Wood Finish Metal	Solid Wood propeller
Heritage 1925	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Hornet	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓	✓	✓	✓	✓	✓	
Industrie	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓					✓	
Mareilly	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					✓	
Modena	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					✓	
Persia	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					✓	
Quattro	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓			✓		✓	✓		
Rockefeller	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Sabre	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							✓
Sceptre	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓					✓	
Sirocco	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓			✓		✓	✓		
Sirocco Lotus	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓			✓		✓	✓		
Spitfire	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							✓
Stark	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓					✓	
Stealth	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					✓	
Triton	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓			✓		✓	✓		
Triton 3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓			✓		✓	✓		
Velocita	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

fan finish customisation matrix

Hugger fans

Model Name	Matt Black	Matt White (RAL 9010)	Matt Pewter	Matt Beige	Matt Silver	Matt Grey	Oil Rubbed Bronze	Bright White (RAL 9003)	Arctic White	Antique Bronze	Brushed Aluminum	Brushed Brass	Matt Copper	Olive Green	Glossy Copper	Aluminum Blades	Teak Laminate wood	Solid Teak wood blades	Beech Wood blades	Birch Wood Blades	Wood Finish Metal	Solid Wood propeller
Airxone Hugger	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Amalfi Hugger	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓		✓			✓	
Amante Hugger	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓
Asana Hugger	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Bijou Hugger	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Heritage 1910 Hugger	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
October Hugger	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	
Rockefeller Hugger	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Spitfire Hugger	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							✓
Stealth hugger	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					✓	
Velocita hugger	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							
Vortex hugger	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					✓	

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

Pedestal & Wall fans

Model Name	Matt Black	Matt White (RAL 9010)	Matt Pewter	Matt Beige	Matt Silver	Matt Grey	Oil rubbed Bronze	Bright White (RAL 9003)	Arctic White	Antique Bronze	Brushed Aluminum	Brushed Brass	Matt Copper	Olive Green	Glossy Copper	Aluminum Blades	Teak Laminate wood	Solid Teak wood	Beech Wood blades	Birch Wood Blades	Wood Finish Metal	Solid Wood propeller
Barollo Leaf	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓			✓		✓	✓		
Barollo Wall	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓			✓	✓	✓	✓		
Cabin	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓					✓	
Classico Pedestal	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓					✓	
Riviera	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓	✓		✓	✓	✓	
Riviera Mark 2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓				✓	✓	
Tripod pedestal	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓					✓	

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

THE ART OF AIR

accessory customisation matrix

Rod type fans

Model Name	AC Motor	BLDC Motor	Reverse	Light Kit	Remote Control	Rake Mount	Flat roof Mount
Aeris		✓			✓	✓	✓
Airnautik	✓		✓		✓	✓	✓
Airxone	✓		✓	✓	✓	✓	✓
Amalfi	✓		✓		✓		✓
Amante	✓		✓		✓	✓	✓
Antonov	✓		✓		✓	✓	✓
Asana	✓		✓		✓	✓	✓
Asana Neo	✓		✓		✓		✓
Barollo Ceiling	✓				✓	✓	✓
Belize	✓		✓		✓	✓	✓
Bijou	✓		✓		✓	✓	✓
Colonial	✓		✓		✓	✓	✓
Curtiss	✓		✓		✓	✓	✓
Curtiss Jr.	✓		✓		✓	✓	✓
Generation	✓	✓	✓		✓	✓	✓
Heritage 1910	✓		✓		✓		✓
Heritage 1914	✓		✓		✓		✓
Heritage 1925	✓		✓		✓		✓
Hornet	✓		✓		✓	✓	✓
Industrie	✓		✓		✓		✓
Mareilly	✓		✓		✓		✓
Modena	✓		✓		✓	✓	✓
Persia	✓		✓		✓	✓	✓
Quattro	✓		✓		✓	✓	✓
Rockefeller	✓		✓	✓	✓	✓	✓
Sabre	✓		✓		✓	✓	✓
Sceptre	✓		✓		✓	✓	✓
Sirocco	✓		✓		✓		✓
Sirocco Lotus	✓		✓		✓		✓
Spitfire	✓		✓		✓	✓	✓
Stark	✓				✓		✓
Stealth	✓		✓		✓	✓	✓
Triton		✓			✓		✓
Triton 3		✓			✓		✓

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

Hugger fans

Model Name	AC Motor	BLDC Motor	Reverse	Light Kit	Remote Control	Rake Mount	Flat roof Mount
Airxone Hugger	✓	✓		✓	✓		✓
Amalfi Hugger	✓	✓			✓		✓
Amante Hugger	✓	✓			✓		✓
Asana Hugger	✓				✓		✓
Bijou Hugger	✓				✓		✓
Heritage 1910 Hugger	✓				✓		✓
October Hugger	✓	✓			✓		✓
Rockefeller Hugger	✓	✓		✓	✓		✓
Spitfire Hugger	✓				✓		✓
Stealth hugger	✓	✓			✓		✓
Velocita hugger	✓	✓	✓		✓		✓
Vortex hugger	✓	✓			✓		✓


Pedestal & Wall fans

Model Name	AC Motor	BLDC Motor	Reverse	Light Kit	Remote Control	Rake Mount	Flat roof Mount
Barollo Leaf	✓				✓		
Barollo Wall	✓				✓		
Cabin	✓						
Classico Pedestal	✓				✓		
Riviera	✓				✓		
Riviera Mark 2	✓				✓		
Tripod pedestal	✓				✓		

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

Windmill Fans: Warranty & Protection Guide

This guide outlines the manufacturing defect protection provided for Windmill Fans installed in India. It balances generous coverage periods for core components against strict installation and compatibility requirements to ensure peak performance.



WHAT IS COVERED?

4-Year Motor Warranty

Full protection against manufacturing defects for the high-performance fan motor.

2-Year Standard Parts

Coverage for blades, rods, mounts, canopies, and other structural components.

1-Year Remote Control

Protects both the remote receiver and the handheld piece.

NOT COVERED & VOID CONDITIONS

- **Non-Covered Consumables**
  Electric capacitors and remote batteries are excluded from all warranty tiers.
- **Unauthorized Speed Controls**
  Installing remotes with wall controllers or automation systems voids the warranty.
- **Installation & Site Errors**
  No coverage for structural resonance, external power surges, or incorrect installation.

MANUFACTURER LIABILITY
CANCELLATION CONDITIONS

Status	Condition
⊗ VOID	Installation of "Market" downrods or generic hardware
⊗ VOID	Unauthorized repairs or modifications by non-certified persons
⊗ VOID	Incorrect mounting (e.g., motor touching faise celling)

HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL

Windmill Fans: Service & Support Guide

This guide outlines the professional service policy for Windmill Fans, detailing service timelines, visitation costs, and remote support conditions.

SERVICE TIMELINE & VISITATION

FIRST 6 MONTHS

Zero-Cost Visits

Site visits are complimentary for any concerns related to manufacturing defects.

POST-6 MONTH ONGOING SUPPORT

Visits use local dealer rates

Remain free if a manufacturing defect is confirmed.

MANUFACTURING DEFECTS VS. SITE ISSUES




MANUFACTURING DEFECTS

Warranty covers factory faults

SITE ISSUES


External factors like wiring or structural resonance are excluded.

SERVICE FEES & REMOTE CARE




WHEN SERVICE FEES APPLY

Fees apply if no fault is found or issues stem from 3rd-party installation/wiring.



REMOTE LOCATION CARE

Areas without dealers receive video call guidance and direct-couriered replacement parts.



PROFESSIONAL INSTALLATION PRIORITY

Support is optimized for fans installed by authorized dealers or certified technicians.

Since 1980's these fans have been exported to Europe, United Kingdom, Australia and USA. They have gathered accolades from Designers, Architects and have earned the trust of millions of discerning clients.

We have undertaken projects with size ranging from One home to 300 home residential projects, from boutique hotels to 200 key 5 Star Spa and Resort.

No Customer is small for us; we can supply quantities as small as 2 fans to as large as container loads.

Few of our esteemed clients include the following

KHOSLA + ANAND

HUNDREDHANDS

SANGATH

MANCINI

pencil & monk

RESEARCH DESIGN OFFICE
A Member of the Workshop Group

WOODS AT SASAN

COLLAB ORATIVE ARCHIT ECTURE

_opolis architect

ASHIESH SHAH ARCHITECT

chiraag kapoor ARCHITECTS

LANGUAGE. ARCHITECTURE. BODY.

Arvind varuna associates

K2 INDIA
SUNITA KOHLI | KOHELIKA KOHLI

S+PS architects

sP+a

morphogenesis

Transform

architecture & interior design studio
FACILIS
creativity with zero opacity

asds
aditi sharma design studio

studio 2+2
architecture | interior design
landscape architecture

SNA
Sidharth Narayan Associates

Designers Circle
(Ahmedabad)

Ar. Manpreet Singh
(Delhi)

INTERSPACE

SONA REDDY STUDIO

THE VRINDAVAN PROJECT

AUM ARCHITECTS

Hotel Shompen
(Chennai)

Century Builders
(Bangalore)

Galeries Lafayette

Ar. Sudeep Verma
(Delhi)

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

ZANNIER HOTELS
Bãi San Hô

(Vietnam)

DE FORET
DISCOVER NATURE

(Andamans)

Kiki
BY THE SEA

(Goa)

InHaus Design
(Hyderabad)

VIVANTA
HOTELS & RESORTS
BY TAJ

Fuzzy Boundaries

Nattika Beach Resort
(Kovalam)

HRH Group of Hotels

(Udaipur)

KARPAHA SANDS
KALKUDAH

Intas Pharmaceuticals

ANANTARA
HOTELS · RESORTS · SPAS

KANHA
SHANTI VANAM

Int. Suchitra Singh
(Kanpur)

The earth

(Amritsar)

ALILA

EMBASSY OF
BRAZIL
NEW DELHI

Laxmi Machine Works

Mbalegeti
Serengeti

ClubMahindra

UKn
PROPERTIES

The House of MG
It feels like coming home

Malabar escapes

FOUR SEASONS

pricol

Benetti
ITALIAN EXCELLENCE SINCE 1873

The Landmark
TOWERS

Wellingdon sports club
(Mumbai)

DUNE
ECOVILLAGE&SPA

HUGGER MOUNT

ROD MOUNT

WALL MOUNT

PEDESTAL

























HUGGER MOUNT ROD MOUNT WALL MOUNT PEDESTAL


We invite you to visit us and explore
our bespoke range of fans through a
live, immersive experience.
INDERSONS
Electrifying Places
S-11, Janta Market,
Near Relaxo Showroom
and Starbucks, Rajouri
Garden, New Delhi,
110027
INDERSONS
INDERSONS
Electrifying Places