

Tripaper®
FINAL DISTRIBUTION PRODUCTS






World Class Safety Standards

Tripper products conform to relevant global standards viz., IEC, EN and IS. They also have CE/ISI marking and DEKRA certification.



Safety Redefined

Finger proof terminals eliminate chances of accidental contact with live parts. You can install, operate and maintain tripper with total confidence.



Energy Limiting Class - 3

If fault occurs, the rapid arc quenching mechanism operates and extinguishes the arc quickly, ensuring lowest possible energy flow through the circuit. This minimizes risk of fire and maximizes life of your equipment.




Safety Meets Superior Aesthetics

Ergonomically designed, profiled for superior cooling and manufactured with fire retardant material. Tripper offers user safety combined with elegance.



True Contact Indication

Tripper range enhances safety through true contact indication even from a distance regardless of it's knob position. Red and Green indication flag positively identifies the electrical ON/OFF status.




Innovatively Profiled Breathing Channels

When two or more poles are placed adjacent to each other, the breathing channels are so profiled that the air circulates around individual pole, resulting in cooler operation, year after year.




Large Terminal Size & Biconnect

Tripper can easily accommodate cables of up to 35 sq.mm. Biconnect terminals offer convenience of connecting both cable and bus bar.



Two Position DIN Rail Clip

Installation on a DIN rail is further simplified with a two position DIN rail clip as a standard feature. Tripper range makes mounting on a standard DIN rail more convenient.



Non-Welding Contacts

Silver Graphite contact tips ensure higher life and maximum safety against contact welding due to it's superior anti-welding properties, enhancing safety and life of the system.



Combihead Screw

Tripper range of products provided with combihead screws allow you to use standard as well as Phillips screwdrivers, offering flexibility.



HIGHLIGHTS

- marked, marked
- Conforms to IS/IEC 60898 - 6 kA
- Higher life with use of heavy duty contacts
- Innovatively designed breathing channels between poles ensure cooler operation
- Energy saving - watt loss approximately 50% lower than those prescribed by IEC standard
- Manufactured with high quality fire retardant material
- True contact indication for enhanced safety



Single Pole

MINIATURE CIRCUIT BREAKERS (MCBs) - B CURVE

Single Pole		
Description	Cat No	MRP/Unit in ₹
6A B Curve	BA10060B	209
10A B Curve	BA10100B	209
16A B Curve	BA10160B	209
20A B Curve	BA10200B	209
25A B Curve	BA10250B	209
32A B Curve	BA10320B	209
40A B Curve	BA10400B	495



Single Pole



Double Pole



Three Pole



Four Pole

MINIATURE CIRCUIT BREAKERS (MCBs) - C CURVE

Description	Single Pole		Double Pole		Three Pole		Four Pole	
	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
6A C Curve	BA10060C	209	BA20060C	765	BA30060C	1280	BA40060C	1685
10A C Curve	BA10100C	209	BA20100C	765	BA30100C	1280	BA40100C	1685
16A C Curve	BA10160C	209	BA20160C	765	BA30160C	1280	BA40160C	1685
20A C Curve	BA10200C	209	BA20200C	765	BA30200C	1280	BA40200C	1685
25A C Curve	BA10250C	209	BA20250C	765	BA30250C	1280	BA40250C	1685
32A C Curve	BA10320C	209	BA20320C	765	BA30320C	1280	BA40320C	1685
40A C Curve	BA10400C	495	BA20400C	1130	BA30400C	1840	BA40400C	2240
63A C Curve	BA10630C	550	BA20630C	1255	BA30630C	1975	BA40630C	2400

Note: Standard Pack Quantity for MCB: SP - 12 Nos., DP - 6 Nos., TP - 4 Nos., FP - 3 Nos.



HIGHLIGHTS

- marked, marked
- Conforms to IS 12640 - 1, IEC 61008-1
- Available in DP & FP versions from 25A to 63A ratings with 30mA, 100mA & 300mA sensitivity
- Operates on Core Balance Current Transformer (CBCT) principle
- Finger proof IP20 terminals



Double Pole



Four Pole

RESIDUAL CURRENT CIRCUIT BREAKERS/EARTH LEAKAGE CIRCUIT BREAKERS (RCCBs/ELCBs)

Description	Double Pole		Four Pole	
	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
25A 30mA	BC202503	2740	BC402503	3595
25A 100mA	BC202510	2835	BC402510	3660
25A 300mA	BC202530	2835	BC402530	3660
40A 30mA	BC204003	3025	BC404003	3650
40A 100mA	BC204010	3060	BC404010	3725
40A 300mA	BC204030	3060	BC404030	3725
63A 30mA	BC206303	3865	BC406303	4060
63A 100mA	BC206310	3915	BC406310	4120
63A 300mA	BC206330	3915	BC406330	4120

HIGHLIGHTS

- marked
- Conforms to IEC 60947 - 3
- Higher life with use of heavy duty contacts
- Innovatively designed breathing channels between poles ensure cooler operation
- Manufactured with high quality fire retardant material
- True contact indication for enhanced safety



Double Pole



Three Pole



Four Pole

ISOLATORS

Description	Double Pole		Three Pole		Four Pole	
	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
40A Isolator	BE204000	490	BE304000	850	BE404000	1095
63A Isolator	BE206300	610	BE306300	970	BE406300	1135
100A Isolator	BE210000	830	BE310000	1150	BE410000	1375

Note: Standard Pack Quantity for Isolator : DP - 6 Nos., TP - 4 Nos., FP - 3 Nos.



HIGHLIGHTS

- C € marked
- Conforms to IEC 60947-6, IEC 60947-3
- Wide Range of Current Ratings
 - Generator Side - 1.5A to 30A
 - Electricity Board Side - 30A
- No. of Poles 1P+N, for single phase applications
- Protection Degree - IP20
- Reliable microcontroller based design for sensing & control
- Lower power consumption
- RoHS compliant



ACCL



AUTOMATIC CHANGEOVER WITH CURRENT LIMITER(ACCL)

Description EB/DG	Modules	Cat No	MRP/Unit in ₹
30A/1.5A	4	BCL010301E5	2125
30A/2.5A	4	BCL010302E5	2125
30A/3A	4	BCL01030003	2125
30A/4A	4	BCL01030004	2125
30A/5A	4	BCL01030005	2125
30A/6A	4	BCL01030006	2125
30A/8A	4	BCL01030008	2125
30A/10A	4	BCL01030010	2125
30A/12A	4	BCL01030012	2125
30A/15A	4	BCL01030015	2125
30A/20A	4	BCL01030020	2125
30A/30A#	4	BCL01030030	2125

#Non current limiting variant

HIGHLIGHTS

- Conforms to IEC 60947-3
- Available with 3 positions (I-O-II) with centre off position
- Utilization category AC-22A



Double Pole

Four Pole



MODULAR CHANGEOVER SWITCHES

Double Pole				Four Pole			
Description	Modules	Cat No	MRP/Unit in ₹	Description	Modules	Cat No	MRP/Unit in ₹
25A	2	AUC00202500	1710	40A	4	AUC00404000	4505
40A	2	AUC00204000	2615	63A	6	AUC00406300	5110
63A	3	AUC00206300	3045				

HIGHLIGHTS

- marked, marked
- Conforms to IS 12640-2, IEC 61009-1
- Combination of ELCB & MCB (EL+MCB) offers 3 in 1 protection against - overload, short circuit and earth leakage
- Easy fault identification -
 1. Over current fault : MCB side knob trips
 2. Leakage current fault : Both MCB and ELCB side knobs trip



Double Pole



Four Pole

Note: Standard Pack Quantity for EL+MCB: DP - 8 Nos., FP - 6 Nos.



EARTH LEAKAGE + MINIATURE CIRCUIT BREAKER - EL+MCB (RCBO)

Double Pole					
Description	Cat No (30 mA)	MRP/Unit in ₹	Cat No (100 mA)	Cat No (300 mA)	MRP/Unit in ₹
6A 2P EL+MCB	CB900010OTO	4170	CB900030OTO	CB900050OTO	4325
10A 2P EL+MCB	CB900010OVO	4170	CB900030OVO	CB900050OVO	4325
16A 2P EL+MCB	CB900010OBO	4170	CB900030OBO	CB900050OBO	4325
20A 2P EL+MCB	CB900010OCO	4170	CB900030OCO	CB900050OCO	4325
25A 2P EL+MCB	CB900010ODO	4170	CB900030ODO	CB900050ODO	4325
32A 2P EL+MCB	CB900010OEO	4685	CB900030OEO	CB900050OEO	4595
40A 2P EL+MCB	CB900010OFO	4685	CB900030OFO	CB900050OFO	4595
63A 2P EL+MCB	CB900010OHO	5750	CB900030OHO	CB900050OHO	5485

EARTH LEAKAGE + MINIATURE CIRCUIT BREAKER - EL+MCB (RCBO)

Four Pole					
Description	Cat No (30 mA)	MRP/Unit in ₹	Cat No (100 mA)	Cat No (300 mA)	MRP/Unit in ₹
6A 4P EL+MCB	CB900020OTO	4950	CB900040OTO	CB900060OTO	4840
10A 4P EL+MCB	CB900020OVO	4950	CB900040OVO	CB900060OVO	4840
16A 4P EL+MCB	CB900020OBO	4950	CB900040OBO	CB900060OBO	4840
20A 4P EL+MCB	CB900020OCO	4950	CB900040OCO	CB900060OCO	4840
25A 4P EL+MCB	CB900020ODO	4950	CB900040ODO	CB900060ODO	4840
32A 4P EL+MCB	CB900020OEO	5340	CB900040OEO	CB900060OEO	5095
40A 4P EL+MCB	CB900020OFO	5340	CB900040OFO	CB900060OFO	5095
63A 4P EL+MCB	CB900020OHO	6330	CB900040OHO	CB900060OHO	5910



For Modern Homes: Safety and Style Combined



Hidden hinges give a superior look.

Detachable gland plate for easy wire insertion.

Hardware coated with aluminum zinc flake for a rust-free life.

Spacious DB size enables a higher standard of safety and ease of wiring.

Over-the-frame design provides higher protection.

Copper shorting links and wires (16 sq mm) for internal wiring.

Uniform gasketing ensures ingress protection.

Curved door ensures a stylish touch.

Effective earthing ensures complete safety.

Enhance your wall with Tripbox NXT range of Distribution Boards which combines minimalistic aesthetics, enhances ambience & understated presence to harmonize perfectly with your décor.

SPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8, 12 & 16 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for DP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing

TPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing

SPN DISTRIBUTION BOARDS

NEW

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	2	2	DTSPN004DD	1705	DTSPN004GD	2245
6-Way	2	4	DTSPN006DD	2000	DTSPN006GD	2400
8-Way	2	6	DTSPN008DD	2125	DTSPN008GD	2620
12-Way	2	10	DTSPN012DD	2555	DTSPN012GD	3180
16-Way	2	14	DTSPN016DD	3200	DTSPN016GD	3930

TPN DISTRIBUTION BOARDS

NEW

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	8	4+4+4	DTTPN004DD	4220	DTTPN004GD	5510
6-Way	8	6+6+6	DTTPN006DD	5265	DTTPN006GD	6835
8-Way	8	8+8+8	DTTPN008DD	6295	DTTPN008GD	8175
12-Way	8	12+12+12	DTTPN012DD	9365	DTTPN012GD	12515

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

NEW

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	2+2+2	4+4+4	DTHPI004DD	6980
6-Way	8	2+2+2	6+6+6	DTHPI006DD	8365
8-Way	8	2+2+2	8+8+8	DTHPI008DD	9975
12-Way	8	2+2+2	12+12+12	DTHPI012DD	13590

PHASE SEGREGATED DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing

VTPN DBs WITH MODULAR INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP/TP MCBs as outgoing

VTPN DBs WITH MCCB INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for MCCB as incomer and SP/TP MCBs as outgoing
- Suitable for 3P/4P MCCB as incomer upto 125A - DY125U

PHASE SEGREGATED DBs

NEW

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	4+4+4	4+4+4	DTPSG004DD	10995
6-Way	8	4+4+4	6+6+6	DTPSG006DD	12415
8-Way	8	4+4+4	8+8+8	DTPSG008DD	13860
12-Way	8	4+4+4	12+12+12	DTPSG012DD	17490

VTPN DBs WITH MODULAR INCOMER

NEW

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	DTVTM004DD	10110
6-Way	8	6+6+6	DTVTM006DD	11620
8-Way	8	8+8+8	DTVTM008DD	13485
12-Way	8	12+12+12	DTVTM012DD	17845

VTPN DBs WITH MCCB INCOMER

NEW

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	MCCB	4+4+4	DTVTL004DD	12065
6-Way	MCCB	6+6+6	DTVTL006DD	14120
8-Way	MCCB	8+8+8	DTVTL008DD	15335
12-Way	MCCB	12+12+12	DTVTL012DD	19830

ENCLOSURES

- As per IS 8623
- Available in 2, 3, 4 & 6 way
- With provision to mount MCB/Isolator/RCCB/RCBO or other modular devices

PLUG & SOCKET DBs

- As per IS 8623
- SPN 10A & 20A; TPN - 32A
- With provision to mount MCBs/RCCBs

METAL PLUG & SOCKET

- Designed to ensure safe functioning of electrical equipment and the user safety
- Plugs & Sockets find its applications at air conditioners, welding machines, industrial equipment, etc., are made of non corrosive aluminum alloy
- Conforms to IS 8804

ENCLOSURES

NEW

Description	Modules	Single Door	MRP/Unit in ₹
2-Way	2	DTENC002SD	500
3-Way	3	DTENC003SD	560
4-Way	4	DTENC004SD	560
6-Way	6	DTENC006SD	845

PLUG & SOCKET DBs

NEW

Description	No. of Pins	Modules	Single Door	MRP/Unit in ₹
10A, 2 Pin+SC^	P+N	1	DTMPS110SD	1270
20A, 2 Pin+SC^	P+N	1	DTMPS120SD	1355
20A, 2 Pin+SC^	P+N	2	DTMPS220SD	1480
32A, 3 Pin+SC^	3P	3	DTMPS332SD	3505

SC^ - Scrapping Earth

METAL PLUG & SOCKET

Description	No. of Pins	Cat No	MRP/Unit in ₹
Metal Plug			
10A, 2 Pin+SC^	P+N	MPS210P	200
20A, 2 Pin+SC^	P+N	MPS220P	210
20A, 3 Pin+SC^	3P	MPS320P	275
32A, 3 Pin+SC^	3P	MPS332P	525
Metal Socket			
10A, 2 Pin+SC^	P+N	MPS210S	205
20A, 2 Pin+SC^	P+N	MPS220S	225
20A, 3 Pin+SC^	3P	MPS320S	310
32A, 3 Pin+SC^	3P	MPS332S	525

SC^ - Scrapping Earth

Note: Standard Pack Quantity for Metal Plug & Socket - 20 Nos.

VALUE + STYLE

The Tripbox PLUS range of Distribution Boards offer the perfect blend of aesthetics and value. Crafted for modern homes, its features ensure ease of installation, enhanced safety and protection with a dash of style.



SAFETY WITH STYLE

Options for flush and surface mounting


Powder - coated, matte finish - RAL9003

Insulated Busbar



As per IS 8623 Standards

Shrouded neutral bars to avoid accidental contact with live parts




EASE OF INSTALLATION

Reversible door for double door Distribution Boards to adapt to site conditions



More space for ease of wiring



PROTECTION FROM DAMAGE

CRCA sheet steel for extra durability

Plastic corners for corner protection



Cement spill protector - To protect DB interior from cement splashes during civil work



SPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8, 12 & 16 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for DP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



SPN DISTRIBUTION BOARDS*

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	2	2	PH104DDB	1705	PH104DDG	2245
6-Way	2	4	PH106DDB	2000	PH106DDG	2400
8-Way	2	6	PH108DDB	2125	PH108DDG	2620
12-Way	2	10	PH112DDB	2555	PH112DDG	3180
16-Way	2	14	PH116DDB	3200	PH116DDG	3930

TPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



TPN DISTRIBUTION BOARDS*

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	8	4+4+4	PH304DDB	4220	PH304DDG	5510
6-Way	8	6+6+6	PH306DDB	5265	PH306DDG	6835
8-Way	8	8+8+8	PH308DDB	6295	PH308DDG	8175
12-Way	8	12+12+12	PH312DDB	9365	PH312DDG	12515

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing



HORIZONTAL PPI (PER PHASE ISOLATION) DBs*

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	2+2+2	4+4+4	PHP304DDB	6980
6-Way	8	2+2+2	6+6+6	PHP306DDB	8365
8-Way	8	2+2+2	8+8+8	PHP308DDB	9975
12-Way	8	2+2+2	12+12+12	PHP312DDB	13590

*These DBs are available till stock last.

PHASE SEGREGATED DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing



Double Door

PHASE SEGREGATED DBs*

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	4+4+4	4+4+4	PHS304DDB	10995
6-Way	8	4+4+4	6+6+6	PHS306DDB	12415
8-Way	8	4+4+4	8+8+8	PHS308DDB	13860
12-Way	8	4+4+4	12+12+12	PHS312DDB	17490

PHASE SELECTOR DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Provided with 63A Selector Switches
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



Double Door

PHASE SELECTOR DBs*

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	PHC04DDB	13795
6-Way	8	6+6+6	PHC06DDB	14125
8-Way	8	8+8+8	PHC08DDB	14980
12-Way	8	12+12+12	PHC12DDB	16805

VTPN DBs WITH MODULAR INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP/TP MCBs as outgoing



Double Door

VTPN DBs WITH MODULAR INCOMER*

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	PHV304DDB	10110
6-Way	8	6+6+6	PHV306DDB	11620
8-Way	8	8+8+8	PHV308DDB	13485
12-Way	8	12+12+12	PHV312DDB	17845

VTPN DBs WITH MCCB INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for MCCB as incomer and SP/TP MCBs as outgoing
- Suitable for 3P/4P MCCB as incomer upto 125A - DY125U



Double Door

VTPN DBs WITH MCCB INCOMER*

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	MCCB	4+4+4	PHV304DYM	12065
6-Way	MCCB	6+6+6	PHV306DYM	14120
8-Way	MCCB	8+8+8	PHV308DYM	15335
12-Way	MCCB	12+12+12	PHV312DYM	19830

*These DBs are available till stock last.

ENCLOSURES

- As per IS 8623
- Available in 2, 3, 4 & 6 way
- With provision to mount MCB/Isolator/RCCB/RCBO or other modular devices



Single Door

ENCLOSURES*

Description	Modules	Single Door	MRP/Unit in ₹
2-Way	2	PHE02DB	500
3-Way	3	PHE03DB	560
4-Way	4	PHE04DB	560
6-Way	6	PHE06DB	845

PLUG & SOCKET DBs

- As per IS 8623
- SPN 10A & 20A; TPN - 32A
- With provision to mount MCBs/RCCBs



Single Door

PLUG & SOCKET DBs*

Description	No. of Pins	Modules	Single Door	MRP/Unit in ₹
10A, 2 Pin+SC^	P+N	1	PMP110DB	1270
20A, 2 Pin+SC^	P+N	1	PMP120DB	1355
20A, 2 Pin+SC^	P+N	2	PMP220DB	1480
32A, 3 Pin+SC^	3P	3	PMP332DB	3505

SC^ - Scrapping Earth

*These DBs are available till stock last.

HIGHLIGHTS

- Ready to use DBs, complete with colour - coded wire set, 100A bus bar, Neutral bar/s & Earth bar/s
- Superior quality powder coating for better looks and longer life
- DB is suitable for surface or flush mounting



Single Door



Double Door



Double Door



Double Door

SINGLE PHASE NEUTRAL (SPN) DBs

Description	Modules		Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	2	2	BH104SDB	950	BH104DDB	1520
6 way	2	4	BH106SDB	1045	BH106DDB	1710
8 way	2	6	BH108SDB	1180	BH108DDB	1865
12 way	2	10	BH112SDB	1570	BH112DDB	2275
16 way	2	14	BH116SDB	1955	BH116DDB	2800

THREE PHASE NEUTRAL (TPN) DBs

Description	Modules		Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	8	4+4+4	BH304SDB	2945	BH304DDB	3805
6 way	8	6+6+6	BH306SDB	3640	BH306DDB	4675
8 way	8	8+8+8	BH308SDB	4205	BH308DDB	5670
12 way	8	12+12+12	BH312SDB	5965	BH312DDB	8155

PHASE SELECTOR DBs

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4 way	8	4+4+4	BHC04DDB	11980
6 way	8	6+6+6	BHC06DDB	12510

Provided with 40A selector switches