


LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated Industrial Cables
Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables
Flexible Cables Single Core

(HSN Code : 8544)

Communication Cables


Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)

Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables



Residential & Commercial



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

List Price wef. 21 May 2026

FINOULTRA



FINOULTRA E BEAMED LOW SMOKE ZERO HALOGEN INSULATED INDUSTRIAL CABLES			
FINOLEX MAKE FINOULTRA SINGLE CORE UNSHEATHED ELECTRON BEAM CROSS LINKED HALOGEN FREE FLAME RETARDANT INSULATED CABLES WITH FLEXIBLE CLASS 5 BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UP TO 1100V AS PER IS 17048: 2018			
Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10452	0.75	2,040	20
10453	1.0	2,625	20
10454	1.5	3,820	12
10455	2.5	6,155	12
10456	4.0	9,545	8
10457	6.0	14,140	4

Flame Retardant (FR) PVC Insulated Industrial Cables

GOLD PACK



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES			
FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010			
Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,920	20
10303	1.0	2,640	20
10304	1.5	3,865	12
10305	2.5	6,015	12
10306	4.0	8,820	8
10307	6.0	13,215	4

Flame Retardant (FR) PVC Insulated Industrial Cables



SILVER PACK

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,860	20
10303	1.0	2,365	20
10304	1.5	3,495	12
10305	2.5	5,580	12
10306	4.0	8,475	8
10307	6.0	12,855	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10312016	0.75	3,640	8
10313	1.0	4,760	8
10314	1.5	6,890	6
10315	2.5	11,365	4
10306016	4.0	17,710	4
10307016	6.0	26,600	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.0	1,160	30
10314	1.5	1,730	24
10315	2.5	2,780	24
10316	4.0	4,235	12
10317	6.0	6,435	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above

COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 300 PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 300 m coil (Rs.)	No. of Coils packed in a Master Carton
10312017	0.75	6,095	8
10313017	1.0	7,970	8
10314017	1.5	11,530	6
10315017	2.5	19,020	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 200 PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 200 m coil (Rs.)	No. of Coils packed in a Master Carton
10306015	4.0	19,760	4
10307015	6.0	29,685	3

List Price wef. 21 May 2026



Flamegard Flame Retardant Low Smoke(FR-LSH)



FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10112013	0.75	1,905	20
10113	1.0	2,425	20
10114	1.5	3,580	12
10115	2.5	5,720	12
10106	4.0	8,685	8
10107	6.0	13,175	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10112016	0.75	3,730	8
10113016	1.0	4,880	8
10114016	1.5	7,060	6
10115016	2.5	11,650	4
10106016	4.0	18,155	4
10107016	6.0	27,265	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

List Price wef. 21 May 2026



FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 300 m coil (Rs.)	No. of Coils packed in a Master Carton
10122017	0.75	6,245	8
10123017	1.0	8,170	8
10124017	1.5	11,820	6
10125017	2.5	19,495	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 200 m coil (Rs.)	No. of Coils packed in a Master Carton
10126012	4.0	20,255	4
10127012	6.0	30,425	3

List Price wef. 21 May 2026



Halogen Free Flame Retardant (HFFR) Industrial Cables



HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES			
FINOLEX MAKE FINOGREEN SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V			

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES			
Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1,890	20
10403	1.0	2,415	20
10404	1.5	3,585	12
10405	2.5	5,745	12
10406	4.0	8,735	8
10407	6.0	13,250	4



Flexible Cables

List Price wef. 21 May 2026

FLEXIBLE CABLES - SINGLE CORE			
FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.			

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.			
Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14001	0.50	1,390	1,425
14002	0.75	2,005	2,055
14003	1.00	2,570	2,635
14104	1.50	3,845	3,940
14105	2.50	6,165	6,320
14206	4.00	9,400	9,635

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.			
Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14207	6	14,270	14,625
14208	10	24,980	25,605
14209	16	39,345	40,330
14210	25	61,515	63,055
14211	35	85,895	88,040
14212	50	121,790	124,835
14513	70	177,480	181,915
14514	95*	234,740	240,610
14515	120*	301,490	309,025
14516	150*	373,380	382,715
14517	185*	461,475	473,010
14518	240*	606,735	621,905

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE							
FINOLEX PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010							
TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17002	0.50	3,605	3765	17102	1.5	8,580	8835
17002	0.75	4,995	5220	17102	2.5	13,935	14355
17002	1.00	6,240	6490	17202	4	21,815	22470

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathedwith PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17003	0.50	4,985	5185	17103	1.5	12,160	12465
17003	0.75	6,880	7120	17103	2.5	19,610	20100
17003	1.00	8,720	8980	17203	4	31,115	31895

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17004	0.50	6,375	6,600	17104	1.5	16,020	16,420
17004	0.75	8,845	9,110	17104	2.5	26,115	26,770
17004	1.00	11,240	11,520	17204	4	40,945	41,970

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colourand Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17006	0.50	9,485	9815	17106	1.5	24,410	25020
17006	0.75	13,440	13845	17106	2.5	39,220	40200
17006	1.00	17,520	18045	17206	4	61,755	63300

SEVEN CORES (1+6)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	11,160	11550	17108	1.50	27,830	28525
17008	0.75	15,640	16110	17108	2.50	45,815	46960
17008	1.00	19,925	20425	17208	4.00	71,525	73315

EIGHT CORES*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	12,360	12730	17108	1.50	32,075	32875
17008	0.75	17,490	18015	17108	2.50	51,600	52890
17008	1.00	22,460	23020	17208	4.00	81,610	83650

TEN CORES (2+8)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17010	0.50	15,400	16,015	17110	1.50	39,690	40680
17010	0.75	21,975	22,745	17110	2.50	64,485	66095
17010	1.00	28,015	28,715	17210	4.00	101,340	103875

TWELVE CORES (3+9)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17012	0.50	18,110	18,655	17112	1.50	47,280	48460
17012	0.75	26,135	26,920	17112	2.50	76,630	78545
17012	1.00	33,340	34,175	17212	4.00	121,080	124105

FOURTEEN CORES (4+10)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17014	0.50	20,330	20,840	17114	1.50	55,070	56445
17014	0.75	29,240	29,970	17114	2.50	89,060	91285
17014	1.00	38,605	39,570	17214	4.00	140,705	144225

SIXTEEN CORES (8+11)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17016	0.50	23,530	24,235	17116	1.50	61,925	63475
17016	0.75	33,460	34,295	17116	2.50	101,465	104000
17016	1.00	43,210	44,290	17216	4.00	160,970	164995

NINETEEN CORES (1+6+12)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17019	0.50	27,650	28,340	17119	1.5	73,230	75060
17019	0.75	40,255	41,260	17119	2.5	119,520	122510
17019	1.00	51,125	52,405	17219	4	190,185	194940

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17203074	6	46,270	47,425	17203124	50*	382,295	391850
17203084	10	78,775	80,745	17503134	70*	541,835	555380
17203094	16*	122,885	125,955	17503144	95*	715,195	733075
17203104	25*	190,155	194,910	17503154	120*	955,430	979315
17203114	35*	266,800	273,470				

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17204074	6	60,500	62,010	17204124	50*	502,545	515110
17204084	10	103,460	106,045	17504134	70*	717,475	735410
17204094	16*	160,510	164,525	17504144	95*	948,470	972180
17204104	25*	252,030	258,330	17504154	120*	1,239,665	1270655
17204114	35*	352,690	361,505				

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M



Communication Cables



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

COAXIAL CABLES - JELLY



COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	2,490	7,595
RG 6 CU	3,460	10,553
RG 11 CU	8,115	24,751

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethylene Foam Insulation, With Laminated Aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,865	5,688
RG 11 CCS	3,680	11,224

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black

Type	90 m coil
	List Price (Rs.)
RG 6 CCS Eco Lite	1,410

Finolex Coaxial Cables with copper clad steel conductor (RG CCS Eco Lite), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	4,270	13024

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.



CCTV Cable

Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	4,600
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	15,589
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	5,050
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	17,114
65916013	RG59 JF X1+6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	5,705
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	19,334
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	2,615
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	5,150
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	2,950
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	5,830
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,990
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	5,905
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	3,370
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	6,670

Telephone Cable



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	1,240	31050103	10 pair	11,010
31050023	2 pair	2,220	31050203	20 pair	20,850
31050033	3 pair	3,245	31050503	50 pair	51,675
31050043	4 pair	4,290	31051001	100 pair	100,370
31050053	5 pair	5,350			

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	825	31040103	10 pair	7,575
31040023	2 pair	1,535	31040203	20 pair	14,185
31040033	3 pair	2,230	31040503	50 pair	35,360
31040043	4 pair	2,880	31041001	100 pair	66,570
31040053	5 pair	3,555			

Standard Length of coil is 90 Meters. | Standard Length of the drum is 500m +/-10%


A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

List Price wef. 21 May 2026



LAN Cable

Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	13,870
32255042	0.5x4P UTP CAT-6 LAN *YLW * 305M	305 Mtr	17,710
32245042	0.5x4P UTP CAT-6 LAN *GRY * 305M	305 Mtr	17,710
32275042	0.5x4P UTP CAT-6 LAN *BLU * 305M	305 Mtr	17,710
32265042	0.5x4P UTP CAT-6 LAN *GRN * 305M	305 Mtr	17,710
32925048	0.5x4 Pair CAT-5 (E) CCA LAN Cable	305 Mtr	8,115
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	5,395
32955048	0.5x4P UTP CAT-6 CCA LAN 305 Mtr	305 Mtr	11,435
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	23,920
32245044	0.5 x4P CAT6 LAN GRY 100M X 2	100 Mtr	5,495
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	20,465
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	26,450
32245142	4P CAT6 LITE LAN GRY 305M X 2	305 Mtr	16,760
32255142	4P CAT6 LITE LAN YLW 305M X 2	305 Mtr	16,760
32265142	4P CAT6 LITE LAN GRN 305M X 2	305 Mtr	16,760
32275142	4P CAT6 LITE LAN BLU 305M X 2	305 Mtr	16,760



Speaker Cable

List Price wef. 21 May 2026

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	2,845
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	4,150
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	5,075
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	7,615
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	11,870
60329024	Speaker Cable 2.5 SQMM (Transperant)100M	6	100 Mtr	12,655
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	710
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	1,040
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	1,270
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,905



Agriculture



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables



3 Core Flat Cable

3 CORE FLAT CABLE							
FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010							
Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)		
13713041	1.5	12200	13803101	25	185415		
13713051	2.5	19290	13803111	35	257110		
13703061	4	27640	13803121*	50	Prices for these sizes can be given on request.		
13803071	6	41005	13803131*	70			
13803081	10	75185	13803141*	95			
13803091	16	118530					
FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							
Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)		
13863049	1.5	12530	13823069	4	29020		
13863059	2.5	20255					
FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							
Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)		
13823079	6	43055	13823109	25	194685		
13823089	10	79695	13823119	35	269965		
13823099	16	124455					
3 CORE FLAT CCA CABLES							
FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							
Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	23770	13853109	36	354/.36	92990
13853089	14	140/.36	39665	13853119	50	594/.36	128660
13853099	23	226/.36	62745				

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us.

We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires

List Price wef. 21 May 2026




PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS
CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	795	1000	6
13000602	0.60	795	500	6
13000701	0.70	1,090	1000	6
13000702	0.70	1,090	500	6
13000801	0.80	1,480	1000	6
13000802	0.80	1,480	500	6
13000901	0.90	1,825	1000	5
13000902	0.90	1,825	500	6
13001001	1.00	2,220	1000	5
13001002	1.00	2,220	500	6
13001101	1.10	2,670	1000	4
13001102	1.10	2,670	500	6
13001201	1.20	3,150	1000	4
13001202	1.20	3,150	500	6
13001301	1.30	3,670	1000	3
13001302	1.30	3,670	500	6
13001402	1.40	4,275	500	5
13001502	1.50	4,890	500	5
13001602	1.60	5,550	500	4
13001702	1.70	6,235	500	4
13001802	1.80	7,015	500	4
13001902	1.90	7,755	500	3
13002002	2.00	8,675	500	3
13002102	2.10	9,510	500	3
13002202	2.20	10,415	500	2
13002302	2.30	11,360	500	2
13002402	2.40	12,365	500	2
13002502	2.50	13,435	500	2
13002602	2.60	14,505	500	2
13002702	2.70	15,630	500	2
13002804	2.80*	16,705	250	2
13003004	3.00*	19,140	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.
PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



Automobile / Solar Power



High thermal rating to withstand extreme temperatures



Excellent resistant to heat pressure



Long life & highly durable cables

Auto Battery Cables

List Price wef. 21 May 2026



AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	9,765	39,050
22210	354/.3	25	15,265	61,070
22211	495/.3	35	21,335	85,340
22212	703/.3	50	30,255	121,015
22513	360/.5	70	44,145	176,580
22514	475/.5.*	95	58,360	233,435
22515	608/.5.*	120	74,985	299,925
22516	750/.5.*	150	92,865	371,455
22517	925/.5.*	185	114,810	459,250
22518	1221/.5.*	240	151,005	604,015

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	1210	4,830

1050 CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILECABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	335	1,330
2302	24/.21	0.75	500	1,995
2303	32/.21	1.00	665	2,655
2304	30/.26	1.50	975	3,900
2305	50/.26	2.50	1,625	6,475
2306	56/.31	4.00	2,690	10,735
2307	84/.31	6.00	3,995	15,960

Solar Cables

List Price wef. 21 May 2026



SOLAR DC CABLE		
FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD.		
**Product Code	Material Description	List Price per 100m (Rs.)
16905018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M RED	6,120
16995018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M Black	6,120
16906018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red	9,045
16996018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black	9,045
16907016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Red	13,325
16997016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Black	13,325

Solar Nova		
**Product Code	Material Description	List Price per 100m (Rs.)
16985014	ATC 2.5 SOLAR NOVA EBEAM100MBLK	5,905
16986014	ATC 4.0 SOLAR NOVA EBEAM 100MBLK	8,715
16987014	ATC 6.0 SOLAR NOVA EBEAM 100M BLK	13,160
	ATC 10.0 SOLAR NOVA EBEAM 100M BLK	24,275

NOTES

- Prices: GST extra as applicable.
- Printing: Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
- Delivery: F.O.R. any station in India by road transport.
- Product Code: The full product code is of 8 digits. For example :
 22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m
 22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.
 a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor,
 225 represents Auto Cable IS specifications for 0.5 conductor.
 b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.
 c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.
 d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.


Visit us at: www.finolex.com | /Finolexcables | /Finolexcables | /Finolex.Cables



CIN: L31300MH1967PLC016531

Finolex gets people together

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.
 In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation.
 When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.