

LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated Industrial Cables
Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables

Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)


Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires


Automobile/Solar Power

Auto Cables
Solar Cables

(HSN Code : 8544)



Residential & Commercial



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

List Price wef. 27 Apr 2026

FINOULTRA



FINOULTRA E BEAMED LOW SMOKE ZERO HALOGEN INSULATED INDUSTRIAL CABLES			
FINOLEX MAKE FINOULTRA SINGLE CORE UNSHEATHED ELECTRON BEAM CROSS LINKED HALOGEN FREE FLAME RETARDANT INSULATED CABLES WITH FLEXIBLE CLASS 5 BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UP TO 1100V AS PER IS 17048: 2018			
Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10452	0.75	1,970	20
10453	1.0	2,535	20
10454	1.5	3,820	12
10455	2.5	6,155	12
10456	4.0	9,180	8
10457	6.0	13,595	4

Flame Retardant (FR) PVC Insulated Industrial Cables

GOLD PACK



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES			
FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010			
Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,845	20
10303	1.0	2,540	20
10304	1.5	3,715	12
10305	2.5	5,785	12
10306	4.0	8,480	8
10307	6.0	12,705	4

Flame Retardant (FR) PVC Insulated Industrial Cables



SILVER PACK

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,790	20
10303	1.0	2,275	20
10304	1.5	3,360	12
10305	2.5	5,365	12
10306	4.0	8,150	8
10307	6.0	12,360	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10312016	0.75	3,495	8
10313	1.0	4,565	8
10314	1.5	6,610	6
10315	2.5	10,895	4
10306016	4.0	16,965	4
10307016	6.0	25,465	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.0	1,165	30
10314	1.5	1,710	24
10315	2.5	2,790	24
10316	4.0	4,340	12
10317	6.0	6,520	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above

COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 300 PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 300 m coil (Rs.)	No. of Coils packed in a Master Carton
10312017	0.75	5,850	8
10313017	1.0	7,640	8
10314017	1.5	11,055	6
10315017	2.5	18,225	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 200 PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 200 m coil (Rs.)	No. of Coils packed in a Master Carton
10306015	4.0	18,920	4
10307015	6.0	28,405	3

Flamegard Flame Retardant Low Smoke(FR-LSH)



FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10112013	0.75	1,835	20
10113	1.0	2,330	20
10114	1.5	3,445	12
10115	2.5	5,500	12
10106	4.0	8,355	8
10107	6.0	12,670	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10112016	0.75	3,580	8
10113016	1.0	4,680	8
10114016	1.5	6,775	6
10115016	2.5	11,165	4
10106016	4.0	17,390	4
10107016	6.0	26,100	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

List Price wef. 27 Apr 2026



FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 300 m coil (Rs.)	No. of Coils packed in a Master Carton
10122017	0.75	5,995	8
10123017	1.0	7,830	8
10124017	1.5	11,330	6
10125017	2.5	18,680	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 200 m coil (Rs.)	No. of Coils packed in a Master Carton
10126012	4.0	19,395	4
10127012	6.0	29,115	3

List Price wef. 27 Apr 2026



Halogen Free Flame Retardant (HFFR) Industrial Cables



HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES			
FINOLEX MAKE FINOGREEN SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V			

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES			
Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1,815	20
10403	1.0	2,320	20
10404	1.5	3,445	12
10405	2.5	5,520	12
10406	4.0	8,400	8
10407	6.0	12,735	4



Flexible Cables

List Price wef. 27 Apr 2026

FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14001	0.50	1,335	1,370
14002	0.75	1,925	1,975
14003	1.00	2,470	2,530
14104	1.50	3,695	3,785
14105	2.50	5,925	6,075
14206	4.00	9,035	9,260

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14207	6	13,720	14,065
14208	10	24,020	24,620
14209	16	37,665	38,605
14210	25	58,885	60,355
14211	35	82,205	84,260
14212	50	116,555	119,470
14513	70	169,810	174,055
14514	95*	224,630	230,245
14515	120*	288,480	295,690
14516	150*	357,255	366,185
14517	185*	441,515	452,555
14518	240*	580,455	594,965

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE							
FINOLEX PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010							
TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17002	0.50	3,500	3670	17102	1.5	8,275	8525
17002	0.75	4,845	5075	17102	2.5	13,430	13835
17002	1.00	6,035	6265	17202	4	21,005	21635

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathedwith PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17003	0.50	4,830	5015	17103	1.5	11,705	12000
17003	0.75	6,650	6885	17103	2.5	18,865	19335
17003	1.00	8,415	8665	17203	4	29,905	30655

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17004	0.50	6,170	6,385	17104	1.5	15,415	15,800
17004	0.75	8,535	8,790	17104	2.5	25,105	25,735
17004	1.00	10,830	11,100	17204	4	39,325	40,310

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colourand Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17006	0.50	9,175	9495	17106	1.5	23,485	24070
17006	0.75	12,970	13360	17106	2.5	37,685	38625
17006	1.00	16,895	17400	17206	4	59,290	60770

SEVEN CORES (1+6)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	10,790	11170	17108	1.50	26,750	27420
17008	0.75	15,090	15545	17108	2.50	44,020	45120
17008	1.00	19,190	19670	17208	4.00	68,630	70345

EIGHT CORES*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	11,945	12305	17108	1.50	30,835	31605
17008	0.75	16,865	17370	17108	2.50	49,550	50790
17008	1.00	21,620	22160	17208	4.00	78,300	80260

TEN CORES (2+8)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17010	0.50	14,880	15,475	17110	1.50	38,145	39100
17010	0.75	21,190	21,930	17110	2.50	61,920	63470
17010	1.00	26,965	27,640	17210	4.00	97,205	99635

TWELVE CORES (3+9)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17012	0.50	17,485	18,010	17112	1.50	45,420	46555
17012	0.75	25,195	25,950	17112	2.50	73,550	75390
17012	1.00	32,080	32,880	17212	4.00	116,120	119025

FOURTEEN CORES (4+10)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17014	0.50	19,600	20,090	17114	1.50	52,905	54230
17014	0.75	28,140	28,845	17114	2.50	85,470	87605
17014	1.00	37,140	38,070	17214	4.00	134,915	138290

SIXTEEN CORES (8+11)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17016	0.50	22,690	23,370	17116	1.50	59,450	60935
17016	0.75	32,205	33,010	17116	2.50	97,365	99800
17016	1.00	41,535	42,575	17216	4.00	154,350	158210

NINETEEN CORES (1+6+12)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17019	0.50	26,655	27,320	17119	1.5	70,295	72050
17019	0.75	38,760	39,730	17119	2.5	114,650	117515
17019	1.00	49,135	50,365	17219	4	182,335	185980

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17203074	6	44,440	45,550	17203124	50*	366,490	375650
17203084	10	75,595	77,485	17503134	70*	519,095	532070
17203094	16*	117,835	120,780	17503144	95*	685,190	702320
17203104	25*	182,280	186,835	17503154	120*	915,335	938220
17203114	35*	255,715	262,110				

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17204074	6	58,060	59,510	17204124	50*	481,480	491110
17204084	10	99,215	101,695	17504134	70*	687,155	700900
17204094	16*	153,840	157,685	17504144	95*	908,470	926640
17204104	25*	241,535	247,575	17504154	120*	1,187,245	1210990
17204114	35*	337,910	344,670				

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M



Communication Cables



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

COAXIAL CABLES - JELLY



COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	2,430	7,412
RG 6 CU	3,365	10,263
RG 11 CU	7,865	23,988

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethylene Foam Insulation, With Laminated Aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,835	5,597
RG 11 CCS	3,610	11,011

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black

Type	90 m coil
	List Price (Rs.)
RG 6 CCS Eco Lite	1,340

Finolex Coaxial Cables with copper clad steel conductor (RG CCS Eco Lite), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	4,225	12886

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethylene foam insulation, with laminated aluminium tape and Al. Wire braid, Jelly flooded and PVC Jacketing in Black colour.



CCTV Cable

Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	4,485
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	15,199
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	4,920
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	16,673
65916013	RG59 JF X1+6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	5,535
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	18,758
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	2,555
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	5,025
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	2,875
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	5,680
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,915
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	5,765
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	3,285
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	6,505

Telephone Cable



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	1,200	31050103	10 pair	10,600
31050023	2 pair	2,135	31050203	20 pair	20,030
31050033	3 pair	3,120	31050503	50 pair	49,640
31050043	4 pair	4,125	31051001	100 pair	96,300
31050053	5 pair	5,145			

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	800	31040103	10 pair	7,305
31040023	2 pair	1,480	31040203	20 pair	13,660
31040033	3 pair	2,150	31040503	50 pair	34,040
31040043	4 pair	2,775	31041001	100 pair	63,930
31040053	5 pair	3,425			

Standard Length of coif is 90 Meters. | Standard Length of the drum is 500m +/-10%


A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

List Price wef. 27 Apr 2026



LAN Cable


Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	13,480
32255042	0.5x4P UTP CAT-6 LAN *YLW * 305M	305 Mtr	16,990
32245042	0.5x4P UTP CAT-6 LAN *GRY * 305M	305 Mtr	16,990
32275042	0.5x4P UTP CAT-6 LAN *BLU * 305M	305 Mtr	16,990
32265042	0.5x4P UTP CAT-6 LAN *GRN * 305M	305 Mtr	16,990
32925048	0.5x4 Pair CAT-5 (E) CCA LAN Cable	305 Mtr	8,030
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	5,270
32955048	0.5x4P UTP CAT-6 CCA LAN 305 Mtr	305 Mtr	11,235
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	23,165
32245044	0.5 x4P CAT6 LAN GRY 100M X 2	100 Mtr	5,300
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	19,805
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	25,775
32245142	4P CAT6 LITE LAN GRY 305M X 2	305 Mtr	16,165
32255142	4P CAT6 LITE LAN YLW 305M X 2	305 Mtr	16,165
32265142	4P CAT6 LITE LAN GRN 305M X 2	305 Mtr	16,165
32275142	4P CAT6 LITE LAN BLU 305M X 2	305 Mtr	16,165



Speaker Cable

List Price wef. 27 Apr 2026

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	2,735
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	3,990
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	4,885
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	7,300
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	11,395
60329024	Speaker Cable 2.5 SQMM (Transperant)100M	6	100 Mtr	12,135
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	685
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	1,000
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	1,220
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,825



Agriculture



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables



3 Core Flat Cable

3 CORE FLAT CABLE							
FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010							
Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)		
13713041	1.5	11760	13803101	25	177600		
13713051	2.5	18565	13803111	35	246275		
13703061	4	26495	13803121*	50	Prices for these sizes can be given on request.		
13803071	6	39270	13803131*	70			
13803081	10	72120	13803141*	95			
13803091	16	113535					
FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							
Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)		
13863049	1.5	12080	13823069	4	27820		
13863059	2.5	19495					
FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							
Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)		
13823079	6	41235	13823109	25	186480		
13823089	10	75725	13823119	35	258590		
13823099	16	119210					
3 CORE FLAT CCA CABLES							
FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							
Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	23210	13853109	36	354/.36	90630
13853089	14	140/.36	38715	13853119	50	594/.36	125380
13853099	23	226/.36	61170				

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us.

We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires

List Price wef. 27 Apr 2026




PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS
CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
1300601	0.60	760	1000	6
1300602	0.60	760	500	6
1300701	0.70	1,035	1000	6
1300702	0.70	1,035	500	6
1300801	0.80	1,415	1000	6
1300802	0.80	1,415	500	6
1300901	0.90	1,745	1000	5
1300902	0.90	1,745	500	6
13001001	1.00	2,120	1000	5
13001002	1.00	2,120	500	6
13001101	1.10	2,555	1000	4
13001102	1.10	2,555	500	6
13001201	1.20	3,010	1000	4
13001202	1.20	3,010	500	6
13001301	1.30	3,510	1000	3
13001302	1.30	3,510	500	6
13001402	1.40	4,085	500	5
13001502	1.50	4,675	500	5
13001602	1.60	5,300	500	4
13001702	1.70	5,955	500	4
13001802	1.80	6,700	500	4
13001902	1.90	7,410	500	3
13002002	2.00	8,285	500	3
13002102	2.10	9,085	500	3
13002202	2.20	9,945	500	2
13002302	2.30	10,850	500	2
13002402	2.40	11,810	500	2
13002502	2.50	12,830	500	2
13002602	2.60	13,850	500	2
13002702	2.70	14,930	500	2
13002804	2.80*	15,950	250	2
13003004	3.00*	18,275	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.
PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



Automobile / Solar Power



High thermal rating to withstand extreme temperatures



Excellent resistant to heat pressure



Long life & highly durable cables

Auto Battery Cables

List Price wef. 27 Apr 2026



AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	9,345	37,370
22210	354/.3	25	14,610	58,440
22211	495/.3	35	20,415	81,655
22212	703/.3	50	28,945	115,785
22513	360/.5	70	42,230	168,915
22514	475/.5.*	95	55,830	223,325
22515	608/.5.*	120	71,730	286,915
22516	750/.5.*	150	88,835	355,335
22517	925/.5.*	185	109,825	439,295
22518	1221/.5.*	240	144,435	577,740

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	1175	4,705

1050 CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILECABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	320	1,275
2302	24/.21	0.75	480	1,910
2303	32/.21	1.00	640	2,540
2304	30/.26	1.50	935	3,735
2305	50/.26	2.50	1,550	6,195
2306	56/.31	4.00	2,575	10,275
2307	84/.31	6.00	3,820	15,270

Solar Cables

List Price wef. 27 Apr 2026



SOLAR DC CABLE		
FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD.		
**Product Code	Material Description	List Price per 100m (Rs.)
16905018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M RED	5,885
16995018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M Black	5,885
16906018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red	8,690
16996018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black	8,690
16907016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Red	12,790
16997016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Black	12,790

Solar Nova		
**Product Code	Material Description	List Price per 100m (Rs.)
16985014	ATC 2.5 SOLAR NOVA EBEAM100MBLK	5,695
16986014	ATC 4.0 SOLAR NOVA EBEAM 100MBLK	8,360
16987014	ATC 6.0 SOLAR NOVA EBEAM 100M BLK	12,630
	ATC 10.0 SOLAR NOVA EBEAM 100M BLK	23,290

NOTES

- Prices: GST extra as applicable.
- Printing: Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
- Delivery: F.O.R. any station in India by road transport.
- Product Code: The full product code is of 8 digits. For example :
 22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m
 22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.
 a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor,
 225 represents Auto Cable IS specifications for 0.5 conductor.
 b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.
 c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.
 d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.

Visit us at: www.finolex.com | /Finolexcables | /Finolexcables | /Finolex.Cables



Finolex gets people together

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.
 In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation.
 When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.