


LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated
Industrial Cables
Flamegard - Flame Retardant Low Smoke
(FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant
(HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables

Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)

Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables



Residential & Commercial

List Price wef. 22 March 2025



**High grade
99.97% pure bare
copper conductor**



**Abrasion resistant
grade sheath
material**



**Long life &
highly durable
cables**

FINOULTRA



FINOULTRA E BEAMED LOW SMOKE ZERO HALOGEN INSULATED INDUSTRIAL CABLES

FINOLEX MAKE FINOULTRA SINGLE CORE UNSHEATHED ELECTRON BEAM CROSS LINKED HALOGEN FREE FLAME RETARDANT INSULATED CABLES WITH FLEXIBLE CLASS 5 BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS 17048 : 2018

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10452	0.75	1440	20
10453	1	1850	20
10454	1.5	2745	12
10455	2.5	4385	12
10456	4	6580	8
10457	6	9705	4

PACKING : Finolex FinoUltra HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.

COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flame Retardant (FR) PVC Insulated Industrial Cables



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS 694:2010

GOLD PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10302	0.75	1365	20
10303	1.00	1880	20
10304	1.50	2760	12
10305	2.50	4365	12
10306	4.00	6380	8
10307	6.00	9540	4

Flame Retardant (FR) PVC Insulated Industrial Cables

List Price wef. 22 March 2025



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10312	0.75	1,315	20
10313	1.00	1,695	20
10314	1.50	2,460	12
10315	2.50	3,980	12
10316	4.00	6,130	8
10317	6.00	9,180	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10312016	0.75	2,515	8
10313	1.00	3,265	8
10314	1.50	4,765	6
10315	2.50	7,740	4
10306016	4.00	12,010	4
10307016	6.00	17,995	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	815	30
10314	1.50	1,190	24
10315	2.50	1,935	24
10316	4.00	3,005	12
10317	6.00	4,500	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above

COLOURS : Finolex cables are available in five common colours: Red,Yellow, Blue, Black & Green.

Flamegard Flame Retardant Low Smoke(FR-LSH) Industrial Cables



List Price wef. 22 March 2025

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10112013	0.75	1,345	20
10113	1.00	1,740	20
10114	1.50	2,525	12
10115	2.50	4,060	12
10106	4.00	6,285	8
10107	6.00	9,415	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10112016	0.75	2,540	8
10113016	1.00	3,300	8
10114016	1.50	4,815	6
10115016	2.50	7,815	4
10106016	4.00	12,130	4
10107016	6.00	18,175	4

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	825	30
10114	1.50	1,205	24
10115	2.50	1,955	24
10106	4.00	3,035	12
10107	6.00	4,545	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.

COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

Halogen Free Flame Retardant (HFFR) Industrial Cables



List Price wef. 22 March 2025

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE FINOGREEN SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES
IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1,380	20
10403	1.00	1,780	20
10404	1.50	2,585	12
10405	2.50	4,180	12

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10406	4.00	6,435	8
10407	6.00	9,640	4

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	LP per coil Rs.	Length per coil	No. of Coils packed in a Master Carton
10413016	1.00	3,420	180	8
10414016	1.50	4,995	180	6
10415016	2.50	8,120	180	4
10406016	4.00	12,535	180	4
10407016	6.00	18,810	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.
COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flexible Cables



FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14001	0.50	965	1,015
14002	0.75	1,395	1,465
14003	1.00	1,810	1,900

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14104	1.50	2,640	2,770
14105	2.50	4,295	4,510
14206	4.00	6,620	6,960

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14207	6	9,950	10,450
14208	10	17,295	18,160
14209	16	26,275	27,590
14210	25	41,080	43,135
14211	35	57,390	60,260
14212	50	81,375	85,445

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14513	70	1,18,625	1,24,555
14514	95*	1,56,880	1,64,725
14515	120*	2,01,510	2,11,585
14516	150*	2,49,565	2,62,045
14517	185*	3,08,480	3,23,905
14518	240*	4,05,620	4,25,900

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17002	0.50	2,455
17002	0.75	3,375
17002	1.00	4,215

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17102	1.50	5,720
17102	2.50	9,255
17202	4.00	14,475

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC.

Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17003	0.50	3,315
17003	0.75	4,615
17003	1.00	5,840

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17103	1.50	8,125
17103	2.50	13,010
17203	4.00	20,625

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC.

Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17004	0.50	4,220
17004	0.75	5,900
17004	1.00	7,545

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17104	1.50	10,655
17104	2.50	17,240
17204	4.00	27,220

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17006	0.50	6,255
17006	0.75	8,970
17006	1.00	11,365

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17106	1.50	16,050
17106	2.50	26,020
17206	4.00	41,240

SEVEN CORES (1+6)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17008	0.50	7,310
17008	0.75	10,290
17008	1.00	13,170

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17107	1.50	18,670
17107	2.50	30,240
17207	4.00	47,745

EIGHT CORES*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17008	0.50	8,220
17008	0.75	11,640
17008	1.00	14,895

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17108	1.50	21,255
17108	2.50	34,540
17208	4.00	54,400

TEN CORES (2+8)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17010	0.50	9,995
17010	0.75	14,375
17010	1.00	18,410

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17110	1.50	26,170
17110	2.50	42,590
17210	4.00	67,490

TWELVE CORES (3+9)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17012	0.50	11,835
17012	0.75	17,065
17012	1.00	21,890

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17112	1.50	31,150
17112	2.50	51,010
17212	4.00	80,595

FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.

FOURTEEN CORES: (4+10)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17014	0.50	13,815
17014	0.75	19,755
17014	1.00	25,380

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17114	1.50	36,385
17114	2.50	59,455
17214	4.00	93,610

SIXTEEN CORES (8 +11)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17016	0.50	15,665
17016	0.75	22,595
17016	1.00	29,030

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17116	1.50	41,410
17116	2.50	67,700
17216	4.00	1,07,100

NINETEEN CORES (1+6 + 12)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17019	0.50	18,350
17019	0.75	26,530
17019	1.00	34,335

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17119	1.50	48,945
17119	2.50	79,650
17219	4.00	1,26,460

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.
Packing: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17203074	6	30,620
17203084	10	52,535
17203094	16*	81,640
17203104	25*	1,26,185
17203114	35*	1,76,910

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17203124	50*	2,53,660
17503134	70*	3,58,680
17503144	95*	4,73,435
17503154	120*	6,32,345

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17204074	6	40,235
17204084	10	68,800
17204094	16*	1,06,460
17204104	25*	1,67,105
17204114	35*	2,33,595

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17204124	50*	3,32,805
17504134	70*	4,74,490
17504144	95*	6,27,395
17504154	120*	8,19,765

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

Packing: Cables shall be supplied in Standard length of 100 M



Communication Cables



**High grade
99.97% pure bare
copper conductor**



**Abrasion resistant
grade sheath
material**



**Long life &
highly durable
cables**

Coaxial Cables – Jelly



List Price wef. 22 March 2025

COAXIAL CABLES - JELLY

Type	100 m coil List Price (Rs.)	305 m drum List Price (Rs.)
RG 59 CU	1,790	5,460
RG 6 CU	2,500	7,625
RG 11 CU	5,700	17,385

Type	100 m coil List Price (Rs.)	305 m drum List Price (Rs.)
RG 6 CCS	1,530	4,667
RG 11 CCS	3,100	9,455

Type	100 m coil List Price (Rs.)	305 m drum List Price (Rs.)
RG 11 CCA	3,550	10,828

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

CCTV Cable



Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	3,230
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	10946
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,535
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	11980
65916013	RG59 JF XI +6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	4,110
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	13928
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	1,855
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	3,655
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	2,055
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	4,080
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,095
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	4,150
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,345
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,625

Telephone Cable



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDANT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	855
31050023	2 pair	1,530
31050033	3 pair	2,260
31050043	4 pair	2,975
31050053	5 pair	3,710

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen index Fire Retardant PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	605
31040023	2 pair	1,070
31040033	3 pair	1,575
31040043	4 pair	2,030
31040053	5 pair	2,495

Standard Length of coil is 90 Meters. | Standard Length of the drum is 500m +/-10%

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.


Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	7,195
31050203	20 pair	13,695
31050503	50 pair	33,515
31051001	100 pair	65,135

Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	5,020
31040203	20 pair	9,425
31040503	50 pair	22,760
31041001	100 pair	43,360

LAN Cable



Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	9,570
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	11,750
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	11,750
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	11,750
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	11,750
32925048	0.5x4 Pair UTP Cat-5 (E) CCA LAN Cable	305 Mtr	6,720
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,775
32955048	0.5x4P UTP CAT-6 CCA LAN 305 X 2	305 Mtr	8,400
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	16,625
32245044	0.5 x4P UTP CAT6 LAN *GRY* 100M X 2	100 Mtr	3,645
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	14,495
32448048	4P 23 AWG CAT6 PE ECCS ARMED CBL 305M	305 Mtr	20,150




Speaker Cable



List Price wef. 22 March 2025

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	1,860
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	2,730
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	3,370
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	5,035
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	7,840
60329024	Speaker Cable 2.5 SQMM (Transperant]100M	6	100 Mtr	8,385
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	465
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	685
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	845
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,260

PACKING : Available in 100 M coils AND 25 M coil



Agriculture



High grade
99.97% pure bare
copper conductor




Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

3 Core Flat Cable



3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.50	8,830
13713051	2.50	13,795
13703061	4.00	20,815
13803071	6.00	30,195
13803081	10.00	52,560
13803091	16.00	81,535

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13803101	25.00	1,27,570
13803111	35.00	1,76,710
13803121*	50.00	Prices for these sizes can be given on request.
13803131*	70.00	
13803141*	95.00	

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.50	9,270
13863059	2.50	14,485

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823069	4.00	21,855

FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6.00	31,705
13823089	10.00	55,190
13823099	16.00	85,610

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823109	25.00	1,33,950
13823119	35.00	1,85,545

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	19,675
13853089	14	140/.36	32,740
13853099	23	226/.36	51,810

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853109	36	354/.36	76,210
13853119	50	594/.36	1,05,710

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : * Items marked as * are N/A Stock items. Please refer to Marketing Department for further confirmation indicating quantity, packing length, color, etc.

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

PVC Insulated Winding Wires



List Price wef. 22 March 2025

PVC INSULATED WINDING WIRES


FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	540	1000	6
13000602	0.60	540	500	6
13000701	0.70	735	1000	6
13000702	0.70	735	500	6
13000801	0.80	950	1000	6
13000802	0.80	950	500	6
13000901	0.90	1,190	1000	5
13000902	0.90	1,190	500	6
13001001	1.00	1,455	1000	5
13001002	1.00	1,455	500	6
13001101	1.10	1,750	1000	4
13001102	1.10	1,750	500	6
13001201	1.20	2,070	1000	4
13001202	1.20	2,070	500	6
13001301	1.30	2,420	1000	3
13001302	1.30	2,420	500	6
13001402	1.40	2,820	500	5
13001502	1.50	3,220	500	5
13001602	1.60	3,655	500	4
13001702	1.70	4,115	500	4
13001802	1.80	4,615	500	4
13001902	1.90	5,135	500	3
13002002	2.00	5,725	500	3
13002102	2.10	6,300	500	3
13002202	2.20	6,900	500	2
13002302	2.30	7,530	500	2
13002402	2.40	8,205	500	2
13002502	2.50	8,895	500	2
13002602	2.60	9,605	500	2
13002702	2.70	10,340	500	2
13002804	2.80*	11,145	250	3
13003004	3.00*	12,760	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.

PVC Insulated Winding Wire is supplied in mono cartons packed in master cartons as shown above.

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com



Automobile / Solar Power

List Price wef. 22 March 2025



**High thermal rating
to withstand
extreme temperatures**



**Excellent
resistant to
heat pressure**



**Long life &
highly durable
cables**

Auto Battery Cables



AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	6,505	26,015
22210	354/.3	25	10,170	40,675
22211	495/.3	35	14,205	56,820
22212	703/.3	50	20,140	80,570
22513	360/.5	70	29,365	1,17,450
22514	475/.5 *	95	38,835	1,55,325
22515	608/.5 *	120	49,875	1,99,515
22516	750/.5 *	150	61,775	2,47,095
22517	925/.5 *	185	76,355	3,05,425
22518	1221/.5 *	240	1,00,405	4,01,605

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	875	3,495

105° CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	225	895
2302	24/.21	0.75	335	1,335
2303	32/.21	1.00	445	1,775
2304	30/.26	1.50	655	2,605
2305	50/.26	2.50	1,085	4,315
2306	56/.31	4.00	1,795	7,155
2307	84/.31	6.00	2,665	10,625

COLOURS : Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

NOTE: The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

Solar Cables

List Price wef. 22 March 2025

SOLAR DC CABLE

FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD.

**Product Code	Material Description	List Price per 100m (Rs.)
16906018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red	6,325
16996018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black	6,325
16907016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Red	9,330
16997016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Black	9,330

NOTES	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	<p>The full product code is of 8 digits. For example :</p> <p>22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m</p> <p>22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.</p> <p>a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor.</p> <p>b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.</p> <p>c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.</p> <p>d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.</p>
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

Visit us at: www.finolex.com | [f /Finolexcables](https://www.facebook.com/Finolexcables) | [i /Finolexcables](https://www.instagram.com/Finolexcables) | [in /Finolex.Cables](https://www.linkedin.com/company/Finolex)



Finolex
Cables Limited

AN IS/ISO 9001:2015 CERTIFIED COMPANY

Finolex gets people together

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com