Finolex
Cables Limited

LEADERS
IN QUALITY
LEADERS
IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated Industrial Cables
Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables

Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)

Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables

(HSN Code : 8544)

NDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

Finolex

Residential & Commercial





High grade 99.97% pure bare copper conductor

Abrasion resistant grade sheath material

Long life & highly durable cables

NDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

List Price wef. 20 Oct 2026



FINOULTRA

FINOULTRA E BEAMED LOW SMOKE ZERO HALOGEN INSULATED INDUSTRIAL CABLES			
FINOLEX MAKE FINOULTRA SINGLE CORE UNSHEATHED ELECTRON BEAM CROSS LINKED HALOGEN FREE FLAME RETARDANT INSULATED CABLES WITH FLEXIBLE CLASS 5 BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UP TO 1100V AS PER IS 17048: 2018			
Product Code	**Conductor Area (sq.mm.)**	**List Price per 90 m coil (Rs.)**	**No. of Coils packed in a Master Carton**
10452	0.75	2,095	20
10453	1.0	2,700	20
10454	1.5	3,795	12
10455	2.5	6,155	12
10456	4.0	9,790	8
10457	6.0	14,515	4

Flame Retardant (FR) PVC Insulated Industrial Cables



GOLD PACK

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES			
FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010			
Product Code	**Conductor Area (sq.mm.)**	**List Price per 90 m coil (Rs.)**	**No. of Coils packed in a Master Carton**
10302	0.75	2,100	20
10303	1.0	2,840	20
10304	1.5	4,180	12
10305	2.5	6,635	12
10306	4.0	9,755	8
10307	6.0	14,635	4

List Price wef. 20 Oct 2026

Finolex
XCEEDS XPECTATIONS

Flame Retardant (FR) PVC Insulated Industrial Cables

SILVER PACK



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	2,010	20
10303	1.0	2,540	20
10304	1.5	3,730	12
10305	2.5	6,090	12
10306	4.0	9,245	8
10307	6.0	14,040	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10312016	0.75	3,800	8
10313	1.0	4,970	8
10314	1.5	7,205	6
10315	2.5	11,890	4
10306016	4.0	18,555	4
10307016	6.0	27,870	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.0	1,245	30
10314	1.5	1,845	24
10315	2.5	3,040	24
10316	4.0	4,625	12
10317	6.0	7,030	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
COLOURS : Finolex cables are available in five common colours: Red,Yellow, Blue, Black & Green.

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 300 PACKING			
Product Code	**Conductor Area (sq.mm.)**	**List Price per 300 m coil (Rs.)**	**No. of Coils packed in a Master Carton**
10312017	0.75	6,460	8
10313017	1.0	8,455	8
10314017	1.5	12,250	6
10315017	2.5	20,220	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 200 PACKING			
Product Code	**Conductor Area (sq.mm.)**	**List Price per 200 m coil (Rs.)**	**No. of Coils packed in a Master Carton**
10306015	4.0	21,025	4
10307015	6.0	31,595	3

List Price wef. 20 Oct 2026

Finolex
XCEEDS XPECTATIONS

Flamegard
Flame Retardant
Low Smoke(FR-LSH)



FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10112013	0.75	2,040	20
10113	1.0	2,580	20
10114	1.5	3,785	12
10115	2.5	6,180	12
10106	4.0	9,385	8
10107	6.0	14,250	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10112016	0.75	3,840	8
10113016	1.0	5,020	8
10114016	1.5	7,275	6
10115016	2.5	12,010	4
10106016	4.0	18,740	4
10107016	6.0	28,150	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified aboveCOLOURS : Finolex cables are available in five common colours: Red,Yellow, Blue, Black & Green.

NDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

List Price wef. 20 Oct 2026

Finolex
XCEEDS XPECTATIONS

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING			
Product Code	**Conductor Area (sq.mm.)**	**List Price per 300 m coil (Rs.)**	**No. of Coils packed in a Master Carton**
10122017	0.75	6,525	8
10123017	1.0	8,540	8
10124017	1.5	12,375	6
10125017	2.5	20,420	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING			
Product Code	**Conductor Area (sq.mm.)**	**List Price per 200 m coil (Rs.)**	**No. of Coils packed in a Master Carton**
10126012	4.0	21,235	4
10127012	6.0	31,910	3

Finolex
XCEEDS XPECTATIONS

Flexible Cables



List Price wef. 20 Oct 2026

FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14001	0.50	1,505	1,545
14002	0.75	2,175	2,230
14003	1.00	2,765	2,835
14104	1.50	4,095	4,195
14105	2.50	6,740	6,910
14206	4.00	10,260	10,515

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14207	6	15,600	15,990
14208	10	26,910	27,585
14209	16	41,905	42,955
14210	25	65,515	67,155
14211	35	91,515	93,805
14212	50	129,760	133,005
14513	70	189,155	193,885
14514	95*	250,155	256,410
14515	120*	321,325	329,360
14516	150*	397,940	407,890
14517	185*	491,880	504,175
14518	240*	646,775	662,945

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

Finolex
XCEEDS XPECTATIONS

FLEXIBLE CABLES - MULTICORE

FINOLEX PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17002	0.50	3,695	3880	17102	1.5	8,870	9135
17002	0.75	5,140	5370	17102	2.5	14,430	14865
17002	1.00	6,440	6700	17202	4	22,605	23285

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathedwith PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17003	0.50	5,125	5330	17103	1.5	12,610	12925
17003	0.75	7,105	7355	17103	2.5	20,350	20860
17003	1.00	9,020	9290	17203	4	32,325	33135

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17004	0.50	6,570	6,835	17104	1.5	16,620	17,035
17004	0.75	9,145	9,420	17104	2.5	27,120	27,800
17004	1.00	11,645	11,935	17204	4	42,585	43,650

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colourand Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17006	0.50	9,790	10135	17106	1.5	25,330	25965
17006	0.75	13,900	14315	17106	2.5	40,760	41780
17006	1.00	18,135	18680	17206	4	64,260	65865

Finolex
XCEEDS XPECTATIONS

SEVEN CORES (1+6)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	11,525	11930	17108	1.50	28,920	29645
17008	0.75	16,180	16665	17108	2.50	47,625	48815
17008	1.00	20,655	21170	17208	4.00	74,470	76330

EIGHT CORES*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	12,775	13160	17108	1.50	33,315	34150
17008	0.75	18,120	18665	17108	2.50	53,690	55030
17008	1.00	23,295	23875	17208	4.00	84,975	87100

TEN CORES (2+8)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17010	0.50	15,915	16,550	17110	1.50	41,250	42280
17010	0.75	22,755	23,550	17110	2.50	67,085	68760
17010	1.00	29,060	29,785	17210	4.00	105,555	108195

TWELVE CORES (3+9)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17012	0.50	18,735	19,295	17112	1.50	49,150	50380
17012	0.75	27,075	27,885	17112	2.50	79,760	81755
17012	1.00	34,600	35,465	17212	4.00	126,150	129305

FOURTEEN CORES (4+10)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17014	0.50	21,075	21,600	17114	1.50	57,260	58690
17014	0.75	30,360	31,120	17114	2.50	92,725	95045
17014	1.00	40,085	41,085	17214	4.00	146,625	150290

Finolex
XCEEDS XPECTATIONS

SIXTEEN CORES (8+11)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17016	0.50	24,370	25,100	17116	1.50	64,445	66055
17016	0.75	34,740	35,610	17116	2.50	105,660	108300
17016	1.00	44,920	46,045	17216	4.00	167,730	171925

NINETEEN CORES (1+6+12)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17019	0.50	28,655	29,370	17119	1.5	76,230	78135
17019	0.75	41,760	42,805	17119	2.5	124,505	127620
17019	1.00	53,155	54,485	17219	4	198,235	203190

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17203074	6	48,105	49,310	17203124	50*	398,280	408235
17203084	10	81,990	84,040	17503134	70*	564,905	579030
17203094	16*	127,990	131,190	17503144	95*	745,620	764260
17203104	25*	198,135	203,090	17503154	120*	996,040	1020940
17203114	35*	278,030	284,980				

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17204074	6	62,965	64,540	17204124	50*	523,950	537050
17204084	10	107,760	110,455	17504134	70*	748,295	767000
17204094	16*	167,285	171,465	17504144	95*	989,105	1013835
17204104	25*	262,690	269,255	17504154	120*	1,292,970	1325295
17204114	35*	367,700	376,890				

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M

Finolex



Communication Cables







High grade 99.97% pure bare copper conductor

Abrasion resistant grade sheath material

Long life & highly durable cables

NDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

COAXIAL CABLES - JELLY



COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	2,345	7,152
RG 6 CU	3,270	9,974
RG 11 CU	7,630	23,272

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated Aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,760	5,368
RG 11 CCS	3,440	10,492

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black

Type	90 m coil
	List Price (Rs.)
RG 6 CCS Eco Lite	1,390

Finolex Coaxial Cables with copper clad steel conductor (RG CCS Eco Lite), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,950	12048

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and Al. Wire braid, Jelly flooded and PVC Jacketing in Black colour.

Finolex
XCEEDS XPECTATIONS



CCTV Cable

Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	4,510
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	15,284
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	4,965
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	16,826
65916013	RG59 JF X1+6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	5,615
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	19,029
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	2,565
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	5,050
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	2,895
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	5,730
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,930
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	5,795
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	3,305
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	6,550

Finolex
XCEEDS XPECTATIONS

Telephone Cable



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	1,280	31050103	10 pair	11,380
31050023	2 pair	2,290	31050203	20 pair	21,580
31050033	3 pair	3,355	31050503	50 pair	53,505
31050043	4 pair	4,435	31051001	100 pair	104,025
31050053	5 pair	5,530			

Standard Length of the coil is 90 Mtrs. I Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	850	31040103	10 pair	7,810
31040023	2 pair	1,585	31040203	20 pair	14,665
31040033	3 pair	2,300	31040503	50 pair	36,550
31040043	4 pair	2,975	31041001	100 pair	68,955
31040053	5 pair	3,675			

Standard Length of coif is 90 Meters. I Standard Length of the drum is 500m +/-10%

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

List Price wef. 20 Oct 2026

LAN Cable



Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	13,900
32255042	0.5x4P UTP CAT-6 LAN *YLW * 305M	305 Mtr	17,905
32245042	0.5x4P UTP CAT-6 LAN *GRY * 305M	305 Mtr	17,905
32275042	0.5x4P UTP CAT-6 LAN *BLU * 305M	305 Mtr	17,905
32265042	0.5x4P UTP CAT-6 LAN *GRN * 305M	305 Mtr	17,905
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	5,445
32955046	4P UTP CAT-6 FORTIVA LAN-ORG 305MX 2	305 Mtr	9,265
32955036	4P UTP CAT-6 FORTIVA LAN-GRY 305MX 2	305 Mtr	9,265
32051042	4P UTP CAT-6 NEXCLEAR LAN GRY 305M x 2	305 Mtr	5,005
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	23,105
32245044	0.5 x4P CAT6 LAN GRY 100M X 2	100 Mtr	5,555
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	19,770
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	25,655
32245142	4P CAT6 LITE LAN GRY 305M X 2	305 Mtr	16,945
32255142	4P CAT6 LITE LAN YLW 305M X 2	305 Mtr	16,945
32265142	4P CAT6 LITE LAN GRN 305M X 2	305 Mtr	16,945
32275142	4P CAT6 LITE LAN BLU 305M X 2	305 Mtr	16,945

Finolex
XCEEDS XPECTATIONS





Speaker Cable

List Price wef. 20 Oct 2026

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	2,745
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	4,005
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	4,900
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	7,355
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	11,490
60329024	Speaker Cable 2.5 SQMM (Transperant)100M	6	100 Mtr	12,245
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	685
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	1,000
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	1,225
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,840

Finolex



Agriculture







High grade 99.97% pure bare copper conductor

Abrasion resistant grade sheath material

Long life & highly durable cables

NDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

Finolex
XCEEDS XPECTATIONS

3 Core Flat Cable



3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.5	12875	13803101	25	196595
13713051	2.5	20355	13803111	35	272910
13703061	4	29235	13803121*	50	Prices for these sizes can be given on request.
13803071	6	43460	13803131*	70	
13803081	10	79650	13803141*	95	
13803091	16	125730			

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.5	13260	13823069	4	30695
13863059	2.5	21375			

FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6	45635	13823109	25	206425
13823089	10	83635	13823119	35	286555
13823099	16	132015			

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	24205	13853109	36	354/.36	95105
13853089	14	140/.36	40435	13853119	50	594/.36	131630
13853099	23	226/.36	64110				

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us.
We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.
NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

NDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

PVC Insulated Winding Wires

List Price wef. 20 Oct 2026



Finolex
XCEEDS XPECTATIONS

PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	845	1000	6
13000602	0.60	845	500	6
13000701	0.70	1,145	1000	6
13000702	0.70	1,145	500	6
13000801	0.80	1,560	1000	6
13000802	0.80	1,560	500	6
13000901	0.90	1,935	1000	5
13000902	0.90	1,935	500	6
13001001	1.00	2,350	1000	5
13001002	1.00	2,350	500	6
13001101	1.10	2,835	1000	4
13001102	1.10	2,835	500	6
13001201	1.20	3,345	1000	4
13001202	1.20	3,345	500	6
13001301	1.30	3,900	1000	3
13001302	1.30	3,900	500	6
13001402	1.40	4,540	500	5
13001502	1.50	5,195	500	5
13001602	1.60	5,895	500	4
13001702	1.70	6,625	500	4
13001802	1.80	7,455	500	4
13001902	1.90	8,245	500	3
13002002	2.00	9,220	500	3
13002102	2.10	10,110	500	3
13002202	2.20	11,070	500	2
13002302	2.30	12,080	500	2
13002402	2.40	13,150	500	2
13002502	2.50	14,280	500	2
13002602	2.60	15,420	500	2
13002702	2.70	16,625	500	2
13002804	2.80*	17,770	250	2
13003004	3.00*	20,365	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request.
Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.
PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.

Finolex



Automobile / Solar Power







High thermal rating to withstand extreme temperatures

Excellent resistant to heat pressure

Long life & highly durable cables

Finolex
XCEEDS XPECTATIONS

Auto Battery Cables

List Price wef. 20 Oct 2026



AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	10,410	41,640
22210	354/.3	25	16,280	65,120
22211	495/.3	35	22,755	91,020
22212	703/.3	50	32,265	129,070
22513	360/.5	70	47,090	188,355
22514	475/.5.*	95	62,250	248,990
22515	608/.5.*	120	79,980	319,930
22516	750/.5.*	150	99,060	396,225
22517	925/.5.*	185	122,475	489,900
22518	1221/.5.*	240	161,090	644,350

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	1275	5,100

105O CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILECABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	360	1,420
2302	24/.21	0.75	535	2,130
2303	32/.21	1.00	710	2,830
2304	30/.26	1.50	1,040	4,160
2305	50/.26	2.50	1,730	6,905
2306	56/.31	4.00	2,870	11,450
2307	84/.31	6.00	4,260	17,025

Solar Cables

List Price wef. 20 Oct 2026



SOLAR DC CABLE		
FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD.		
**Product Code	Material Description	List Price per 100m (Rs.)
16905018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M RED	6,240
16995018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M Black	6,240
16906018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red	9,720
16996018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black	9,720
16907016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Red	14,220
16997016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Black	14,220

Solar Nova		
**Product Code	Material Description	List Price per 100m (Rs.)
16985014	ATC 2.5 SOLAR NOVA EBEAM100MBLK	6,030
16986014	ATC 4.0 SOLAR NOVA EBEAM 100MBLK	9,405
16987014	ATC 6.0 SOLAR NOVA EBEAM 100M BLK	13,885
	ATC 10.0 SOLAR NOVA EBEAM 100M BLK	24,275

NOTES

1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	The full product code is of 8 digits. For example : 22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m 22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m. a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor. b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 1 1=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm. c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=0rn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel. d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.

Visit us at: www.finolexcom | /Finolexcables | /Finolexcables | /Finolex.Cables

Finolex Cables Limited

AN IS/ISO 9001:2015 CERTIFIED COMPANY

Finolex gets people together

Sample card available on request

All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation The Company reserves the right to change any specifications / information without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, Installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.

NDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com