

ALUMINUM UN ARMoured / ARMoured

PRICE LIST : 01-01-2025

"KEI" BRAND Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, unarmoured/Armour (Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Galvanised wire for cables upto 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7098(Part 1) 1988

(Rate in Rs. Per Mtr.)

Cable Size in sq.mm	UN ARMoured					Cable Size in sq.mm	ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4		Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY		A2XW aY A2XF aY	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
4		86	100		114	4		169	186		207
6		103	124		145	6		197	217		245
10		145	176		207	10		252	279	R/W → *F/A →	321 279
16		183	231		290	16	R/W → *F/A →	286 248	310		376
25	117	241	324	379	414	25	210	307	400	455	497
35	148	307	428	479	545	35	252	379	507	569	638
50	203	417	579	659	752	50	321	500	672	748	848
70	272	559	797	907	1024	70	407	655	903	1010	1138
95	348	721	1017	1193	1338	95	486	821	1131	1310	1459
120	431	897	1269	1507	1690	120	579	1007	1386	1645	1814
150	541	1117	1597	1821	2103	150	690	1224	1714	1959	2231
185	659	1359	1941	2279	2583	185	834	1486	2086	2431	2738
240	838	1731	2497	2897	3303	240	1038	1869	2648	3059	3466
300	1034	2138	3086	3590	4107	300	1259	2293	3252	3776	4276
400	1369	2814	4055	4721	5400	400	1621	2990	4228	4897	5597
500	1690					500	1966				
630	2121					630	2424				
800	2672					800	3017				
1000	3341					1000	3679				

R/W= ROUND WIRE ARMOUR, F/A= FLAT STRIP ARMOUR

* FLAT STRIP ARMoured (F/A) CABLES ARE NOT CONFIRMING TO IS 7098-1.

EXTRAS FOR SPECIAL CONSTRUCTION:

A] ROUND WIRE ARMOURING

1C95 sq.mm & Above	30.00%
3C & 4C 16 sq.mm & Above	30.00%
2C & 3.5C 25 sq.mm & Above	30.00%

B] Stranding

10 sq.mm & Below	5.00%
------------------	-------

C] Extruded PVC Inner Sheath

Upto 50 sq.mm	5.00%
70 sq.mm & Above	4.00%

D] HR PVC

Insulation	10.00%
Inner/Outer Sheath (EACH)	5.00%

E] Oxygen Index (FR) 4.00%

F] PVC Cables 12.00%

FRLS Loading Factor				LSZH	
Cable Size (Sq.mm)	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armd.	Unarmd.		
Power (Al.)					
Upto 16	5.0%	5.0%	5.0%	22.5%	30.0%
25 - 50	5.0%	5.0%	5.0%	18.0%	22.5%
70 & above	5.0%	5.0%	5.0%	22.5%	18.0%
Power Single Core (Al.)					
Upto 16	-N.A-	5.0%	5.0%	-N.A-	37.5%
25 - 70	-N.A-	5.0%	5.0%	-N.A-	30.0%
95 & above	-N.A-	5.0%	5.0%	-N.A-	26.0%

• The above rates are exclusive of GST & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

CU UNARMoured / ARMoured
PRICE LIST : 01-01-2025

"KEI" **BRAND** Power/Control Copper Cables, Solid Copper conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, Unarmoured/Armoured (Galvanised wire for cables up to 14x1.5 sqmm, 9x2.5 sqmm, 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Mtr.)

Cable Size in sq.mm	UN ARMoured					Cable Size in sq.mm	ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4		Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	2XY	2XY	2XY	2XY	2XY		2XaY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY
4		300	414		538	4		372	479		607
6		431	597		783	6		503	662		848
10		690	966		1272	10		762	1028		1334
16	521	1055	1466		1952	16	583	1110	1514		2000
25	831	1603	2376	2879	3162	25	890	1672	2462	2972	3262
35	1152	2217	3303	3803	4390	35	1214	2297	3397	3914	4503
50	1631	3145	4686	5466	6245	50	1690	3238	4793	5579	6379
70	2272	4379	6545	7631	8717	70	2324	4490	6672	7766	8862
95	2948	5924	8841	10400	11793	95	3097	6041	8986	10555	11955
120	3714	7466	11152	13317	14869	120	3876	7597	11314	13503	15052
150	4645	9338	13952	16103	18583	150	4814	9469	14124	16303	18786
185	5721	11490	17183	20128	22910	185	5921	11652	17393	20352	23141
240	7403	14886	22262	25966	29672	240	7628	15066	22476	26210	29934
300	9241	18583	27797	32441	37079	300	9497	18772	28045	32734	37400
400	12314	24724	37010	42776	49662	400	12614	24955	37328	43279	49979
500	15376					500	15697				
630	19369					630	19728				
800	24576					800	24976				
1000	30707					1000	31128				

CONTROL CABLES
(Rate in Rs. Per Mtr.)

Number of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY		Number of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
2	128	197	186	259	12	638	1014	731	1066
3	179	272	238	331	14	738	1179	838	1234
4	228	352	286	410	16	838	1348	900	1397
5	290	452	359	517	19	986	1590	1055	1631
6	334	524	414	607	24	1252	2003	1314	2045
7	383	603	462	683	27	1397	2238	1452	2272
8	438	690	524	776	30	1545	2483	1603	2514
10	541	852	631	907	37	1893	3048	1941	3069

EXTRAS FOR SPECIAL CONSTRUCTION:

A] Tinning	3.00%
B] Stranding (Upto 6 sq.mm)	4.00%
C] Extruded Innersheath	4.00%
D] ROUND WIRE ARMOURING	
1C 95 sq.mm & above	9.00%
2C 25 sq.mm & Above	18.00%
3C & 4C 16 sq.mm & Above	18.00%
1.5 sq.mm - 16 Core & Above	18.00%
2.5 sq.mm - 10 Core & Above	18.00%
E] Oxygen Index (FR)	4.00%

F] FRLS

Upto 6 Sqmm	5.00%
10 Sqmm & Above	5.00%
G] HR PVC INSULATION	7.50%
H] HR I.SH/O.SH. (EACH)	5.00%
I] PVC Cables	7.50%

FRLS Loading Factor- Control Cable				LSZH	
Cores	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armd.	Unarmd.		
2 - 4	5.0%	5.0%	5.0%	22.5%	22.5%
5 - 10	5.0%	5.0%	5.0%	22.5%	22.5%
12 & Above	5.0%	5.0%	5.0%	18.0%	18.0%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

1C HT CABLE FLAT & ROUND
PRICE LIST : 01-01-2025

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.18kA FOR 1 SEC), AL FLAT STRIP ARMoured & AL ROUND WIRE ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Mtr.)


1 CORE HT XLPE

Cable Size in sq.mm	A2XCEFaY					Cable Size in sq.mm	A2XCEWaY				
	6.6 KV [E] / 3.3 KV [UE]	6.6 KV [UE] / 11 KV [E]	11 KV [UE]	22 KV [E]	33 KV [E]		6.6 KV [E] / 3.3 KV [UE]	6.6 KV [UE] / 11 KV [E]	11 KV [UE]	22 KV [E]	33 KV [E]
240	1348	1410	1628	1679	2031	240	1559	1631	1886	1938	2334
300	1593	1648	1879	1931	2303	300	1821	1876	2145	2207	2776
400	2014	2048	2310	2372	2748	400	2228	2259	2559	2614	3217
500	2414	2434	2714	2769	3172	500	2676	2703	3166	3238	3697
630	2914	2924	3217	3283	3724	630	3241	3252	3752	3817	4317
800	3541	3555	3876	3952	4410	800	4093	4114	4472	4555	5066
1000	4297	4307	4669	4731	5238	1000	4952	4952	5338	5431	6276

EXTRAS FOR SPECIAL CONSTRUCTION:-
1) FRLS PVC SHEATH -

Inner Sheath	5.0%
Outer Sheath	5.0%

2) FR Sheath with Oxygen Index	2.5%
--------------------------------	------


3C HT CABLE FLAT & ROUND
PRICE LIST : 01-01-2025

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC 3CORE COMBINED), CORES LAID UP, INNERSHEATH OF PVC TAPE, GALVANISED STEEL FLAT STRIP ARMoured & ROUND WIRE ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Mtr.)

3 CORE HT XLPE

Cable Size in sq.mm	A2XCEFY					Cable Size in sq.mm	A2XCEWY				
	6.6 KV [E] / 3.3 KV [UE]	6.6 KV [UE] / 11 KV [E]	11 KV [UE]	22 KV [E]	33 KV [E]		6.6 KV [E] / 3.3 KV [UE]	6.6 KV [UE] / 11 KV [E]	11 KV [UE]	22 KV [E]	33 KV [E]
35						35					
50						50					
70						70					
95	2100	2283	2848	2997	3903	95	2469	2676	3531	3707	4745
120	2414	2586	3190	3307	4241	120	2779	2969	3872	4038	5514
150	2793	2952	3600	3728	4734	150	3176	3410	4307	4479	6003
185	3159	3397	4021	4155	5200	185	3603	4041	4755	4917	6469
240	3872	4100	4748	4900	5976	240	4548	4807	5555	6131	7355
300	4603	4769	5479	5714	6731	300	5328	5528	6717	6917	8183
400	5910	5990	6769	6948	8021	400	7076	7179	8100	8269	9641

EXTRAS FOR SPECIAL CONSTRUCTION:-

1) Extruded PVC Inner Sheath	5.0%
------------------------------	------

2) Pressure Extruded PVC Innersheath	20.0%
--------------------------------------	-------

3) FRLS PVC SHEATH -

Inner Sheath	5.0%
Outer Sheath	5.0%

4) FR Sheath with Oxygen Index	2.5%
--------------------------------	------

• The above rates are exclusive of GST & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.