


**PHILIPS**

Lighting





# Contents

04-07 LED Lamps

08-09 Smart Wi-Fi

10-13 T-Bulb

14-21 LED Battens

22-27 LED Luminaires

28-33 Home

34-39 CFL and GLS

40-45 TL

46-49 Modular  
Switches

50-53 MCB, RCB  
and Isolators

54-57 Lighting  
Accessories

58-59 LED and  
Lamp Drivers





# LED Lamp



## Ace Saver

2.7W, 4W

### Specifications and features

- 2.7W: 230 lm, 4W: 350 lm
- Available in CDL and WW; B22 and E27
- Replaces 5W and 8W CFLi

MRP: ₹ 130/-, ₹ 155/-

HSN Code: 85395000



## Ace Saver

7W, 9W, 10.5W

### Specifications and features

- 7W: 630 lm, 9W: 825 lm, 10.5W: 1050 lm
- Patented interlaced optics technology
- 10,000 life hours
- Available in CDL; B22 and E27

MRP: ₹ 140/-, ₹ 155/-, ₹ 220/-

HSN Code: 85395000



## Stellar Bright High Wattage

12W, 14W, 17W, 20W, 23W

### Specifications and features

- 12W: 1200 lm; 14W: 1400 lm; 17W: 1700 lm, 20W: 2000 lm, 23W: 2300 lm
- 15,000 life hours
- 12W, 14W available in CDL, WW; B22 and 17W, 20W and 23W available in CDL, B22, E27 and WW in 20W

MRP: ₹ 280/-, ₹ 305/-, ₹ 365/-, ₹ 415/-, ₹ 450/-

HSN Code: 85395000



## Candle

2.7W, 4W

### Specifications and features

- 2.7W: 250 lm, 4W: 400 lm
- 10,000 life hours
- Available in CDL, WW, E27, B22 frosted and clear

MRP: ₹ 160/-, ₹ 230/-

HSN Code: 85395000

## Inverter Lamp

9W, 12W

### Specifications and features

- Power back-up: upto 4 hours
- Lumen output becomes upto 50% when on battery mode
- Battery : Li-ion battery
- Base cap : B22
- 1 year warranty

MRP: ₹ 549/-, ₹ 649/-

HSN Code: 85395000



## Emergency T-Bulb

10W

### Specifications and features

- Power back-up: upto 4 hours
- Lumen output becomes upto 50% when on battery mode
- Battery: Li-ion battery
- Base cap: B22
- Better light-spread than normal bulb in Emergency T-Bulb
- 1 year warranty

MRP: ₹ 749/-

HSN Code: 85395000



## Stellar Bright Super High Wattage

30W, 40W, 50W

### Specifications and features

- 30W: 3000 lm, 40W: 4000 lm, 50W: 5000 lm
- 15,000 life hours
- Available in CDL; B22
- Available in CDL B22 and E27 and WW B22 in 40W
- Replaces 45W, 65W and 80W CFLi

MRP: ₹ 750/-, ₹ 1,050/-, ₹ 1,350/-

HSN Code: 85395000

## Deco Mini

0.5W

### Specifications and features

- 10,000 life hours
- Available in red, yellow, white, green, pink, orange and blue

MRP: ₹ 70/-

HSN Code: 85395000





# Smart Wi-Fi

## Smart Wi-Fi LED Bulb

10W

### Specifications and features

- 10W 850 lm, LED bulb in B22, E27 available in 6500K
- Choose your color of preference for your house, choose any color from the color palette
- Control your lights with help of mobile or voice assistant
- Easy to connect
- Use any of the 28 preset modes or add customized modes
- The only bulb to have a power outage feature – will remember last mode if your light goes out
- Wiz click (Toggle through the switch without Wi-Fi)

MRP: ₹ 2049/-

HSN Code: 85395000

## Smart Wi-Fi LED Batten

24W

Lumens – 2800 lm (@ 115 lumen per watt for 6500K)  
Length – 4 ft

12NC 919515813975

### Specifications and features

- Control your lights with help of smartphone or voice assistant (Amazon Alexa, Google Home or Apple Siri)
- Dimmable and tunable white light from 3000k to 6500k
- Pick the right light for all your moments
- Multiple customisation options, scenes and preset modes available

HSN Code: 94051090



## Smart Wi-Fi LED Downlight

Smart Wi-Fi LED lighting

10W, 15W

12NC 929001910913

### Specifications and features

- Switches between different tones of white
- Designed to give maximum glow
- Lumen output: 10W: 1000 lm, 15W: 1500 lm
- Plug and Play / Available in CDL B22, E27


MRP: ₹ 2099/-, ₹ 2499/-

HSN Code: 94051090



- **Circadian rhythm** – feel and sleep better with this default well-being option, which slowly transitions from bright daylight to dim warm white from morning to night.
- No hub needed – no additional or hidden cost. No fuss.

MRP: ₹ 2499/-



# T-Bulb

## T-Bulb Curvey

12W, 15W

### Specifications and features

- 12W: 1100 lm, 15W: 1500 lm, available in 6500K B22
- New attractive convex form factor
- Ease of application:
  - Can be used in existing bulb holder
  - Swivel body action for better adjustment
- 26% wider light spread
- Low glare with better quality diffuser
- Surge protection of 2.5KV

MRP: ₹ 319/-, ₹ 399/-

HSN Code: 85395000



## T-Bulb

8W: 800 lm, 10W: 1000 lm, 14W: 1400 lm,  
18W: 1800 lm, 30W: 3000 lm

### Specifications and features

- Innovative design for better light spread
- Swivel body for better focus and change in the light direction as per requirement upto 35 degree (up or down)
- 15,000 life hours
- Available in CDL B22 and E27 and (WW B22, E27 in 10W)

MRP: ₹ 250/-, ₹ 280/-, ₹ 380/-, ₹ 410/-, ₹ 799/-

HSN Code: 85395000

## T-Beamer


20W, 25W

### Specifications and features

- T-Beamer 20W: 2000 lm, 25W: 2500 lm B22, plug n play
- Designed to deliver wide spread light similar to a regular LED batten
- Wider body (diffuser) than regular LED Batten for better eye comfort
- Swivel body for movement to change the light direction as per requirement
- Applications: living room, bed room, shop front, passage, general lighting

MRP: ₹ 449/-, ₹ 599/-

HSN Code: 85395000







## Stellar Bright TLED

20W

Stellar Bright TLED 6500K with batten


### Specifications and features

- 20W: 2100 lm
- 15,000 hours life
- Ideal replacement of conventional batten and tube

---

MRP: ₹ 499/-

HSN Code: 85395000



## Stellar Bright TLED

20W

Stellar Bright TLED 6500K tube

### Specifications and features

- 20W: 2100 lm
- Long life of 15,000 hours
- Ideal replacement of conventional tube

---

MRP: ₹ 350/-

HSN Code: 85395000

# LED Battens



## TwinGlow-20W+20W

20W Uplight + 20W Downlight

### Specifications and features

- Innovative feature of both Uplight (Relax Mode-Indirect Light) and Downlight (Work Mode-Direct Light)
- Automobile-inspired chrome decal and branding with glistening mirror finish
- Super bright light-spread covers entire room in either mode (Uplight or Downlight)
- Ideal for rooms where false ceiling is not present - to get the ambience of cove light (indirect light) and LED tubelight (direct light) in one single package
- Available in (blue uplight + white downlight) and (yellow uplight + yellow downlight) variants

MRP: ₹ 1,499/-

HSN Code: 94051090

### Work mode



**Direct Downlight (white)**  
Ideal for reading, writing, working etc.

### Relax mode



**Indirect Uplight (yellow)**  
Ideal for watching TV, party time, unwinding etc.





# Mirolta Pro 36W

36W: 3600 lm (available in CDL)

### Specifications and features

- Beautiful and powerful: stunning design to match your living room decor
- Housed in aluminium extrusion for better heat dissipation and longer life
- Wider serrated diffuser for enhanced and uniform light spread
- Eye Comfort Technology (no blue light hazard)

MRP: ₹ 2,199/-

HSN Code: 94051090



# Mirolta Pro Tunable

(with remote control)


30W: 3200 lm

### Specifications and features

- Operates via the provided remote control to match the lighting to your style:
  - 5 step dimming process (high to low)
  - 5 step color modes (3000K to 6500K)
- Beautiful and powerful: artistic design to match your living room decor
- Housed in aluminium extrusion for better heat dissipation and longer life
- Wider serrated diffuser for enhanced and uniform light spread
- Eye Comfort Technology (no blue light hazard)

MRP: ₹ 3,199/-

HSN Code: 94051090



# Mirolta Essential 22W

22W (6500K – CDL)

### Specifications and features

- Refreshing and unique design to match modern day homes
- Robust metal construction for better heat dissipation and longer life
- Designed for bedrooms and mid-sized spaces
- Delivers 10% higher brightness than regular 20W battens
- Eye Comfort Technology (no blue light hazard)

MRP: ₹ 899/-

HSN Code: 94051090



# SlimLine Advance 25W

(Available in CDL, WW, NW)

### Specifications and features

- Positioned as “The Study Room Specialist”
- Exclusively designed for study rooms and personal workspaces at home
- Delivers 25% more brightness than standard 4 ft 20W LED battens
- Robust aluminium construction for better heat dissipation and longer life
- Case size: 20 pcs
- Dedicated earthing provision and cable included in box for user safety

MRP: ₹ 1099/-

HSN Code: 94051090

# SlimLine Advance 30W

(Available in CDL, WW, NW)

### Specifications and features

- Positioned as “The Living Room Specialist”
- Exclusively designed for living rooms and larger bedrooms/study rooms
- Delivers 50% more brightness than standard 4 ft 20W LED battens
- Robust aluminium construction for better heat dissipation and longer life
- Dedicated earthing provision and cable included in box for user safety

30W: 3000 lm; ₹ 1299/-, Case size: 20 pcs

HSN Code: 94051090





## Slimline Advance 36w

36W: 3600 lm (available in CDL, WW, NW)

### Specifications and features

- Exclusively designed for large living rooms and large spaces/bedrooms at home
- Delivers double the brightness than standard 18W: 1800 lm LED Battens
- Unique new design for better aesthetic appeal
- Robust aluminium construction for better heat dissipation and longer life
- Dedicated earthing provision and cable included in box for user safety

MRP: ₹ 1599/-

HSN Code: 94051090

## Astra Line

20W: 2000 lm, 9W: 900 lm, 5W: 450 lm  
(Available in CDL, WW, NW)

### Specifications and features

- Bright LED light source with uniform light output
- Surge protection of 2 KV with wide voltage protection 160-360 V
- Case size: 20 pcs

MRP: 4 ft: ₹ 600/-, 2 ft: ₹ 400/-, 1 ft: ₹ 350/-

HSN Code: 94051090



## Astra Line Plus

24W: 2500 lm (Available in CDL)

### Specifications and features

- Bright LED light source with uniform light output
- Surge protection of 2 KV with wide voltage protection 160-360 V
- Case Size: 20 pcs

MRP: 4ft: ₹ 700/-

HSN Code: 94051090







## SlimLine Compact

20W: 2000 lm (length 554 mm)

### Specifications and features

- Exclusively designed for kitchens and compact rooms/spaces
- Delivers brightness of a standard 4 ft batten in a 2 ft form factor
- Robust aluminium construction for better heat dissipation and longer life
- Available colors-6500K (CDL)  
Case size: 20 pcs

MRP: ₹ 599/-

HSN Code: 94051090

## SlimLine NEXT

20W: 1900 lm, 10W: 1000 lm, 5W: 500 lm  
(Available in CDL, WW, NW)

### Specifications and features

- Modern design, low glare and no flicker
- High performance diffuser for uniform lighting
- Resistant to yellowing and chipping
- High voltage protection
- Easy installation clips for user friendly installation
- Pack size: 20 pcs

MRP: ₹ 450/-, ₹ 349/-, ₹ 299/-

HSN Code: 94051090

## Tarang Sleek and Tarang Electronic

36W: 2650 lm, 36W: 2450 lm

### Specifications and features

- Elegant slim design
- Robust metal body
- Wide voltage operation (140-270 V) and highest surge protection of 2 KV in the category
- Case size: 30 pcs and 16 pcs

MRP: ₹ 380/-, ₹ 400/-

HSN Code: 94051090







# LED Luminaires

## 3W StarFit

Junction box 2" downlight

Wattage	Cut out (mm)	Pack size (pcs)	Color	Shape	MRP (₹)
3W	43	30	WW, NW, CW	R (Junction box fitting)	300/-
3W	43	30	Red, Green, Blue, Pink	R (Junction box fitting)	310/-

### Specifications and features

- Fits perfectly in a 2 inch small junction box
- Matt diffuser
- Wide voltage protection (160-360 V)
- Surge protection up to 2 KV

HSN Code: 94051090



FITS PERFECTLY  
in 2" junction box



## Prime Plus

Bright downlights, solid performance

Wattage	Cut out (mm)	Pack size (pcs)	Colour	Shape	MRP (₹)
5W	75	24	WW, NW, CW	R (Junction box fitting), sq	495/-
10W	110	24	WW, NW, CW	R, Sq	685/-
15W	140	24	WW, NW, CW	R, Sq	860/-
22W	188	12	WW, NW, CW	R, Sq	1415/-


5W Round: fits perfectly in 3" junction box

### Specifications and features

- Now brighter at 75 lumens/watt
- Eye Comfort Technology: designed for low glare, reduced flicker and no blue light hazard\*
- Wide voltage protection (160-360 V)
- Surge protection up to 2.5 KV

HSN Code: 94051090

\* Not applicable on 22W







## Max Plus Metal Panel


Wattage	Cut out	Pack size (pcs)	Color	Shape	MRP (₹)
5W	80 mm (JB)/110 mm (Non JB)	12	WW, NW, CW	R (JB: Junction box fitting), sq	700/-
10W	136 mm	12	WW, NW, CW	R, Sq	900/-
15W	159 mm	12	WW, NW, CW	R, Sq	1100/-
18W	178 mm	12	WW, NW, CW	R, Sq	1500/-

### Specifications and features

#### 100 lm/watt

- Premium aluminum material for endurance
- Life class: 25,000 burning hours
- Surge protection of 2 KV/BIS certified
- Wide voltage protection (160 V-360 V)
- Junction box fitting available: 5W

HSN Code: 94051090



## 5W Prime Plus

Now in red, blue, green and pink fits perfectly in 3" junction box

Wattage	Cut out (mm)	Pack size (pcs)	Color	Shape	MRP (₹)
5W	75	24	Red, green, blue, pink	R (Junction box fitting)	495/-

### Specifications and features

- Brighter at 75 lumens/watt
- Eye Comfort Technology: designed for low glare, reduced flicker and no blue light hazard
- Wide voltage protection (160-360 V)
- Surge protection up to 2.5 KV

HSN Code: 94051090



## Edge Glow

SLIM rimless surface mount ceiling light

Wattage	Dimension (mm)	Pack size (pcs)	Color	Shape	MRP (₹)
6W	102x102x27	12	WW, NW, CW	Round	850/-
9W	134x134x27	12	WW, NW, CW	Round	1175/-


### Specifications and features

- Attractive design - Rimless design with glowing edge
- **Slim** - only 27 mm in height
- **Wide light spread:** 270° light spread
- **Ease of replacement:** Just twist and fit the light on the bracket
- Wide voltage protection (160-360 V)
- Surge protection up to 2 KV

HSN Code: 94051090



270°  
Light Spread



**Ease of replacement:**  
Just twist and fit the light onto the bracket

**Modularity:** 6W/9W-both the lights can be used on the same bracket.

## 22W: LARGE FORMAT

1 X 1 size

## Star Surface

Low profile surface mount ceiling lights

Wattage	Dimension (mm)	Pack Size (pcs)	Lumen	Shape	Color	MRP (₹)
7W	146×146×25	12	600	R, Sq	WW, NW, CW	800/-
12W	178×178×25	12	900	R, Sq	WW, NW, CW	1,100/-
18W	234×234×25	12	1450	R, Sq	WW, NW, CW	1,600/-
22W	300×300×25	12	1700	R, Sq	WW,NW,CW	2,395/-

### Specifications and features

- Slim, sleek profile: 25 mm thickness
- Low glare to prevent eye strain
- Surge protection of 2 KV/BIS certified
- Wide voltage protection (160 V-360 V)
- 22W: Large format, size: 1 ft x 1 ft

HSN Code: 94051090



## Astra Spot 2W

2W Focused spot light

Wattage	Cut out (mm)	Pack size (pcs)	Color	Shape	MRP (₹)
2W	35	30	WW, CW	R	200/-

### Specifications and features

- Strong focused beam (36° beam)
- White synthetic housing
- Long life LEDs for durable performance

HSN Code: 94051090



## Astra Spot COB 3W Tilt

Adjustable focused spot light (tilt option)

Wattage	Cut out (mm)	Pack size (pcs)	Color	Shape	MRP (₹)
3W Tilt	64	24	WW, NW, CW	R	500/-

### Specifications and features

- Strong focused beam (36° beam)
- Tilt angle of 25°
- Metal heat sink for durable performance

HSN Code: 94051090



# Astra Spot COB Series

Focused spot lights

Wattage	Cut out (mm)	Pack size (pcs)	Color	Shape	MRP (₹)
7W	77	12	WW, NW, CW	R	1,050/-
12W	92	12	WW, NW, CW	R	1,400/-
20W	110	12	WW, NW	R	2,550/-

## Specifications and features

- Strong focused beam (36° beam)
- Adjustable/tiltable head (25°)
- Metal heat sink for durable performance
- Long life LEDs for durable performance

HSN Code: 94051090



# Astra Spot COB 3W

Focused Spot Light

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (₹)
3W	52	30	WW, CW	R	465/-

## Specifications and features

- Strong focused beam (36° beam)
- White metal housing
- Metal heat sink for durable performance

HSN Code: 94051090

# Astra Spot 2W Color

R, G, B 2W focused spot light

Wattage	Cut out (mm)	Pack size (pcs)	Color	Shape	MRP (₹)
2W	35	30	Red, green, blue	R	235/-

## Specifications and features

- Strong focused beam (36° beam)
- White synthetic housing
- Long life LEDs for durable performance

HSN Code: 94051090



# Linea Plus (31308)

LED strip with driver

Wattage	Lumens/ meter	Length (per pc)	Pack size (pcs)	Color	No. of LED per meter	MRP (₹)
28W	480 lm/ m	5 m with driver	20	WW, NW, CW	60	2,000/-

## Specifications and features

- LED cove lighting
- 28W with driver for 5 m (driver included)
- 2400 lm for 5 m

HSN Code: 94051090



# LED Rope

LED strip with driver

Wattage	Lumens/ meter	Length (per pc)	Pack size (pcs)	Color	No. of LED per meter	MRP (₹)
6W	400 lm/ m	50 m	1	WW, CDL, red, green, blue	72	7900/-

## Specifications and features

- AC Rope Light for prefect ambience
- IP 65 for superior life
- Superior light output of 400 lm/m
- 50 m roll for extra long coverage
- 72 LEDs per m for bright and uniform light

HSN Code: 94051090



# Cove Glow

LED strip without driver

Wattage	Lumens/ meter	Length (per pc)	Pack size (pcs)	Color	No. of LED per meter	MRP (₹)
24W	360 lm/ m	5 m without driver	20	Blue, white (WW, NW, CW)	60	850/- 715/-

## Specifications and features

- Uniform light spread for perfect ambience
- Superior adhesive for easy installation
- 1800 lm for 5 m

HSN Code: 94051090



NEW  
Now with  
60 LEDs  
per Meter





# HOME

## Ultron

17W

**Model Number:** 48027 Slim LED wall

### Specifications and features

- 17W: 1350 lm
- Sleek and modern design
- Super bright light
- Premium material and finish
- CCT: 6500K/3000K

**MRP:** ₹ 1,350/-

**HSN Code:** 94051020



# Coral LED Wall Light

10W LED  
Model Number: 48029

Specifications and features

- 10W: 500 lm
- Sleek and modern design
- Bright light
- Premium material and finish
- Long life LED light source
- Case size: 6 pcs
- CCT : 6000K/3000K

MRP: ₹ 1200/-

HSN Code: 94051020



# Ledvantez Desk light

3.2W (0.2LED X 16W) with panel diffuser

Specifications and features

- Synthetic material
- Finish, color: matte, gold and silver
- H: 425 mm X L: 180 mm X W: 488 mm
- Bright diffused beam – LED light with specialized optics
- Easy to adjust – flexible gooseneck
- Convenient – switch on shade

MRP: ₹ 1,600/-

HSN Code: 94052010



# Vector-Table Lamp

5W  
Model Number: 31439

Specifications and features

- Wide round diffuser, even spread of light
- gooseneck, Adjustable orientation
- 450 lumen, 5W, IP20
- Available in carbon black color, classy matte finish

MRP: ₹ 1,100/-

HSN Code: 94052010



# Air Desklight

4.5W  
Model Number: 61013

Specifications and features

- No visible flickering, no UV/IR and low glare to prevent eye strain
- CRI>80
- Flexible gooseneck
- Optimal heat management to prevent damage to LED light source

MRP: ₹ 1,200/-

HSN Code: 94052010



# Ujjwal Plus

Rechargeable emergency light

Model Number: 91126  
32 LED: 250 Lumens, Color: Dark Blue

Specifications and features

- Long life lithium ion battery
- 360° bright light: 250 lm
- Backup time: 4 hrs
- Charging time: 10 hrs

MRP: ₹ 1,350/-

HSN Code: 85131090







## Ujjwal Mini

Rechargeable emergency light

**Model Number:** 91126/16  
**LED:** 100 Lumens, color: dark blue

### Specifications and features

- Long life lithium ion battery
- Bright light with 100 lm
- Usage time: 4 hours
- Charging time: 4 hours

**MRP:** ₹ 850/-

**HSN Code:** 85131090



## Ojas Mini

Rechargeable LED lantern

### Specifications and features

- Overcharge and deep discharge protection
- Highly efficient 18 nos. LEDs for bright unflickering light
- Battery type: lithium ion battery 3.7 V, 1300 mAh
- Charging details: Backup time 4 hours, Charging time: 3 hours

**MRP:** ₹ 1,295/-

**HSN Code:** 85131090

## Ojas

Rechargeable LED lantern

**Model Number:** 33381

### Specifications and features

- Lithium ion battery
- Overcharge and deep discharge protection
- Charging time: 8 hours

**MRP:** ₹ 1,450/-

**HSN Code:** 85131090



## Slimray

Rechargeable emergency light

2W, 4W  
**Model Number:** 48010/31/86, 48009/31/86

### Specifications and features

- 2W:160 lm / 4W: 300 lm
- Lithium ion battery
- Overcharge and deep discharge protection
- Charging time: 12 hours/ 7 hours

**MRP:** ₹ 1,250/-, ₹ 1,750/-

**HSN Code:** 85131090

# CFL and GLS



## Essential CFLi

8W: 415 lm, 14W: 720 lm,  
18W: 1010 lm, 23W: 1300 lm

### Specifications and features

- Available in BC22
- Available in CDL

MRP: ₹ 155/-, ₹ 170/-, ₹ 215/-, ₹ 250/-

HSN Code: 85393110

## Softone

40W, 60W, 100W

### Specifications and features

- Softer, frosted glow
- Case size: 100 pcs

MRP: ₹ 20/-, ₹ 20/-, ₹ 22/-

HSN Code: 85392910







## Lustre Lamp

27W: 1760 lm, 32W: 2150 lm, 45W: 2735 lm,  
65W: 4000 lm, 80W: 5100 lm

### Specifications and features

- Lamp type: spiral
- Available in: ES
- Available in: CDL
- Case size: 100 pcs

MRP: Clear: ₹ 22/-, Soft White: ₹ 25/-

HSN Code: 85392910



## Infrared lamp

250W

- Lumen output becomes upto 50% when on battery mode
- Case size: 9 pcs

MRP : ₹500/-



## Candle

25W, 40W

### Specifications and features

- 25W Clear E27
- 25W Pearl Candle
- Case size: 50 pcs

MRP: 25W Clear: ₹ 20/-, 25W/40W Pearl and CLR: ₹ 22/-

HSN Code: 85392910

## Standard Incandescent

25W, 40W, 60W, 100W, 200W

### Specifications and features

- Case size: 25W/40W/60W/100W: 150 pcs  
200W: 50 pcs

MRP: 25W/40W/60W: ₹ 1/-, 100W: ₹ 17/-, 200W: ₹ 31/-

HSN Code: 85392910



## Decoration Colored Lamp

15W (Red, green, yellow, blue, orange and soft white)

### Specifications and features

- Coloured decoration lamp
- Applications: Festive lighting, pooja room, night lamp
- Available in red, green, yellow, blue, orange and soft white

MRP: ₹ 21/-

HSN Code: 85392910





# Double-ended Halogen

500W and 1000W

**Specifications and features**

- Case size: 10 pcs

MRP: ₹ 110/-, ₹ 130/-

HSN Code: 85392190



# CFL-NI PL-S Lamps

9W, 11W

Model Number: PL-S

**Specifications and features**

- Available in 2 pin and 4 pin
- 2 color temperatures 2700 and 6500

MRP: ₹ 105/-

HSN Code: 85393110



# CFL-NI PL-C Lamps

10W, 13W, 18W, 26W

Model Number: PL-C

**Specifications and features**

- Choice in 3 color temperatures 2700K, 4000K and 6500K
- Available in 2 pin and 4 pin

MRP: 10W, 13W, 18W: ₹ 135/-, 26W: ₹ 175/-

HSN Code: 85393110



# CFL-NI PL-L Lamps

18W, 36W

Model Number: PL-L

**Specifications and features**

- Choice in 3 color temperature and 6500K
- Available in 4 pin only

MRP: Clear: 18W, 36W: ₹ 145/-

HSN Code: 85393110





TL

## T5 Essential

14W, 28W

### Specifications and features

- Lumen: 1220 lm/2600 lm
- Life: 15,000 hours
- 830/840/865 colors available
- Case size: 40 pcs

MRP: 2 ft: ₹ 120/-

HSN Code: 85393190





## T8 Trulite

18W, 36W

### Specifications and features

- Lumen: 1350 lm/3250 lm
- Life: 15,000 hours
- 827/840/865 colors available
- Case size: 25 pcs

MRP: 2ft: ₹ 110/-, 4ft: ₹ 120/-

HSN Code: 85393190



## T8 Lifemax Plus

36W

### Specifications and features

- Lumen: 2650 lm
- Life: 21,000 hours
- Case size: 30 pcs

MRP: ₹ 60/-

HSN Code: 85393190


## T8 Superbright 36W

### Specifications and features

- Lumen: 3200 lm
- Life: 20,000 hours
- Available in color 865
- Case size: 25 pcs
- CRI>80

MRP: 36W: ₹ 70/-

HSN Code: 85393190





## T8 Lifemax

Industrial 18W and 36W available  
for bulk supplies

### Specifications and features

- Lumen: 1015 lm/2450 lm
- Life: 15,000 hours
- Case size: 18W: 25 pcs  
36W: 36 pcs

MRP: 2ft: ₹ 52/-, 4ft: ₹ 55/-

HSN Code: 85393190



## T12 Champion 3-in-1

20W and 40W

### Specifications and features

- Lumen: 940 lm/2450 lm
- Life: 15,000 hours
- Case size: 30 pcs

MRP: ₹ 53/-, ₹ 55/-

HSN Code: 85393190

## T8 Champion Maxbright

with twin glow technology

36W

### Specifications and features

- Life: 15,000 hours
- Case size: 30 pcs

MRP: ₹ 65/-

HSN Code: 85393190



## Starter S10

Model No : 12 NC 913713823401,  
12 NC 913713819201 and 12 NC 913713822601

### Specifications and features


- Designed for 36W and 40W tubelight
- Case size: 24 pcs

MRP: ₹ 15/-





# MODULAR SWITCHES



## Mirror Glaze

**Model Number:** 12 NC 913713947301  
Grid and cover

### Specifications and features

- Multiple color/sparkle options for superior look
- Light weight/ultra-durability
- Easy to clean
- Great strength due to honeycomb ribs construction

MRP: 6M Mirror Glaze Black: ₹ 1135/-

HSN Code: 85365020

## Smart+

**Model Number:** 12NC: 913713638801  
12NC: 913713642401

### Specifications and features

- Mix blend of glossy and matt finish makes it premium
- Light weight/ultra-durability
- Great strength due to honeycomb ribs construction

MRP: Switch 1M-1W 10AX Smart+ matt black: ₹ 107/-  
Grid and cover-3M Smart+ matt black: ₹ 750/-

HSN Code: 85365020







## Metallica

**Model Number:** 12NC: 913713969801;  
12NC: 913713972501

### Specifications and features

- Premium metallic color to enhance decor
- Dual shutter and triple protection technology
- Innovative front removal and insertion technology

**MRP:** Switch 1M-1W 10AX - Metallica: ₹ 110/-  
Grid and Cover - 3M Metallica: ₹ 195/-

**HSN Code:** 85365020

## Anti-Bacterial


**Model No:** 12NC 913713823401,  
12NC 913713819201 and 12NC 913713822601

### Specifications and features

- 99% reduction in bacteria (E-coli and Staphylococcus Aureus) on the surface
- Safe for human contact
- Permanent coating equal to product life durability and value for money
- Material silver ion (anti-bac coating) with polycarbonate
- Fire retardant

**MRP:** Switch 1M-1W 10AX Smart Antibac: ₹ 116/-  
Grid and Cover-6M Smart Antibac: ₹ 212/-  
3 Pin socket 2M 6-16A Smart Antibac: ₹ 266/-

**HSN Code:** 85365020



## Durro Range

**Model Number:** 12NC: 913713987901  
12NC: 913713991301

### Specifications and features

- Brass terminals and contacts for longer life
- Dual shutter and triple protection technology
- Better locking mechanism
- Shrouded terminals with captive screws
- Softer sound with premium feel

**MRP:** Switch 1M 1Way 10AX - Durro: ₹ 38/-  
Grid and Cover-3M - Durro: ₹ 84/-

**HSN Code:** 85365020



# MCB, RCCB and ISOLATOR



## MCB

**Model Number:** 12NC: 913713920249  
12NC: 9137139 29249

### Specifications and features

- RoHS compliance (TDS)
- ISI certified (BIS Licence)
- IP 20 protected (TDS)
- Energy efficient

**MRP:** MCB 1 pole curve B 16A: ₹ 200/-  
MCB 2 pole curve C 16A: ₹ 610/-

**HSN Code:** 85362030

## MCB

**Model Number:** 12NC: 913713920049  
12NC: 9137139 30549

### Specifications and features

- Conforms to IEC 60898 and IS : 8828 standards
- Energy limiting class 3
- Trip free mechanism
- Designed with increased air circulation enhancing efficiency and life
- Combination head captive screws
- High terminal capacity
- Available in B and C curve

**MRP:** MCB 1 pole curve B 06A: ₹ 200/-  
MCB 3 pole curve C 06A: ₹ 950/-

**HSN Code:** 85362030







## RCCB

**Model Number:** 12NC: 913713936549  
12NC: 913713938049

### Specifications and features

- Confirms to IEC 61000 and IS: 12460-1 standards
- High shock resistance
- Combination head captive screws
- IP 20 protection with finger proof terminals
- High terminal capacity to accommodate a 35 sq. mm cable
- Wide residual current range from 30 mA to 300 mA

**MRP:** Clear: RCCB two pole 25A/30mA: ₹ 2,520/-  
RCCB four pole 25A/30 mA: ₹ 3,260/-

**HSN Code:** 85362040



## Trip Starter

### Model Number:

12NC: Trip starter-6A-smart range-913713663701  
12NC: Trip starter-10A-smart range-913713663801

### Specifications and features

- Short circuit breaking capacity-3 KA with IP 20 protection
- Compatible with all ranges of Philips modular switches
- Glossy finish; easy to clean
- Available in 6A, 10A, 16A, 20A, 25A, 32A power rating

**MRP:** Trip Starter 6A and Trip Starter 32A: ₹ 199/-

**HSN Code:** 85362030



## Isolator

**Model Number:** 12NC: 913713934549  
12NC: 913713935149

### Specifications and features

- Conforms to IEC 60947-3 standards
- Resistance to shock- 40 mm free fall
- Combination head captive screws
- IP 20 protection with finger proof terminals
- High terminal capacity to accommodate a 35 sq. mm cable
- Energy efficient

**MRP:** Isolator 1 pole 40 A: ₹ 260/-  
Isolator 2 pole 63 A: ₹ 490/-

**HSN Code:** 85365010

## Distribution Box

**Model Number:** 12NC: 913713968701  
12NC: 913713968901

### Specifications and features

- Premium quality powder coating applied to avoid rusting
- Level marking for easy flush mounting
- Masking sheet provision to avoid cement spillage
- Optional wire entry on side walls

**MRP:** Single door SPN 4 way: ₹ 960/-  
Double door SPN 4 way: ₹ 1500/-

**HSN Code:** 85371000



# LIGHTING ACCESSORIES

**ecolink**  
4 WAY SPIKE AND SURGE GUARD

## Ecolink 4-Way Spike and Surge Guard

**Model Number:** 913713692901 (white), 913713693001 (black)

### Specifications and features

- Protects appliances against voltage fluctuations
- Wider cords for extra safety
- Universal socket compatible with multiple country plug
- Master switch with LED indicator
- With ISI marked plug and chord

**MRP:** 4-Way spike and surge guard 1.5 m - white: ₹ 499/-  
4-way spike and surge guard - black: ₹ 399/-

**HSN Code:** 85369010



## Smart Harmony Electronic Doorbell

**Model Number:** 913713825601, 913713833101

### Specifications and features

- Musical sound
- Premium finish
- Power efficient

**MRP:** Smart Harmony musical door bell-grey: ₹ 240/-  
Smart Harmony musical door bell-cyan: ₹ 240/-

**HSN Code:** 85318000

## Smart Buzz Doorbell

**Model Number:** 12NC 913713818701, 913713818801

### Specifications and features

- Crisp and loud pleasurable sound
- Premium glossy finish
- Power efficient
- Easy to install

**MRP:** Smart Buzz ding dong doorbell blue: ₹ 210/-  
Smart Buzz ding dong doorbell grey: ₹ 210/-

**HSN Code:** 85318000





## Ecolink Extension Reel

### Specifications and features

- 4 mtr cable for extended reach
- Universal socket for different country plugs
- 0.5 mm, 2 cross section cord, withstands wear and tear
- Enhanced aesthetic with combination of matt and gloss
- 360 degree smooth rotation
- Master switch with LED indicator
- Suitable for home application, office computers, TV, DVD players

12NC	913713666601
Description	Extension reel-Ecolink
Packaging	1 pc. fancy box, 10 pc in shipper box
MRP	₹ 299/-



## Ecolink Multipin

**Model Number:** 12NC 913713699801

### Specifications and features

- Universal socket for multi-country plug
- High heat resistant body
- Superior shape with premium brass connectors
- FR grade polycarbonate material
- Convenient gripping
- Premium gloss finish

**MRP: Multipin Socket 6A-Ecolink ₹ 140/-**

**HSN Code:** 85369090



## Modular Lamp Holder

**Model No:** 12 NC :913713859001

### Specifications and Features

- White and grey color, polycarbonate and ABS body, Fire retardant
- Aviable in white and grey color

**MRP : 12 NC: 913713859001 ₹ 80/-**

**HSN Code:** 85366110



## Philips Deco Lamp Holder

**Model Number:** 913713699901 , 913713900101

### Specifications and features

- Available in blue, pink and white colors
- Superior shape with straight and angular configuration
- 6 pc blister pack for better retail reach
- Heat vents on the collar to allow dissipation of heat

**MRP: Deco Lamp Holder – white: ₹ 48/-  
Deco Lamp Holder – colored: ₹ 50/-**

**HSN Code:** 85366110



## Philips Plug Tops Economy Range

### Specifications and features

- Convenient gripping
- High heat resistant body
- Nickel plated pins
- Easy wire routing with additional space
- Sturdy body with elegant design

12NC	913713678501	913713678601
Description	3 Pin Plug 6A economy range	3 Pin Plug 16A economy range
Packaging	Single pc mono carton	Single pc mono carton
Shipper box	50 pc	50 pc
MRP	₹ 60/-	₹ 90/-



## Solution Boxes

**Model Number:** 913702333601, 913702339101


### Specifications and features

- Dual Shutter Technology and One Pin Non Entry
- Overload protection with high degree of insulation
- Captive screw in socket
- Suitable for air conditioner, microwave oven, mixer grinder

**MRP: Solution Box with motor starter 25A: ₹ 1,050/-  
Solution Boxes with trip starter 25A: ₹ 720/-**

**HSN Code:** 85369010





# LED AND LAMP DRIVERS


## Sumo Xtreme 136

Wattage available: 36W

12NC	Description	MRP (₹)
913712910814	Sumo Xtreme 136 TLD	190/-

### Specifications and features

- Best surge protection for lamp safety
- Unique end-of-life protection circuit
- Intelligent auto cut-off @ 330 V for lamp safety



## Sumo LED Drivers

Wattage available: 2W-4W, 5W-7W, 8W-10W, 11-15W, 16W-21W

12NC	Description	MRP (₹)
929001469106	Sumo LED 2-4W	100/-
929001469206	Sumo LED 5-7W	150/-
929001478106	Sumo LED 8-10W	200/-
929001478006	LED Driver Astra Prime 15W 0.25A 240V	250/-
929001469406	Sumo LED 11-15W	250/-
929001469506	Sumo LED 16-21W	300/-

### Specifications and features

- Isolated design with 2 KV surge protection
- Optimized for Indian conditions
- Instant flicker-free start/long lasting
- Over voltage protection with wide operating range surviving 320 V@48 hours and 350 V@2hrs



## Constant Voltage LED Drivers

Wattage available: 24W / 60W  
Current available: 2A / 5A

12NC	Description	MRP (₹)
929001417360	LED Transformer 24W 2A 12VDC	350/-
929001417466	LED Transformer 60W 5A 12VDC	600/-

### Specifications and features

- High standards of safety
- Reliable, robust and versatile
- Short circuit and over voltage protection
- Compact size
- Class II (no need of earthing)
- Application – with LED Tape/Strips