

Auth Distributors: INDESONS
S-11 Rajouri Garden New Delhi 110 027; 011 4724 3000
www.indersonsindia.com, www.bestofelectricals.com

Disclaimer: Colours and graphics shown are for representation purpose only, actual products may vary. Conditions apply.
Due to innovation/technical improvements, the specifications are subject to change without prior notice.

Usha Care[®]
Toll Free 1800 1033 111
www.ushafans.com

INDESONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

Usha

Usha
the Joy of Air[®]

the Joy of Air



U S H A[®]
the Joy of Air



Style and comfort have never complemented each other like this before.

Presenting a wide range of stylish fans from Usha that will leave you spoilt for choices.

A Fan to suit every need and every mood. Choose the one that fits your imagination
and fills the air with joy and comfort in abundance.

***Built to last,
Powered by Technology.***



100%
COPPER MOTOR
WITH HIGH TORQUE



CONTENTS



ADMIRE SERIES

5-16

TABLE FANS

59-66

SPECIAL APPLICATION FANS

109-117

BLDC TECHNOLOGY

17-30

PEDESTAL FANS

67-82

CEILING FAN SELECTION GUIDE

118-119

HI - TREND SERIES

31-42

WALL FANS

83-94

COMPANY SHOWROOMS

120-121

UNIVERSAL SERIES


43-58

EXHAUST FANS

95-101

LOCATION SALES OFFICES

12





TECHNOLOGY NOW
MEETS AESTHETICS
TO GIVE YOU

ADMIRE SERIES

Who says fans are just dull and boring? Meet the super-stylish Admire Series that is worthy of stealing the limelight of your home. While they perform to fetch you compliments, their aesthetics leave everyone speechless.

Admire series. A masterpiece to admire.





Steel

MULTI-DIRECTIONAL REMOTE

FONTANA LOTUS

(With Underlight)

- Wide tip blades for high air delivery and air spread
- Separate chain cords for light
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 5 speed control with Remote

100% COPPER MOTOR WITH HIGH TORQUE



Gold Ivory



Black Chrome

MORE STARS MORE SAVINGS

2 YEARS WARRANTY ON MOTOR*

Key Specifications:

- Air Delivery 220 m³/min
- Speed 300 rpm
- Sweep Size 1.23 m (1230 mm)



Gold Ivory

MULTI-DIRECTIONAL REMOTE

FONTANA LOTUS

(Without Underlight)

- Wide tip blades for high air delivery and air spread
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 5 speed control with Remote

Steel

MORE STARS MORE SAVINGS

2 YEARS WARRANTY ON MOTOR*

Key Specifications:

- Air Delivery 220 m³/min
- Speed 300 rpm
- Sweep Size 1.23 m (1230 mm)



FONTANA MAPLE (With Underlight)


- Wide tip blades for high air delivery and air spread
- Separate chain cords for light
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 5 speed control with Remote

100% COPPER MOTOR WITH HIGH TORQUE

Steel

MORE STARS MORE SAVINGS

Key Specifications:

-  Air Delivery 220 m³/min
-  Speed 300 rpm
-  Sweep Size 1.25 m (1250 mm)

2 YEARS WARRANTY ON MOTOR*


Antique Brass

MULTI-DIRECTIONAL REMOTE

100% COPPER MOTOR WITH HIGH TORQUE

MORE STARS MORE SAVINGS

Key Specifications:

-  Air Delivery 220 m³/min
-  Speed 300 rpm
-  Sweep Size 1.25 m (1250 mm)

2 YEARS WARRANTY ON MOTOR*



FONTANA ONE (With Underlight)


- Wide tip blades for high air delivery and air spread
- Separate chain cords for light
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 5 speed control with Remote

MULTI-DIRECTIONAL
REMOTE

Key Specifications:

 Air Delivery
220 m³/min

 Speed
300 rpm

 Sweep Size
1.27 m (1270 mm)




100%
COPPER MOTOR
WITH HIGH TORQUE



FONTANA ONE (Without Underlight)

- Wide tip blades for high air delivery and air spread
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 5 speed control with Remote


MULTI-DIRECTIONAL
REMOTE

Key Specifications:

 Air Delivery
220 m³/min

 Speed
300 rpm

 Sweep Size
1.27 m (1270 mm)



100%
COPPER MOTOR
WITH HIGH TORQUE



FONTANA ORCHID (With Underlight)

- Wide tip blades for higher air delivery and air speed
- Separate chain cords for light
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 5 speed control with Remote

100% COPPER MOTOR WITH HIGH TORQUE

Key Specifications:

- Air Delivery** 220 m³/min
- Speed** 300 rpm
- Sweep Size** 1.28 m (1280 mm)

2 YEARS WARRANTY ON MOTOR*

100% COPPER MOTOR WITH HIGH TORQUE

Fontana Orchid
(Without Underlight)

Key Specifications:

- Air Delivery** 220 m³/min
- Speed** 300 rpm
- Sweep Size** 1.28 m (1280 mm)

2 YEARS WARRANTY ON MOTOR*

100% COPPER MOTOR WITH HIGH TORQUE

Fontana Orchid
(Without Underlight)

Key Specifications:

- Air Delivery** 220 m³/min
- Speed** 300 rpm
- Sweep Size** 1.28 m (1280 mm)

2 YEARS WARRANTY ON MOTOR*



GRANDIOSE IR REMOTE

- Decorative designer underlight fan with dimmable led light, 3 CCT
- 100% Copper Motor with BEE star rating for energy consumption
- Convenience of IR remote
- High air delivery
- Metallic paint finish

100% COPPER MOTOR WITH HIGH TORQUE





Pearl White

Hues Gold

Admiral Blue

Baker's Brown

Key Specifications:

-  Air Delivery 225 m³/min
-  Speed 350 rpm
-  Sweep Size 1.2 m (1200 mm)






ALDORA™

- Electroplated for aesthetic appeal
- 250 m³/min high air delivery
- High lift angle of blades for wider air spread
- 4 Blade fan with 1320 mm sweep size

100% COPPER MOTOR WITH HIGH TORQUE




Brushed Nickel

Antique Brass

Brushed Black Chrome

Hues Gold

Key Specifications:

-  Air Delivery 250 m³/min
-  Speed 260 rpm
-  Sweep Size 1.32 m (1320 mm)





MEET THE NEXT BIG INNOVATION.

MICROCHIP CONTROLLED 100% COPPER BLDC MOTOR

ENERGY EFFICIENT, HIGH TORQUE AND LOW
TEMPERATURE RISE FOR LONGER MOTOR LIFE

An epitome of energy-saving technology in Ceiling Fans, BLDC Motor Technology enhances your comfort by reducing power consumption and hence, by lowering the electricity bills. What's more! While it saves energy, it keeps the performance of the Fan intact.



HIGH PERFORMANCE EVEN AT LOW VOLTAGES

Voltage fluctuations wouldn't affect your fan again, thanks to the BLDC Motor Technology that makes the fan perform to its fullest even during low voltages.



HIGH EFFICIENCY

Wastage isn't acceptable to BLDC Motor Technology. That's why it utilizes higher input power and puts it to good use.



HIGH TORQUE

While it saves energy, it gives more power to the fan by increasing its torque level.

19

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

20

BLDC ENERGY SAVING FANS

AN EPITOME OF ENERGY SAVING TECHNOLOGY IN CEILING FANS

BLDC SERIES

Introducing the Brushless Direct Current (BLDC) motor: In the world of electric motors, the BLDC motor offers a blend of efficiency and reliability that's hard to beat. With up to 50% less power consumption compared to traditional AC motors, it's not only cost-effective but also environmentally friendly.

Heleous®

EX 9™

EX 9 Glo™

Aeroedge™

Aeroedge Plus™

Technix BLDC Deco

Technix™

Techno Air™

Energi 32

100% COPPER MOTOR WITH HIGH TORQUE



21



2



100% COPPER MOTOR WITH HIGH TORQUE

Key Specifications:

- Air Delivery** 240 m³/min
- Speed** 300 rpm
- Sweep Size** 1.2 m (1200 mm)

2 YEARS WARRANTY ON MOTOR*



100% COPPER MOTOR WITH HIGH TORQUE

Key Specifications:

- Air Delivery** 260 m³/min
- Speed** 310 rpm
- Sweep Size** 1.2 m (1200 mm)
Also available in 0.9 m (900 mm)

4 YEARS WARRANTY ON MOTOR*



Aeroedge Plus™

- Bi-directional rotation for year-round comfort
- LED Speed indicator
- Timer mode and Boost mode for added convenience
- IR Remote for control at your fingertips

IR REMOTE

100% COPPER MOTOR WITH HIGH TORQUE



Key Specifications:

- Air Delivery** 220 m³/min
- Speed** 350 rpm
- Sweep Size** 1.2 m (1200 mm)

2 YEARS WARRANTY ON MOTOR*

BLDC TECHNOLOGY



Aeroedge™

- RF Remote for control at your fingertips
- Whisper Quiet Operation
- 5 speed control with remote
- Aerodynamic blades for higher air delivery

MULTI-DIRECTIONAL REMOTE

100% COPPER MOTOR WITH HIGH TORQUE



Key Specifications:

- Air Delivery** 220 m³/min
- Speed** 350 rpm
- Sweep Size** 1.2 m (1200 mm)

2 YEARS WARRANTY ON MOTOR*





Technix BLDC Deco

- Microchop Controlled BLDC Motor Technology
- BEE 5 star rated ceiling fan
- Aerodynamic blade design for high air delivery
- Whisper Quiet Operation

100% COPPER MOTOR WITH HIGH TORQUE

Key Specifications:

 Air Delivery 215 m ³ /min	 Speed 350 rpm	 Sweep Size 1.2 m (1200 mm)
--	---	--

2 YEARS WARRANTY ON MOTOR*

Technix™

- Microchop Controlled BLDC Motor Technology
- BEE 5 star rated ceiling fan
- Aerodynamic blade design for high air delivery
- Whisper Quiet Operation

100% COPPER MOTOR WITH HIGH TORQUE

Key Specifications:

 Air Delivery 215 m ³ /min	 Speed 350 rpm	 Sweep Size 1.2 m (1200 mm)
--	---	--



Techno Air

- BLDC motor technology working with wall regulator
- Super efficient motor which requires just 32 watts for high air delivery
- Double ball bearing for longer life
- Fan with extra safety wire for prevention of falling
- Aerodynamic blade design for high air delivery

100% COPPER MOTOR WITH HIGH TORQUE

Key Specifications:

	Air Delivery 220 m ³ /min
	Speed 350 rpm
	Sweep Size 1.2 m (1200 mm)

IR REMOTE

2 YEARS WARRANTY ON MOTOR

BLDC TECHNOLOGY

Microchip+



Energia 32

- High Torque motor and constant speed even at low voltage
- Cool motor with energy efficiency reduces air conditioning bill
- Remote for convenience
- Consumes only 7 Watts at lowest fan speed
- No humming noise, longer power backup on inverter

100% COPPER MOTOR WITH HIGH TORQUE


Key Specifications:

	Air Delivery 220 m ³ /min
	Speed 375 rpm
	Sweep Size 1.2 m (1200 mm)

2 YEARS WARRANTY ON MOTOR

BLDC TECHNOLOGY

Microchip+



DESIGNED TO MATCH YOUR INTERIORS **HI-TREND SERIES FANS**

Usha's Hi Trend fans are thoughtfully designed to complement your interiors while delivering high performance, optimal air delivery, and a touch of modern elegance.





Bloom Daffodil®

- Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant.
- Performs well even at low voltage
- Unique blade design for high air delivery and thrust








100% COPPER MOTOR WITH HIGH TORQUE

DUAL COLOUR DESIGNS | OIL & MOISTURE RESISTANT | SCRATCH & STAIN RESISTANT | DUST RESISTANT

Key Specifications:

 Air Delivery 225 m ³ /min	 Speed 350 rpm	 Sweep Size 1.25 m (1250 mm)
--	---	---


2 YEARS WARRANTY ON MOTOR*



100% COPPER MOTOR WITH HIGH TORQUE

DUAL COLOUR DESIGNS | OIL & MOISTURE RESISTANT | SCRATCH & STAIN RESISTANT | DUST RESISTANT

Key Specifications:

 Air Delivery 225 m ³ /min	 Speed 350 rpm	 Sweep Size 1.25 m (1250 mm)
--	---	---

2 YEARS WARRANTY ON MOTOR*



Striker Galaxy®

- Lacquer metallic paint for better aesthetics
- Beautifully crafted for modern decor
- Double ball bearing for whisper-quiet operation and durability
- Superior grade electric steel lamination for long life
- Performs well even at low voltage
- BEE star rated ceiling fan for low energy consumption

100% COPPER MOTOR WITH HIGH TORQUE

DUAL COLOUR DESIGNS | **WHISPER-QUIET OPERATION** | **SCRATCH & STAIN RESISTANT** | **AERODYNAMIC BLADES**

Key Specifications:

	Air Delivery 230 m³/min		Speed 385 rpm		Sweep Size 1.2 m (1200 mm)
--	----------------------------	--	------------------	--	-------------------------------

2 YEARS WARRANTY ON MOTOR*

Striker Platinum™

- Lacquer metallic paint for better aesthetics
- Beautifully crafted for modern decor
- Double ball bearing for whisper-quiet operation and durability
- Superior grade electric steel lamination for long life
- Performs well even at low voltage
- BEE star rated ceiling fan for low energy consumption

100% COPPER MOTOR WITH HIGH TORQUE

DUAL COLOUR DESIGNS | **OIL & MOISTURE RESISTANT** | **SCRATCH & STAIN RESISTANT** | **DUST RESISTANT**

Key Specifications:

	Air Delivery 230 m³/min		Speed 385 rpm		Sweep Size 1.2 m (1200 mm)
--	----------------------------	--	------------------	--	-------------------------------

2 YEARS WARRANTY ON MOTOR*



Striker Millennium™

- Lacquer metallic paint for better aesthetics
- High air delivery due to unique blade angle
- Double ball bearing for whisper-quiet operation and durability
- Superior grade electric steel lamination for long life
- Performs well even at low voltage
- BEE star rated ceiling fan for low energy consumption

100% COPPER MOTOR WITH HIGH TORQUE




Striker Millennium™

Key Specifications:

- Air Delivery 225 m³/min
- Speed 380 rpm
- Sweep Size 1.2 m (1200 mm)

2 YEARS WARRANTY ON MOTOR*



Super Striker™

- Superior high permeability grade electric steel lamination for longer life
- Beautifully crafted for modern decor
- Wide tip aerodynamic blades for high air delivery & spread
- Double ball bearing for whisper-quiet operation and durability
- BEE Star rated ceiling fan for low energy consumption

100% COPPER MOTOR WITH HIGH TORQUE




Super Striker™

Key Specifications:

- Air Delivery 230 m³/min
- Speed 385 rpm
- Sweep Size 1.2 m (1200 mm)

2 YEARS WARRANTY ON MOTOR*



Striker® Neo

- Superior high permeability grade electric steel lamination for improved life
- Available in glossy powder coated paint for superior finish and longer life
- Performs well even at low voltage
- Double ball bearing for whisper-quiet operation and durability
- BEE star rated ceiling fan for low energy consumption


100% COPPER MOTOR WITH HIGH TORQUE

Key Specifications:

 Air Delivery 225 m ³ /min	 Speed 380 rpm	 Sweep Size 1.2 m (1200 mm), Also available in 60 cm (600 mm) 90 cm (900 mm) & 1.4 m (1400 mm)
--	---	---



DUAL COLOUR DESIGNS | **WHISPER-QUIET OPERATION** | **SCRATCH & STAIN RESISTANT** | **AERODYNAMIC BLADES**



Striker® One

- Superior high permeability grade electric steel lamination for improved life
- Available in glossy powder coated paint for superior finish and longer life
- Performs well even at low voltage
- Double ball bearing for whisper-quiet operation and durability
- BEE star rated ceiling fan for low energy consumption


100% COPPER MOTOR WITH HIGH TORQUE

Key Specifications:

 Air Delivery 225 m ³ /min	 Speed 380 rpm	 Sweep Size 1.2 m (1200 mm), Also available in 60 cm (600 mm) 90 cm (900 mm) & 1.4 m (1400 mm)
--	---	---




DUAL COLOUR DESIGNS | **OIL & MOISTURE RESISTANT** | **SCRATCH & STAIN RESISTANT** | **DUST RESISTANT**



A RANGE OF FANS THAT KEEPS DUST AT BAY. **UNIVERSAL FANS**

Good looks, great quality make these fans no-nonsense, do good machines. Optimal speeds, attractive looks and efficient functioning make them the all-time favourites any day.







Racer Chrome®


- High lift angle of blade for wider air spread
- Beautiful chrome rings and trims to complement the best in class performance
- Superior high permeability grade electric steel lamination for improved life
- Glossy powder coated paint for superior finish and longer life

100% COPPER MOTOR WITH HIGH TORQUE

Key Specifications:

 Air Delivery 210 m ³ /min	 Speed 400 rpm	 Sweep Size 1.2 m (1200 mm) Also available in 60 cm (600 mm) & 90 cm (900 mm) sweep sizes
--	---	--

2 YEARS WARRANTY ON MOTOR




Racer®

- High lift angle of blade for wider air spread
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- Glossy powder coated paint for superior finish and longer life

100% COPPER MOTOR WITH HIGH TORQUE

Key Specifications:

 Air Delivery 210 m ³ /min	 Speed 400 rpm	 Sweep Size 1.2 m (1200 mm) Also available in 60 cm (600 mm) & 90 cm (900 mm) sweep sizes
--	---	--

2 YEARS WARRANTY ON MOTOR



Airostrong Angle®

- High lift angle of blade for wider air spread
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- Metallic paint for superior finish and longer life

100% COPPER MOTOR WITH HIGH TORQUE

Metallic Black

Metallic White

Luxon Gold

Metallic Ivory

Key Specifications:

Air Delivery 220 m ³ /min	Speed 390 rpm	Sweep Size 1.2 m (1200 mm)
--------------------------------------	---------------	----------------------------

2 YEARS WARRANTY ON MOTOR*

Metallic Baker's Brown

Airostrong Curve®

- High lift angle of blade for wider air spread
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- Metallic paint for superior finish and longer life

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

Metallic White

Metallic Brown

2 YEARS WARRANTY ON MOTOR*

Key Specifications:

Air Delivery 215 m ³ /min	Speed 350 rpm	Sweep Size 1.2 m (1200 mm)
--------------------------------------	---------------	----------------------------

100% COPPER MOTOR WITH HIGH TORQUE

UNIVERSAL



Striker®

- Superior high permeability grade electric steel lamination for improved life
- High gloss powder coated paint for superior finish
- High lift angle of blade for wider air spread
- Performs well even at low voltage
- High rpm and unique blade angle provides high air delivery & spread

100% COPPER MOTOR WITH HIGH TORQUE

Rich Ivory

Rich Brown

Coffee Brown

Matt Brown

Key Specifications:

	Air Delivery 230 m³/min
	Speed 380 rpm
	Sweep Size 1.2 m (1200 mm)

2 YEARS WARRANTY ON MOTOR*

Smoke Brown

Stiker Plus®

- Specially designed motor with wider blades for optimum air delivery and speed
- V2 grade ball bearing for whisper quiet operation and durability
- Superior fan performance from energy saving motor
- Superior grade electric steel lamination for long life

Key Specifications:

	Air Delivery 220 m³/min
	Speed 370 rpm
	Sweep Size 1.2 m (1200 mm)

2 YEARS WARRANTY ON MOTOR*

Rich Ivory

Rich White

100% COPPER MOTOR WITH HIGH TORQUE

UNIVERSAL

Key Specifications:

	Air Delivery 220 m³/min
	Speed 370 rpm
	Sweep Size 1.2 m (1200 mm)

2 YEARS WARRANTY ON MOTOR*




Allure™ Deluxe

- Wide Tip Blades for High Air Delivery & Air Speed
- Electroplated decoration for elegant looks
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- V2 grade ball bearing for whisper-quiet operation and durability

100% COPPER MOTOR WITH HIGH TORQUE

Key Specifications:

 Air Delivery 225 m³/min	 Speed 340 rpm	 Available Sweep Sizes 1.2 m (1200 mm), 60 cm (600 mm)
---	---	---

Also available in 1200 mm with 4 blades.




Energia ISI

- High Torque motor and constant speed even at low voltage
- Cool motor with energy efficiency reduces air conditioning bill
- Remote for convenience
- Consumes only 7 Watts at lowest fan speed
- No humming noise, longer power backup on inverter

100% COPPER MOTOR WITH HIGH TORQUE

Key Specifications:

 Air Delivery 210 m³/min	 Speed 310 rpm	 Sweep Size 1.2 m (1200 mm) Also available in 1.4 m (1400 mm)
---	---	---




Swift Alpha

- Aerodynamic design
- High gloss powder coated paint for superior finish
- High lift angle of blade for wider air spread
- Performs well even at low voltage



INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com



Swift® Alpha Chrome

- Superior high permeability grade electric steel lamination for improved life
- Beautiful chrome rings and trims to complement the best in class performance
- High gloss powder coated paint for superior finish
- High lift angle of blade for wider air spread
- Performs well even at low voltage



UNIVERSAL

5



55

Technix Plus™

- 3 Star BEE rated decorative fan with low power consumption of 43 W
- High lift angle of blade for wider air spread
- Saves electricity
- Superior high permeability grade electric steel lamination for improved life
- Glossy powder coated paint for superior finish and longer life



INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

SPECIFICATIONS SHEET

Admire Series

S.No.	Model Name	Sweep Size	Air Delivery	Speed	Power Input	Warranty
1	Fontana Lotus (With Underlight)	1.23 m (1230 mm)	220 m ³ /min	300 rpm	55 W	2 Years
2	Fontana Lotus (Without Underlight)	1.23 m (1230 mm)	220 m ³ /min	300 rpm	55 W	2 Years
3	Grandiose	1.2 m (1200 mm)	225 m ³ /min	350 rpm	55 W	2 Years
4	Aldora	1.32 m (1320 mm)	250 m ³ /min	260 rpm	58 W	2 Years
5	Fontana Maple (With Underlight)	1.25 m (1250 mm)	220 m ³ /min	300 rpm	55 W	2 Years
6	Fontana Maple (Without Underlight)	1.25 m (1250 mm)	220 m ³ /min	300 rpm	55 W	2 Years
7	Fontana One (With Underlight)	1.27 m (1270 mm)	220 m ³ /min	300 rpm	55 W	2 Years
8	Fontana One (Without Underlight)	1.27 m (1270 mm)	220 m ³ /min	300 rpm	55 W	2 Years
9	Fontana Orchid (With Underlight)	1.28 m (1280 mm)	220 m ³ /min	300 rpm	55 W	2 Years
10	Fontana Orchid (Without Underlight)	1.28 m (1280 mm)	220 m ³ /min	300 rpm	55 W	2 Years

BLDC Series

S.No.	Model Name	Sweep Size	Air Delivery	Speed	Power Input	Warranty
1	Heleous	1.2 m (1220 mm)	260 m ³ /min	310 rpm	43 W	2 Years
2	Heleous	0.91 m (910 mm)	200 m ³ /min	420 rpm	38 W	2 Years
3	E-Series-Ex9 Glo	1.2 m (1200 mm)	240 m ³ /min	300 rpm	40 W	2 Years
4	E-Series-Ex9	1.2 m (1200 mm)	240 m ³ /min	300 rpm	40 W	2 Years
5	AeroEdge Plus	1.2 m (1200 mm)	220 m ³ /min	350 rpm	35 W	2 Years
6	AeroEdge	1.2 m (1200 mm)	220 m ³ /min	350 rpm	35 W	2 Years
7	TechnoAir	1.2 m (1200 mm)	220 m ³ /min	350 rpm	32 W	2 Years
8	Technix BLDC Deco	1.2 m (1200 mm)	215 m ³ /min	350 rpm	28 W	2 Years
9	Energia 32	1.2 m (1200 mm)	220 m ³ /min	375 rpm	32 W	2 Years
10	Technix BLDC	1.2 m (1200 mm)	215 m ³ /min	350 rpm	28 W	2 Years

Universal Series

Hi Trend Series


S.No.	Model Name	Sweep Size	Air Delivery	Speed	Power Input	Warranty
1	Bloom Daffodil	1.25 m (1250 mm)	240m ³ /min	380 rpm	58 W	2 Years
2	Bloom Primrose	1.25 m (1250 mm)	225m ³ /min	350 rpm	56 W	2 Years
3	Bloom Magnolia	1.25 m (1250 mm)	225m ³ /min	350 rpm	56 W	2 Years
4	Striker Galaxy	1.2 m (1200 mm)	230m ³ /min	385 rpm	56 W	2 Years
5	Striker Platinum	1.2 m (1200 mm)	230m ³ /min	385 rpm	56 W	2 Years
6	Striker Millennium	1.2 m (1200 mm)	225m ³ /min	385 rpm	55 W	2 Years
7	Super Striker	1.2 m (1200 mm)	230m ³ /min	385 rpm	56 W	2 Years
8	Striker One	1.4 m (1400 mm)	250m ³ /min	315 rpm	60 W	2 Years
9	Striker One	1.2 m (1200 mm)	225m ³ /min	380 rpm	56 W	2 Years
10	Striker One	0.9 m (900 mm)	150m ³ /min	420 rpm	45 W	2 Years
11	Striker One	0.6 m (600 mm)	111m ³ /min	830 rpm	72 W	2 Years
12	Striker Neo	1.4 m (1400 mm)	250m ³ /min	315 rpm	60 W	2 Years
13	Striker Neo	1.2 m (1200 mm)	225m ³ /min	380 rpm	55 W	2 Years
14	Striker Neo	0.9 m (900 mm)	150m ³ /min	420 rpm	45 W	2 Years
15	Striker Neo	0.6 m (600 mm)	111m ³ /min	830 rpm	72 W	2 Years

S.No.	Model Name	Sweep Size	Air Delivery	Speed	Power Input	Warranty
1	Racer Chrome	1.2 m (1200 mm)	210 m ³ /min	400 rpm	50 W	2 Years
2	Racer Chrome	0.9 m (900 mm)	150 m ³ /min	430 rpm	45 W	2 Years
3	Racer Chrome	0.6 m (600 mm)	100 m ³ /min	860 rpm	65 W	2 Years
4	Racer	1.2 m (1200 mm)	210 m ³ /min	400 rpm	50 W	2 Years
5	Racer	0.9 m (900 mm)	150 m ³ /min	430 rpm	45 W	2 Years
6	Racer	0.6 m (600 mm)	100 m ³ /min	860 rpm	65 W	2 Years
7	Airostrong Angle	1.2 m (1200 mm)	220 m ³ /min	390 rpm	54 W	2 Years
8	Airostrong Curve	1.2 m (1200 mm)	215 m ³ /min	350 rpm	39 W	2 Years
9	Striker	1.4 m (1400 mm)	250 m ³ /min	300 rpm	60 W	2 Years
10	Striker	1.2 m (1200 mm)	230 m ³ /min	380 rpm	55 W	2 Years
11	Striker	1.05 m (1050 mm)	180 m ³ /min	410 rpm	49 W	2 Years
12	Striker	0.9 m (900 mm)	135 m ³ /min	400 rpm	43 W	2 Years
13	Striker	0.6 m (600 mm)	100 m ³ /min	860 rpm	65 W	2 Years
14	Swift Alpha Chrome	1.2 m (1200 mm)	210 m ³ /min	350 rpm	50 W	2 Years
15	Allure Deluxe	1.2 m (1200 mm)	225 m ³ /min	340 rpm	54 W	2 Years
16	Allure Deluxe	0.6 m (600 mm)	100 m ³ /min	840 rpm	65 W	2 Years
17	Swift Alpha	1.2 m (1200 mm)	210 m ³ /min	350 rpm	50 W	2 Years
18	Enegria ISI	1.2 m (1200 mm)	210 m ³ /min	330 rpm	50 W	2 Years
19	Enegria ISI	1.4 m (1400 mm)	250 m ³ /min	280 rpm	60 W	2 Years
20	Allure Dlx 4 Blade	1.2 m (1200 mm)	225 m ³ /min	330 rpm	55 W	2 Years
21	Technix Plus	1.2 m (1200 mm)	215 m ³ /min	330 rpm	43W	2 Years



SMART BREEZE, ANYWHERE YOU NEED. USHA TABLE FANS

Bring home the perfect company for your balcony, study or your kitchen. Compact and easy to carry, these table fans are the best bet anytime, anywhere. With a wide variety of sweeps, speeds and designs, go ahead and personalise air to your convenience.






Striker® Hi-Speed



Striker Plus® Hi-Speed



Mistair® Flo



MaxxAir® Ultra



MaxxAir®


100%
COPPER MOTOR
WITH HIGH TORQUE

TABLE
FANS

59

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

60



Striker® Hi-Speed

Strike it big with this high performance fan. The high speed and high air delivery fan is specially designed to suit Indian weather conditions.

Features:







- 100% Copper motor for longer performance
- High air delivery large sweep plastic blades
- Aerodynamic blade design for high air delivery




Striker® Plus Hi-Speed

The fan blends style with performance, featuring a 100% Copper Motor with Auto Thermal Protection, smooth oscillation, easy tilt adjustment, and a rust-free body. Its high-speed operation and vibration-free design ensure durability and elegance in any room.

- Rust Free Body with 100% Copper Motor
- High Speed Fan
- Unique Pivot Arrangement for easy tilt Mechanism



100% COPPER MOTOR WITH HIGH TORQUE




Mist Air® Flo

Experience the perfect balance of performance and design with USHA Mist Air Flo. This MADE IN INDIA fan comes with aerodynamic polypropylene blades and rust free body to give you a long lasting and comfortable cooling experience.

Features:

- 100% Copper motor for longer performance
- High air delivery large sweep plastic blades
- Aerodynamic blade design for high air delivery

Key Specifications:

 Air Delivery 70 m ³ /min	 Speed 1350 rpm	 Sweep Size 40 cm (400 mm)
---	--	---



100% COPPER MOTOR WITH HIGH TORQUE





Maxx Air® Ultra

Ensuring high speed performance like this fan comes with an elegant body design and aerodynamic polypropylene blades to deliver higher air flow.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- 3 Speed settings
- Aerodynamic blade design for high air delivery

Key Specifications:

 Air Delivery 70 m ³ /min	 Speed 1350 rpm	 Sweep Size 40cm (400 mm)
---	--	--





Maxx Air®



Experience maximum comfort and assured safety in this elegant dual color fan with aerodynamic polypropylene blades for better air delivery and an easy tilting mechanism.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- 3 Speed settings
- Aerodynamic blade design for high air delivery




Key Specifications:

	Air Delivery 70 m³/min
	Speed 1350 rpm
	Sweep Size 40 cm (400 mm)



VERSATILE. JUST THE WAY THEY SHOULD BE. **PEDESTAL FAN**

The all season favourite, be it the verandah, house garden or inside your home, these fans are well equipped to convert hot and humid environment to cool and refreshing space. Not just that, they also complement your air conditioners perfectly.



Cyclotron®

With a Unique grill design to deliver super powerful air throw, USHA Cyclotron is the cutting edge 5 blade fan which not only gives you faster cooling but also comes with silent performance.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery

100% COPPER MOTOR WITH HIGH TORQUE



Black

White

Key Specifications:

- Air Delivery 67 m³/min
- Speed 1200 rpm
- Sweep Size 40 cm (400 mm)
- Air Throw 9 m

2 YEARS WARRANTY ON MOTOR*

100% COPPER MOTOR WITH HIGH TORQUE



Maroon

Golden

Light Blue

White

Maxx Air Ultra™

Fan with aerodynamically balanced blades for better performance. Auto resettable thermal over load protector for durability. Jerk free movement with uniform oscillation.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery

Key Specifications:

- Air Delivery 70 m³/min
- Speed 1350 rpm
- Sweep Size 40 cm (400 mm)

2 YEARS WARRANTY ON MOTOR*

Maxx Air®


Experience icy cool comfort and assured safety in this elegant dual color fan with a resettable fuse and easy tilting mechanism.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery




Key Specifications:




Air Delivery
70 m³/min



Speed
1350 rpm



Sweep Size
40 cm (400 mm)



100%
COPPER MOTOR
WITH HIGH TORQUE

PEDESTAL
FANS

Striker® Plus Hi-Speed



100% COPPER MOTOR WITH HIGH TORQUE

Striker® Hi-Speed

Key Specifications:

- Air Delivery 100 m³/min
- Speed 2100 rpm
- Sweep Size 40 cm (400 mm)

2 YEARS WARRANTY ON MOTOR*

Features:

- Rust Free Body with 100% Copper Motor
- High Speed Fan
- Unique Pivot Arrangement for easy tilt Mechanism

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

100% COPPER MOTOR WITH HIGH TORQUE

Striker® Hi-Speed

Key Specifications:

- Air Delivery 100 m³/min
- Speed 2100 rpm
- Sweep Size 40 cm (400 mm)

2 YEARS WARRANTY ON MOTOR*

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery



Mist Air Flo

Experience the perfect balance of performance and design with USHA Mist Air Flo. This MADE IN INDIA fan comes with aerodynamic polypropylene blades and rust free body to give you a long lasting and comfortable cooling experience.

Features:


- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery

Key Specifications:

Air Delivery 70 m³/min

Speed 1350 rpm

Sweep Size 40 cm (400 mm)



Mist Air Icy® with Remote

The innovative remote control fan with smart features like 3 intelligent wind modes, sleep timer and 5 blade high speed function for icy cool comfort.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery


Key Specifications:

Air Delivery 65 m³/min

Speed 1180 rpm

Sweep Size 40 cm (400 mm)





Colossus

Presenting Colossus Aluminium Blade Fans. With the power of strong aluminium blades, Colossus boasts of long lasting, rust free performance and High air delivery.


Features:

- 100% Copper motor for longer performance
- Rust protection with aluminium blades
- Aerodynamic blade design for high air delivery

Key Specifications:

 Air Delivery 92 m³/min


 Speed 1320 rpm

 Sweep Size 40 cm (400 mm)

2

YEARS WARRANTY
ON MOTOR*
★★★

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com



Turbo 180

This wide oscillating metal blade fan will surely complement your décor and provide breeze in every corner with its high air delivery.

Features:

- Breeze in every corner with wide oscillation
- Aerodynamic Metal Blades for high air delivery
- Unique pivot arrangement for easy tilt mechanism

Key Specifications:


 Air Delivery 105 m³/min

 Speed 1350 rpm

 Sweep Size 45 cm (50 mm)

2

YEARS WARRANTY
ON MOTOR*
★★★




Farrata®

Usha Farrata with its powerful 500 mm metal blades gives high air thrust and its heavy base and strong body ensure comfort in a wide area.

Features:



- 100% Copper motor for longer performance
- High air delivery large sweep metal blades
- Aerodynamic blade design for high air delivery

100% COPPER MOTOR WITH HIGH TORQUE




Grey

Key Specifications:

 Air Delivery	90 m ³ /min
 Speed	1350 rpm
 Sweep Size	50 cm (500 mm)





Farrata® EX

Usha Farrata EX with its powerful 500 mm metal blades gives high air thrust and its heavy base and strong body ensure comfort in a wide area.

Features:

- 100% Copper motor for longer performance
- High air delivery large sweep metal blades
- Aerodynamic blade design for high air delivery

100% COPPER MOTOR WITH HIGH TORQUE



Grey

Key Specifications:

 Air Delivery	110 m ³ /min
 Speed	1380 rpm
 Sweep Size	50 cm (500 mm)




Farrata® VX

Usha Farrata VX with its powerful 500 mm metal blades gives high air thrust and its heavy base and strong body ensure comfort in a wide area.

Features:

- 100% Copper motor for longer performance
- High air delivery large sweep metal blades
- Aerodynamic blade design for high air delivery




Key Specifications:




Air Delivery
100 m³/min



Speed
1350 rpm



Sweep Size
50 cm (500 mm)



Grey

100%
COPPER MOTOR
WITH HIGH TORQUE

Farrata® Oscillating

Farrata oscillating fan ensures wide airflow, featuring powerful 500 mm metal blades and a sturdy, stable design for large spaces.

Features:

- 100% Copper motor for longer performance
- Jerk Free & Uniform Oscillation
- Aerodynamic blade design for high air delivery




Key Specifications:




Air Delivery
120 m³/min



Speed
1350 rpm



Sweep Size
50cm (50 mm)



Grey

100%
COPPER MOTOR
WITH HIGH TORQUE




AIR THAT KNOWS NO BOUNDARIES **USHA WALL FANS**

These light weight, sleek Usha wall fans are the power house of features. These style icons spread happiness to every corner of the room efficiently without any fuss.



100% COPPER MOTOR WITH HIGH TORQUE




Cyclotron®

With a unique grill design to deliver super powerful air throw, USHA Cyclotron is the cutting edge 5 blade fan which not only gives you faster cooling but also comes with silent performance.

Features:


- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery

Key Specifications:

 Air Delivery 67 m ³ /min	 Speed 1200 rpm	 Sweep Size 40 cm (400 mm)
---	--	---



100% COPPER MOTOR WITH HIGH TORQUE



Mist Air® Flo

Experience the perfect balance of performance and design with USHA Mist Air Flo. This MADE IN INDIA fan comes with aerodynamic polypropylene blades and rust free body to give you a long lasting and comfortable cooling experience.

Features:

- 100% Copper motor for longer performance
- High air delivery large sweep plastic blades
- Aerodynamic blade design for high air delivery

Key Specifications:

 Air Delivery 70 m ³ /min	 Speed 1350 rpm	 Sweep Size 40cm (400 mm)
---	--	--



100%
COPPER MOTOR
WITH HIGH TORQUE



Maxx Air®

Experience maximum comfort and assured safety in this elegant fan with a resettable fuse and easy tilting mechanism.


Features:

- 100% Copper motor for longer performance
- High air delivery large sweep plastic blades
- Aerodynamic blade design for high air delivery



WALL
FANS


Key Specifications:



Air Delivery
70 m³/min



Speed
1350 rpm



Sweep Size
40 cm (400 mm)



Maxx Air® Ultra

Fan with aerofoil plastic blades for high air delivery and auto thermal protection. Jerk free movement with uniform oscillation.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery

100% COPPER MOTOR WITH HIGH TORQUE

Maroon

White

Light Blue

Golden

2 YEARS WARRANTY ON MOTOR

Key Specifications:

	Air Delivery 70 m³/min		Speed 1350 rpm		Sweep Size 40 cm (400 mm)
--	---------------------------	--	-------------------	--	------------------------------

2
YEARS WARRANTY
ON MOTOR

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

89

Colossus

Presenting Colossus Aluminium Blade Fans. With the power of strong aluminium blades, Colossus boasts of long lasting, rust free performance and high air delivery

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with metal blades
- Aerodynamic blade design for high air delivery


Key Specifications:

	Air Delivery 92 m³/min		Speed 1320 rpm		Sweep Size 40 cm (400 mm)
--	---------------------------	--	-------------------	--	------------------------------

2
YEARS WARRANTY
ON MOTOR

90

WALL FANS




Striker® Hi-Speed

Striker is now back with high speed and high air delivery. This fan is specially designed to suit Indian weather conditions. Easy operations with pull cord for speed and oscillation regulation.



Features:

- 100% Copper motor for longer performance
- High air delivery large sweep plastic blades
- Aerodynamic blade design for high air delivery

100% COPPER MOTOR WITH HIGH TORQUE




Key Specifications:

-  Air Delivery 100 m³/min
-  Speed 2100 rpm
-  Sweep Size 40 cm (400 mm)
Also Available In 30 cm (300 mm) sweep size.

2 YEARS WARRANTY ON MOTOR*

Striker Plus® Hi-Speed



The fan delivers powerful cooling with a high-speed 100% Copper Motor, rust-free body, and thermal protection. Its easy tilt, smooth oscillation, and string-based control ensure flexibility, durability, and effortless operation.

Features:

- Auto Thermal Protector to protect motor during thermal overloading
- String based control for easy operation
- Jerk Free & Uniform Oscillation

100% COPPER MOTOR WITH HIGH TORQUE



Key Specifications:

-  Air Delivery 100 m³/min
-  Speed 2100 rpm
-  Sweep Size 40 cm (400 mm)


2 YEARS WARRANTY ON MOTOR*

Mist Air Icy® With Remote

The innovative remote control fan with smart features like 3 intelligent wind modes, sleep timer function for icy cool comfort.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery



100% COPPER MOTOR WITH HIGH TORQUE



White




Key Specifications:

- Air Delivery 67 m³/min
- Speed 1280 rpm
- Sweep Size 40 cm (400 mm)

2 YEARS WARRANTY ON MOTOR*

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com




Turbo 180

This wide oscillating metal blade fan will surely complement your décor and provide breeze in every corner with its high air delivery.

Features:

- Breeze in every corner with wide oscillation
- Aerodynamic Metal Blades for high air delivery
- Unique pivot arrangement for easy tilt mechanism

100% COPPER MOTOR WITH HIGH TORQUE



Black



Key Specifications:

- Air Delivery 105 m³/min
- Speed 1350 rpm
- Sweep Size 45cm (450 mm)

2 YEARS WARRANTY ON MOTOR*



SMART FRESHNESS FOR ENCLOSED SPACES **EXHAUST FANS**

Usha's range of exhaust fans control the quality of the air in an enclosed space by getting rid of smoke, moisture, fumes and odour. Their automatic front/back shutter and rust proof body also ensure a healthy and happy environment overall.



Crisp Air Premia® CV

Suitable for false ceilings, this trendy, automatic back shutter exhaust fan is designed to complement a modern home. Available in 260 X 260 frame size.

Features:

- 100% Copper motor for longer performance
- Corrosion protection with rust proof body and blades
- Lightweight and low noise performance



100% COPPER MOTOR WITH HIGH TORQUE

2 YEARS WARRANTY ON MOTOR*

Sweep Size	Air Delivery	RPM
12 cm (120 mm)	100 m³/h	1050 rpm



Low noise, high rpm exhaust fan with strong air suction. This automatic front shutter exhaust is ideal for window and wall mounted indoor installations.

Features:

- 100% Copper motor for longer performance
- Corrosion protection with rust proof body and blades
- Lightweight and low noise performance

100% COPPER MOTOR WITH HIGH TORQUE

2 YEARS WARRANTY ON MOTOR*

Sweep Size	Air Delivery	RPM
15 cm (150 mm)	220 m³/h	1800 rpm

EXHAUST FANS



Crisp Air Premia® BV

Suitable for your bathroom or kitchen, this stylish exhaust fan comes with an automatic front shutter with low noise feature. Ideal for glass window mounting.

Features:

- 100% Copper motor for longer performance
- Corrosion protection with rust proof body and blades
- Lightweight and low noise performance

100% COPPER MOTOR WITH HIGH TORQUE

Key Specifications:

Sweep Size	Air Delivery	RPM
15 cm (150 mm)	210 m³/h	1350 rpm

2 YEARS WARRANTY ON MOTOR*

Crisp Air™ VX

With special blade design for higher suction this lightweight exhaust fan is low on noise and high on fresh air delivery. This fan is suitable for any domestic usage.

Features:

- 100% Copper motor for longer performance
- Corrosion protection with rust proof body and blades
- Lightweight and low noise performance


100% COPPER MOTOR WITH HIGH TORQUE

Available in: White Black

Key Specifications:

Sweep Size	Air Delivery	RPM
15 cm (150 mm)	200 m³/h	1380 rpm
20 cm (200 mm)	520 m³/h	1380 rpm
25 cm (250 mm)	900 m³/h	1280 rpm

2 YEARS WARRANTY ON MOTOR*



Crisp Air™ AX

Refresh the air around you with this stylish plastic exhaust which comes in attractive colors and a back shutter. This fan is suitable for any domestic usage.

Features:

- 100% Copper motor for longer performance
- Corrosion protection with rust proof body and blades
- Lightweight and low noise performance

100% COPPER MOTOR WITH HIGH TORQUE



CRISP AIR AX

Available in: White Ivory

Key Specifications:

Sweep Size	Air Delivery	RPM
10 cm (100 mm)	140 m³/h	2400 rpm
15 cm (150 mm)	250 m³/h	2200 rpm

2 YEARS WARRANTY ON MOTOR*



CRISP AIR PREMIA® AF

Designed to get noticed, this exhaust fan comes with hidden blades and easy screwless installation for low noise performance. Ideal for mounting on a wall, ceiling or glass.

Features:

- 100% Copper motor for longer performance
- Corrosion protection with rust proof body and blades
- Lightweight and low noise performance

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

100% COPPER MOTOR WITH HIGH TORQUE




CRISP AIR PREMIA® AF

Available in: White Ivory Stainless Steel

Key Specifications:

Sweep Size	Air Delivery	RPM
15 cm (150 mm)	350 m³/h	2200 rpm

2 YEARS WARRANTY ON MOTOR*



Striker® Hi-Speed

Redefining the future of high performance, USHA Striker Exhaust Fan operates at an ultra high speed to give you a fresh experience 70% faster. Moreover, its 100% Copper motor with ball bearings, making sure the operation is as quiet as possible.

Features:

- 100% Copper motor for longer performance
- Corrosion protection with rust proof body and blades
- Lightweight and low noise performance




Available in: ⚪ White ⚫ Brown ⚫ Black

Key Specifications:

Sweep Size	Air Delivery	RPM
15 cm (150 mm)	450 m ³ /h	2350 rpm
20 cm (200 mm)	800 m ³ /h	2100 rpm



INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com



Turbo® Heavy Duty

This ISI: 2312 Marked heavy duty motor metal exhaust fan is specially designed for industrial use. Available in multiple sizes, speeds and in single phase and 3 phase motors.

Features:

- 100% Copper motor for longer performance
- Anti corrosive treatment and attractive metal finish
- Heavy duty motor for sturdy performance & rugged use



Key Specifications:

Sweep Size	Air Delivery	RPM
30 cm (300 mm)	1145/1710 m ³ /h	900/1400 rpm
38 cm (380 mm)	2000/3200 m ³ /h	900/1400 rpm
45 cm (450 mm)	3900/6120 m ³ /h	900/1400 rpm
60 cm (600 mm)	9400 m ³ /h	900 rpm





Aeroclean®

Aeroclean Exhaust Fan with Goodbye Oil and Dust lacquer coating. These exhaust fans resist the accumulation of oil and dust on the blades. They will make your kitchen easy to clean and healthy.

Features:

- 100% Copper motor for longer performance
- Special Goodbye Oil and Dust lacquer coating
- Lightweight and low noise performance


100% COPPER MOTOR WITH HIGH TORQUE



Key Specifications:

Sweep Size	Air Delivery	RPM
23 cm (230 mm)	700 m ³ /h	1325 rpm
30 cm (300 mm)	1050 m ³ /h	1325 rpm

2 YEARS WARRANTY ON MOTOR*



Aeroclean® Plus DBB

Aeroclean Plus DBB Exhaust Fan with Goodbye Oil and Dust lacquer coating. These exhaust fans resist the accumulation of oil and dust on the blades. They will make your kitchen easy to clean and healthy. Packed with heavy duty motor with double ball bearing for longer performance and durability.

Features:

- 100% Copper motor for longer performance
- Special Goodbye Oil and Dust lacquer coating
- Lightweight and low noise performance

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com



100% COPPER MOTOR WITH HIGH TORQUE



Key Specifications:

Sweep Size	Air Delivery	RPM
23 cm (230 mm)	750 m ³ /h	1400 rpm
30 cm (300 mm)	1600 m ³ /h	1325 rpm

2 YEARS WARRANTY ON MOTOR*




Aeroclean® Pro

Aeroclean Pro high speed exhaust fan with Goodbye Oil and Dust lacquer coating. These exhaust fans resist the accumulation of Oil and dust on the blades. They will make your kitchen easy to clean and healthy. High speed exhaust fans for excellent performance.

Features:

- 100% Copper motor for longer performance
- Special Goodbye Oil and Dust lacquer coating
- Lightweight and low noise performance



Key Specifications:

Sweep Size 15 cm (150 mm)	Air Delivery 350 m³/h	RPM 2400 rpm
23 cm (230 mm)	1000 m³/h	2500 rpm





SMART FRESHNESS FOR ENCLOSED SPACES **SPECIAL APPLICATION FANS**

Charm your guests with this one-of-a-kind special application range of fans. They will surprise you with their unique and exclusive features like superior air circulation, sleek design and efficient air delivery.



109



INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com



Mist Air® Prime



Dynamo®



Dominaire® Wall



Dominaire® Pedestal

100%
COPPER MOTOR
WITH HIGH TORQUE



Mist Air® Prime

Personalise your comfort with Usha's tower fan. Its 2 hours manual timer, tubular blower and wide oscillation make air flow efficient and effective.

Features:

- Ultra-thin body, compact and attractive design that fits anywhere
- 3 Speed settings and 2 hour timer to personalize your comfort
- Tubular centrifugal blower and wide oscillation feature for effective air circulation

100% COPPER MOTOR WITH HIGH TORQUE

Sweep Size	Air Delivery	RPM
NA	20 m³/h	1300 rpm



Dynamo®


A high speed personal fan which can be installed on the wall, table or ceiling. Personalise your comfort with multi-tilting mechanism and easy portability.

Features:

- Multi-utility fans
- Compact and attractive modern design
- High RPM

100% COPPER MOTOR WITH HIGH TORQUE

Sweep Size	Air Delivery	RPM
23 cm (230 mm)	1100 m³/h	2650 rpm



Dominaire® Wall

Designed for heavy industrial use, this air circulator has been built aerodynamically with precision built oscillating mechanism and conforms to ISI standards.

Features:

- Multi-utility fans
- Compact and attractive modern design
- High RPM

100% COPPER MOTOR WITH HIGH TORQUE




Key Specifications:

Sweep Size	Air Delivery	RPM
45 cm (450 mm)	7500 m ³ /h	1440 rpm
60 cm (600 mm)	16000 m ³ /h	1440 rpm
75 cm (750 mm)	22200 m ³ /h	1440 rpm

2
YEARS WARRANTY
ON MOTOR
★ ★ ★

Performance conforms to IS: 2997-1964 standards



Dominaire® Pedestal

Heavy duty performance guaranteed in this pedestal fan with a cast iron base for greater stability and aluminium alloy blades for high air delivery. ISI marked.

Features:

- Aluminium alloy blades for high air delivery
- Corrosion protection with powder coated paint
- Available in multiple sizes

100% COPPER MOTOR WITH HIGH TORQUE



Key Specifications:

Sweep Size	Air Delivery	RPM
45 cm (450 mm)	7500 m ³ /h	1440 rpm
60 cm (600 mm)	16000 m ³ /h	1440 rpm
75 cm (750 mm)	22200 m ³ /h	1440 rpm

2
YEARS WARRANTY
ON MOTOR
★ ★ ★

Performance conforms to IS: 2997-1964 standards

SPECIFICATIONS SHEET

Table Fans

Sno	Model	Sweep Size	Air Delivery	RPM	Power Input	Warranty
1	Striker Hi-Speed	40 cm (400 mm)	100 m ³ /min	2100 rpm	120 W	2 Years
2	Mist Air Flo	40 cm (400 mm)	70 m ³ /min	1350 rpm	55 W	2 Years
3	Maxx Air	40 cm (400 mm)	70 m ³ /min	1350 rpm	55 W	2 Years
4	Maxx Air Ultra	40 cm (400 mm)	70 m ³ /min	1350 rpm	55 W	2 Years
5	Striker Plus Hi-Speed	40 cm (400 mm)	100 m ³ /min	2100 rpm	120 W	2 Years

Pedestal Fans

Sno	Model	Sweep Size	Air Delivery	RPM	Power Input	Warranty
1	Cyclotron	40 cm (400 mm)	67 m ³ /min	1200 rpm	55 W	2 Years
2	Maxx Air Ultra	40 cm (400 mm)	70 m ³ /min	1350 rpm	120 W	2 Years
3	Striker Hi-Speed	40 cm (400 mm)	100 m ³ /min	2100 rpm	135 W	2 Years
4	Colossus	40 cm (400 mm)	92 m ³ /min	1320 rpm	70 W	2 Years
5	Mist Air Flo	40 cm (400 mm)	70 m ³ /min	1350 rpm	55 W	2 Years
6	Mist Air Icy With Remote	40 cm (400 mm)	65 m ³ /min	1180 rpm	50 W	2 Years
7	Maxx Air	40 cm (400 mm)	70 m ³ /min	1350 rpm	55 W	2 Years
8	Farrata	50 cm (500 mm)	90 m ³ /min	1350 rpm	160 W	2 Years
9	Farrata EX	50 cm (500 mm)	110 m ³ /min	1380 rpm	145 W	2 Years
10	Farrata VX	50 cm (500 mm)	100 m ³ /min	1350 rpm	140 W	2 Years
11	Turbo 180	45 cm (450 mm)	105 m ³ /min	1350 rpm	95 W	2 Years
12	Striker Plus Hi-Speed	40 cm (400 mm)	100 m ³ /min	2100 rpm	120 W	2 Years
13	Farrata Oscillating PF	50 cm (500 mm)	120 m ³ /min	1350 rpm	150 W	2 Years

Wall Fans

Sno	Model	Sweep Size	Air Delivery	RPM	Power Input	Warranty
1	Cyclotron	40 cm (400 mm)	67 m ³ /min	1200 rpm	55 W	2 Years
2	Striker Hi-Speed	40 cm (400 mm)	100 m ³ /min	2100 rpm	135 W	2 Years
3	Striker Hi-Speed	30 cm (300 mm)	100 m ³ /min	2100 rpm	90 W	2 Years
4	Colossus	40 cm (400 mm)	92 m ³ /min	1320 rpm	70 W	2 Years
5	Mist Air Icy with Remote	40 cm (400 mm)	67 m ³ /min	1280 rpm	55 W	2 Years
6	Mist Air Flo	40 cm (400 mm)	70 m ³ /min	1350 rpm	55 W	2 Years
7	Maxx Air	40 cm (400 mm)	70 m ³ /min	1350 rpm	55 W	2 Years
8	Maxx Air Ultra	40 cm (400 mm)	70 m ³ /min	1350 rpm	55 W	2 Years
9	Turbo 180	45 cm (450 mm)	105 m ³ /min	1350 rpm	95 W	2 Years
10	Striker Plus Hi-Speed	40 cm (400 mm)	100 m ³ /min	2100 rpm	120 W	2 Years

Special Fans

Sno	Model	Sweep Size	Air Delivery	RPM	Power Input	Warranty
1	Mist Air Prime	NA	20 m ³ /h	1300 rpm	35 W	2 Years
2	Dynamo	23 cm (230 mm)	1100 m ³ /h	2650 rpm	50 W	1 Year
3	Dominaire Wall	45 cm (450 mm)	7500 m ³ /h	1440 rpm	100 W	2 Years
4	Dominaire Wall	60 cm (600 mm)	16000 m ³ /h	1440 rpm	180 W	2 Years
5	Dominaire Wall	75 cm (750 mm)	22200 m ³ /h	1440 rpm	250 W	2 Years
6	Dominaire Pedestal	45 cm (450 mm)	7500 m ³ /h	1440 rpm	100 W	2 Years
7	Dominaire Pedestal	60 cm (600 mm)	16000 m ³ /h	1440 rpm	180 W	2 Years
8	Dominaire Pedestal	75 cm (750 mm)	22200 m ³ /h	1440 rpm	250 W	2 Years

FAN SELECTION GUIDE

Exhaust Fans

Sno	Model	Sweep Size	Air Delivery	RPM	Power Input	Warranty
1	Crisp Air Premia CV	12 cm (120 mm)	100 m ³ /h	1050 rpm	19 W	2 Years
2	Crisp Air Premia AS Plus	15 cm (150 mm)	220 m ³ /h	1800 rpm	24 W	2 Years
4	Crisp Air Premia BV	15 cm (150 mm)	210 m ³ /h	1350 rpm	21 W	2 Years
5	Crisp Air VX	15 cm (150 mm)	200 m ³ /h	1380 rpm	30 W	2 Years
6	Crisp Air VX	20 cm (200 mm)	520 m ³ /h	1380 rpm	35 W	2 Years
7	Crisp Air VX	25 cm (250 mm)	900 m ³ /h	1280 rpm	40 W	2 Years
8	Crisp Air AX	10 cm (100 mm)	140 m ³ /h	2400 rpm	16 W	2 Years
9	Crisp Air AX	15 cm (150 mm)	250 m ³ /h	2200 rpm	23 W	2 Years
10	Crisp Air Premia AF	15 cm (150 mm)	350 m ³ /h	2200 rpm	22 W	2 Years
11	Striker Hi-Speed	15 cm (150 mm)	450 m ³ /h	2350 rpm	40 W	2 Years
12	Striker Hi-Speed	20 cm (200 mm)	800 m ³ /h	2100 rpm	60 W	2 Years
13	Turbo Heavy Duty	30 cm (300 mm)	1145 m ³ /h	900 rpm	55 W	2 Years
14	Turbo Heavy Duty	30 cm (300 mm)	1710 m ³ /h	1400 rpm	90 W	2 Years
15	Turbo Heavy Duty	38 cm (380 mm)	2000 m ³ /h	900 rpm	100 W	2 Years
16	Turbo Heavy Duty	38 cm (380 mm)	3200 m ³ /h	1400 rpm	160 W	2 Years
17	Turbo Heavy Duty	45 cm (450 mm)	3900 m ³ /h	900 rpm	145 W	2 Years
18	Turbo Heavy Duty	45 cm (450 mm)	6120 m ³ /h	1400 rpm	410 W	2 Years
19	Turbo Heavy Duty	60 cm (600 mm)	9400 m ³ /h	900 rpm	555 W	2 Years
20	Aeroclean	23 cm (230 mm)	700 m ³ /h	1325 rpm	48 W	2 Years
21	Aeroclean	30 cm (300 mm)	1050 m ³ /h	1325 rpm	63 W	2 Years
22	Aeroclean Plus DBB	23 cm (230 mm)	750 m ³ /h	1400 rpm	45 W	2 Years
23	Aeroclean Plus	30 cm (300 mm)	1600 m ³ /h	1325 rpm	72 W	2 Years
24	Aeroclean Pro	15 cm (150 mm)	350 m ³ /h	2400 rpm	42W	2 Years
25	Aeroclean Pro	23 cm (230 mm)	1000 m ³ /h	2500 rpm	65 W	2 Years

Star Rating System


Service Value=Air Delivery (m³/min)/ Wattage (W)

Sweep Size >1050 mm to <=1500 mm	>=4.0 to <4.5	>=4.5 to <5	>=5.0 to <5.5	>=5.5 to <6	>=6.0
Sweep Size >750 mm to <=1050 mm	>=3.1 to <3.6	>=3.6 to <4.1	>=4.1 to <4.6	>=4.6 to <5.1	>=5.1
Sweep Size >=600 mm to <=750 mm	>=1.5 to <2	>=2 to <2.5	>=2.5 to <3	>=3 to <3.5	>=3.5

Things you should know

1. **RPM** stands for Rotations Per Minute, it refers to how many times the fan blades complete a full rotation in one minute.
2. **Air delivery** for fans refers to the volume of air that a fan can move or circulate in a given amount of time. It is usually measured in Cubic Meters per Minute (m³/min)
3. RPM alone doesn't determine air delivery — blade size, shape, and motor power also play a role.
4. **100% Copper Motor:** All our fans feature a copper motor, which significantly reduces heat buildup. This not only improves the durability of the fan but also ensures it runs more efficiently over time.
5. **Safety Features:** Every USHA ceiling fan is equipped with a safety cable that enhances its stability and provides additional support. This feature adds an extra layer of safety, ensuring the fan stays securely in place.

Sweep Size is the full diameter of the fan



Bigger sweep = better coverage for larger rooms

Based on Area (Square Footage) of the room

FIND THE RECOMMENDED BLADE SWEEP SIZE

