36 Years with your trust

# Ready Stock - Price List

w.e.f. **NOV 2025**

TEKSON®

*Stay connected. Stay wired*

Since 1989

TEKSON® SITASONS®

Order Time : 10:00 AM - 7:00 PM
Delivery Time : Anytime (24 x 7)
Site Delivery : Extra Cartage
Drum & Crane Charges Extra

JAS-ANZ ISO 9001:2008 CERTIFIED

IS : 694 CM/L - 8817291

FIA TAC FIRE INSURANCE/TARIFF ADVISORY COMMITTEE APPROVED

FR PVC

## Switchgears & DBs



## Shielded & Other Cables




## Flexible & Control Cables




## MS Fitting Powder Coated



## PVC Fitting



## Fan Rod | Leads | Tapes



# NOV' 2025

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

w.e.f. Nov' 2025

IS : 694
CM/L - 8817281
FIA TAC
FR / FRLS

# TEKSON® CABLES

JAS-ANZ
ISO 9001:2008 CERTIFIED

## FR GRADE PVC ROUND COPPER FLEXIBLE CABLE

HSN: 85446020

### SINGLE CORE

### MULTI CORE (BLACK)

1









| Color | Current Rating | strands | Size (mm²) | 90 Mtr | 100 Mtr | | | Per Mtr Rate | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 1 Core | 2 Core | 3 Core | 4 Core | 5 Core | 6 Core | 7 Core | 8 Core | 10 Core | 12 Core | 16 Core | 19 Core | 24 Core |
| | 5 | 19 | 0.50 | 1300 | 3630 | 5070 | 6530 | 86 | 104 | 120 | 140 | 173 | 205 | 270 | 320 | 410 |
| | 8 | 10 | 0.75 | 1820 | 5160 | 7190 | 9250 | 131 | 153 | 175 | 197 | 241 | 284 | 380 | 450 | 580 |
| | 13 | 14 | 1.0 | 2420 | 6470 | 9100 | 12000 | 165 | 192 | 220 | 248 | 310 | 370 | 500 | 590 | 760 |
| | 17 | 22 | 1.5 | 3670 | 9300 | 13200 | 17500 | 232 | 286 | 330 | 370 | 460 | 550 | 760 | 910 | 1140 |
| | 24 | 36 | 2.5 | 5900 | 14750 | 20900 | 27700 | 370 | 440 | 500 | 570 | 710 | 850 | 1190 | 1410 | 1780 |
| | 36 | 56 | 4.0 | 9100 | 22500 | 31800 | 43000 | 560 | 700 | – | – | – | – | – | – | – |
| | 47 | 84 | 6.0 | 13600 | 34800 | 48700 | 64300 | 830 | 1040 | – | – | – | – | – | – | – |
| | 62 | 140 | 10 | 22660 | 62000 | 84000 | 109000 | 1460 | – | – | – | – | – | – | – | – |
| | 79 | 224 | 16 | 36900 | 95000 | 134000 | 174000 | 2370 | – | – | – | – | – | – | – | – |
| | | | | | Per Mtr | | | | | | | | | | | |
| | 108 | 350 | 25 | 640 | 1550 | 2100 | 2700 | 3580 | – | – | – | – | – | – | – | – |
| | 132 | 490 | 35 | 910 | – | 2900 | 3800 | | | | | | | | | |
| | 162 | 315 | 50 | 1290 | – | 4160 | 5450 | | | | | | | | | |
| | 215 | 440 | 70 | 1800 | – | 5780 | 7660 | | | | | | | | | |
| | 260 | 590 | 95 | 2400 | – | 7800 | 10340 | | | | | | | | | |
| | 305 | 760 | 120 | 3100 | – | 10220 | 13440 | | | | | | | | | |
| | 355 | 962 | 150 | 3880 | – | 12570 | 17380 | | | | | | | | | |
| | 415 | 925 | 185 | 4830 | – | – | – | | | | | | | | | |
| | 500 | 1221 | 240 | 6530 | – | – | – | | | | | | | | | |
| | 585 | 1527 | 300 | 8300 | – | – | – | | | | | | | | | |
| | 695 | 2036 | 400 | 11070 | – | – | – | | | | | | | | | |

Cut / Drum Length Available for All Sizes Above 1.5 MM² x 2 Core






2

### WHITE - ROUND FLEXIBLE

| Color | Size (mm²) | TEKSON 2 Core (100 M) | TEKSON 3 Core (100 M) | TEKSON 4 Core (100 M) | SITASONS 2.5 Core (90 M) |
|---|---|---|---|---|---|
| ○ | 0.50 | – | – | – | 4100 |
| ○ | 0.75 | 5160 | – | – | 4950 |
| ○ | 1.0 | 6470 | – | – | 6200 |
| ○ | 1.5 | 9300 | 13200 | NEW | 9000 |
| ○ | 2.5 | 14750 | 20900 | 27700 | 14240 |

HSN: 85446020

New Sizes Added

## Hi-flex Round Cable

90 MTR

3

~ PVC * Highly Flexible | Extra Soft | Heavy Duty | Rough Use | Smooth Finish
~ Copper * Higher Current Carrying Capacity - 101% Electrolytic Bare Copper | Ultra fine drawn wires to increase flexibility

Longer Life | Extra Soft



| Color | Size (mm²) | 2 Core | 3 Core | 4 Core | Current Rating |
|---|---|---|---|---|---|
| ○ | 0.75 | 4860 | – | – | 9 Amp |
| ○ | 1.0 | 6700 | – | – | 15 Amp |
| ○ | 1.5 | 9000 | 12600 | 16700 | 19 Amp |
| ○ | 2.5 | 14000 | 20300 | 26600 | 25 Amp |
| ○ | 4.0 | – | 31500 | 42000 | 35 Amp |



APPLICATION
* Ideal for Moving Cable
* Any Outdoor Application
* Used in CNC Machines
* Hand Tools
* Extension Boards
* Speakers
* Camera Light

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

HSN: 85446020

## SHIELDED CABLE (Braided + Screened) Per Mtr

4



| Size | 100 Mtr | | | Per Mtr Rate | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 2 Core | 3 Core | 4 Core | 5 Core | 6 Core | 7 Core | 8 Core | 10 Core | 12 Core | 16 Core | 19 Core | 24 Core |
| 0.50 | 7000 | 7800 | 9500 | 126 | 136 | 166 | 190 | 226 | 285 | 370 | 440 | 530 |
| 0.75 | 7700 | 10200 | 13000 | – | – | – | – | – | – | – | – | – |
| 1.00 | 10000 | 13300 | 17200 | 226 | 260 | 310 | 340 | 420 | 530 | 690 | 830 | 1040 |
| 1.50 | 14600 | 19000 | 25500 | – | 420 | – | 560 | 680 | 800 | – | – | – |
| 2.50 | 23400 | 31000 | 40000 | | | | | | | | | – |
| 4.00 | – | – | 59000 | | | | | | | | | – |
| 6.00 | – | – | 87000 | – | – | – | – | – | – | | | – |

Cut / Drum Length Available for All Sizes

Shielded Armoured Available on Order

SHIELDED

NEW

HSN: 85446020

## AUTOMATION CABLE (90 M)

5





| FLEXIBLE CORE | | | SCREENED SHIELDED | | |
|---|---|---|---|---|---|
| Core | 7/38 | 14/38 | Core | 7/38 | 14/38 |
| 4 Core | 2300 | 4600 | 4 Core | 3460 | 6350 |
| 6 Core | 3450 | 6900 | 6 Core | 5230 | 9600 |
| 8 Core | 4600 | 9200 | 8 Core | 6930 | 12760 |
| 10 Core | 5750 | 11500 | 10 Core | 8700 | 16000 |
| 12Core | 6900 | 13800 | 12 Core | 10400 | 19200 |

HSN: 85441920

## THERMOCOUPLE & PT-100 WIRE (100M)

6

| Size | Rate | Color Code | Temp Range |
|---|---|---|---|
| J Type | 3200 | Black | 600°C |
| K Type | 3200 | Red | 1000°C |
| PT-100 | 4000 | 3 Core Telfon Taped and overall Teflon Taped | |



HSN: 85446090

## FIBRE GLASS WIRE (100M)

7



| Tinned Copper | Size (mm²) | TEKSON® | SITASONS® | TSR® | SITASONS® |
|---|---|---|---|---|---|
| | 0.5 | 1980 | – | – | Red Color / Black Color |
| | 0.75 | 2730 | – | – | |
| | 1.0 | 3000 | 2560 | 2200 | 2600 ●● |
| | 1.5 | 4480 | 3740 | 3140 | 3800 ●● |
| | 2.5 | 6900 | 5780 | 4750 | 5850 ●● |
| | 4 | 10640 | 8880 | 7140 | 8900 ●● |
| | 6 | 15600 | 12830 | 10380 | |
| | 10 | 26000 | 21700 | 17500 | |
| | 16 | 42500 | 35300 | 29000 | |
| Double Braiding (Cut Length Also Available) | 25 | 725 Per Mtr | 590 Per Mtr | | |
| | 35 | 995 Per Mtr | 840 Per Mtr | | |
| | 50 | 1420 Per Mtr | 1190 Per Mtr | | |
| | 70 | 2080 Per Mtr | 1450 Per Mtr | | |
| | 95 | 2860 Per Mtr | 2100 Per Mtr | | |
| | 120 | 3800 Per Mtr | 3000 Per Mtr | | |
| | 150 | 4800 Per Mtr | 4200 Per Mtr | | |
| | 185 | – | 5200 Per Mtr | | |

FiberGlass in Color



NEW

## TEFLON LIGHTING WIRE

8

* Suitable for wiring in less space
* Best for LED Strip lights, Fancy Lights, House wiring

Tinned Copper




| Size (Mm²) | TEKSON® Rate | SITASONS® Rate | OD |
|---|---|---|---|
| 0.50 | 2600 | 2300 | 1.10 MM |
| 0.75 | 3800 | 3300 | 1.40 MM |

## TEFLON WIRE (100M)

HSN: 85446090

Now in Tinned Copper



Black
White
Red

| Size | TEKSON® Rate | SITASONS® Rate |
|---|---|---|
| 1.0 | 5400 | 4760 |
| 1.5 | 7030 | 6140 |
| 2.5 | 10200 | 8730 |
| 4 | 14200 | 12000 |
| 6 | 20500 | 17500 |
| 10 | 34500 | 29300 |
| 16 | 57000 | |


* Tinned Copper
* Triple Taped
* Export Quality Tape
* 100% Fresh Reel



NEW

HSN: 85444992

## CAT 6 NETWORKING CABLES 9




| Item | List | Length | Make | Color |
|---|---|---|---|---|
| CAT 6 Tekson 90 Mtr | 4950 | 90 Mtr | Tekson | ● |
| CAT 6 Tekson 305 Mtr Cu .51MM | 16500 | 305 Mtr | Tekson | ● |
| CAT 6 SitaSons 305 Mtr Cu .45MM | 12800 | 305 Mtr | SitaSons | ● |
| CAT 6 TSR 305 Mtr CCA .51MM | 7000 | 305 Mtr | TSR | ● |
| CAT 6 Outdoor Black Cu .51MM | 17000 | 305 Mtr | Tekson | ● |
| CAT 6 Armoured | 132 | per mtr | Tekson | ● |

HSN: 85442010

## RG 6 COAXIAL CABLE 10




| Item | 90 MTR | 305 MTR |
|---|---|---|
| RG 6 CCS - SitaSons | 1480 | — |
| RG 6 CCS - Tekson | 1730 | 6050 |
| RG 6 COPPER - SitaSons | 2800 | — |
| RG 6 COPPER - Tekson | 3400 | 11700 |
| RG 6 COP Armoured | 100 per mtr | |




HSN: 85447090

## OPTIC FIBRE CABLE 11



| Item | Rate / Mtr | Packing | Mode |
|---|---|---|---|
| Optic 2 Fibre Cable 2F SM | 22 | 1000 Mtr | Single Mode |
| Optic 4 Fibre Cable 4F SM | 30 | 1000 Mtr | Single Mode |




HSN: 85442010

## CCTV WIRE 12





| ITEM | SITASONS® Alloy+Copper | TEKSON® Solid Copper | TEKSON® Full Copper | TEKSON® Heavy Duty RG59Cu + 3Core (0.51MM) |
|---|---|---|---|---|
| | (90 Mtrs) | (90 Mtrs) | (90 Mtrs) | (305 Mtrs) Drum |
| CCTV (3+1) | 2130 | 3070 | 3800 | 16200 |
| CCTV (4+1) | 2510 | 3600 | 4250 | |
| CCTV (6+1) | 3170 | — | 5430 | |
| CCTV (8+1) | 3600 | — | 6620 | |



HSN: 85444220

## SITASONS® LEAD WIRE (with moulded TOP) 13



| ITEM | Length | Color | Rate | Packing |
|---|---|---|---|---|
| 3 PIN PRESS (With Thimble) | 2.5 Mtr | ○ | 200 | 10 Pcs |
| 2 PIN FLAT | 2 Mtr | ○ | 62 | 20 Pcs |
| 2 PIN FLAT | 2.5 Mtr | ○ | 69 | 20 Pcs |
| 3 PIN 6A | 2 Mtr | ○ | 153 | 10 Pcs |
| 3 PIN 6A | 2.5 Mtr | ○ | 166 | 10 Pcs |
| 3 PIN 16A (Power - A.C.) | 2 Mtr | ○ | 300 | 8 Pcs |



w.e.f. Nov' 2025

# CABLES

TEKSON®

14

HSN: 85444999

| ITEM 90 MTR | 0.25 mm² | 0.50 mm² | 0.75 mm² | 1.00 mm² | 1.50 mm² | 2.50 mm² |
|---|---|---|---|---|---|---|
| Hi-flex (Round) Outdoor Cable (2 Core) | – | – | 4860 | 6700 | 9000 | 14000 |
| IVORY FLAT | 1580 | 2700 | 3560 | 4570 | 6360 | 9900 |
| IVORY FLAT (SITASONS) | – | – | 2750 | 3770 | – | – |
| TRANSPARENT OFC Speaker TCBC | 1650 | 2600 | 3500 | 4560 | 6400 | 10300 |
| Flexible Twisted COPPER | 1200 | 2200 | 3100 | – | – | – |
| White Parallel | 1200 | 2200 | 3100 | | | |
| White Parallel (SITASONS) | – | 1600 | – | | | |
| Flexible Twisted ALLOY (40/76) | – | 1020 | – | | | |
| Cotton Wire 3 Core | – | – | 6000 (White) | | | |



15

HSN: 85444992

## TELEPHONE PAIR



| 0.41 MM (Coil Pack) Size | 90 Mtr | 0.50 MM (Box Pack) Size | 90 Mtr |
|---|---|---|---|
| 1 PAIR | 1040 | 1 PAIR | 1620 |
| 2 PAIR SITASONS | 1500 | 2 PAIR | 2860 |
| 2 PAIR | 1730 | 3 PAIR | 4350 |
| 3 PAIR | 2680 | 4 PAIR | 6140 |
| 4 PAIR SITASONS | 3000 | | |
| 4 PAIR | 3450 | | |
| 5 PAIR | 4500 | | |
| 6 PAIR | 5460 | | |
| 10 PAIR SITASONS | 7500 | | |
| 10 PAIR | 9000 | | |
| 20 PAIR | 18000 | | |





16

## SUBMERSIBLE CABLE (3 CORE FLAT)

| Size | 100 MTR | 500 MTR |
|---|---|---|
| 1.5 X 3 FLAT | 13500 | – |
| 2.5 X 3 FLAT | 21000 | 105000 |
| 4 X 3 FLAT | 32600 | 163000 |
| 6 X 3 FLAT | 48700 | 243500 |
| 10 X 3 FLAT | 850 per mtr | Cut Length Available |
| 16 X 3 FLAT | 1350 per mtr | |

HSN: 85446020



17

HSN: 85444992

## JELLY FILLED TELEPHONE CABLE



BLACK

### ARMOURED (0.50 MM)

| Size | Rate (Per Mtr) |
|---|---|
| 5 PAIR Jelly Filled | 150 |
| 10 PAIR Jelly Filled | 240 |
| 20 PAIR Jelly Filled | 420 |
| 50 PAIR Jelly Filled | 860 |



GREY

### UN-ARMOURED (0.50 MM)

| Size | Rate (Per Mtr) |
|---|---|
| 5 PAIR Jelly Filled | 90 |
| 10 PAIR Jelly Filled | 165 |
| 20 PAIR Jelly Filled | 320 |
| 50 PAIR Jelly Filled | 780 |

HSN: 85446020

18

## SOLID COPPER (90 Mtr)



| SIZE | Rate | Color |
|---|---|---|
| — | — | — |
| 1.50 | 4200 | ●●●● |
| 2.50 | 7000 | ●●●● |
| 4.0 | 10500 | ●●●● |
| 6.0 | 16600 | ●●●● |
| 10.0 | 27600 | ●● |
| — | — | |
| — | — | |



## STRANDED COPPER (90 Mtr)

| Size | Amp | Color | SWG | Rate |
|---|---|---|---|---|
| 0.75 | 5 | ● | 1/18 | 2700 |
| 2.5 | 18 | ●● | 7/22 | 7100 |
| 4 | 25 | ●●●● | 7/20 | 10400 |
| 6 | 30 | ●●●● | 7/18 | 17200 |
| 12 | 42 | ●●●● | 7/16 | 35000 |
| 25 | 57 | ● | 7/14 | 62300 |
| 40 | 97 | ● | 19/16 | 1060 Per Mtr |
| 65 | 140 | ● | 19/14 | 1920 Per Mtr |

# ALUMINIUM CABLES (Domestic Range)

HSN: 85444999

19

## 2 CORE AL TWIN FLAT



| Size | 90 Mtr SITASONS | 90 Mtr TEKSON® | Size | 500 Mtr SITASONS | 500 Mtr TEKSON® | Length |
|---|---|---|---|---|---|---|
| 2.5 X 2 | – | 2210 TEKSON | | – | | |
| 4 X 2 | 2400 SITASONS | 2900 TEKSON | 4 X 2 | – | 16120 TEKSON | 500 Mtr |
| 6 X 2 | 3100 SITASONS | 3850 TEKSON | 6 X 2 | 17200 SITASONS | 21400 TEKSON | 500 Mtr |
| 10 X 2 | 4900 SITASONS | 6000 TEKSON | 10 X 2 | 27250 SITASONS | 33400 TEKSON | 500 Mtr |
| 16 X 2 | 6750 SITASONS | 9300 TEKSON | 16 X 2 | 37500 (500M) SITASONS | 25850 (250M) TEKSON | |
| 25 X 2 | 10000 SITASONS | 12500 TEKSON | 25 X 2 | 27800 (250M) SITASONS | 34750 (250M) TEKSON | 250 Mtr |
| 35 X 2 | 14000 SITASONS | | 35 X 2 | 38900 (250M) SITASONS | – | 250 Mtr |
| NEW 10 X 2 | 4100 TSR | | 10 X 2 | 22800 TSR | | 500 Mtr |

20

## SOLID SINGLE CORE



90 Mtr

| Size | Rate | COLOR |
|---|---|---|
| 1.5 | 620 | ●● |
| 2.5 | 950 | ●● |
| 4 | 1310 | ●● |
| 6 | 1950 | ●● |
| 10 | 3110 | ●● |
| 16 | 4650 | ● |
| 25 | 6410 | ● |

## STRANDED SINGLE CORE



| 90 Mtr Size | TEKSON® Rate | TEKSON® Color | SITASONS® NEW Size | SITASONS® Rate | SITASONS® Color |
|---|---|---|---|---|---|
| 6 | 2520 | ●●●●● | | SITASONS | |
| 10 | 3880 | ●●●●● | 10 | 2800 | ●●● |
| 16 | 5190 | ●●●●● | 16 | 4000 | ●●● |
| 25 | 8080 | ●●●●● | 25 | 6330 | ●●● |
| 35 | 10640 | ●●●●● | 35 | 8530 | ●●● |
| 50 | 15100 | ●●●●● | 50 | 11500 | ●●● |

## 4 CORE



| Size | SITASONS Rate Per Mtr | TEKSON Rate Per Mtr | Std Lgth |
|---|---|---|---|
| 10 X 4 AU | 137 | 161 | 400 Mtr |
| 16 X 4 AU | 179 | 215 | 300 Mtr |
| 25 X 4 AU | 272 | 310 | 250 Mtr |
| 35 X 4 AU | 360 | 420 | – |
| 50 X 4 AU | 520 | 580 | – |

HSN: 85446020

w.e.f. Nov' 2025

# ARMOURED CABLES

TEKSON®

XLPE/PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR VOLTAGE UPTO 1100 VOLTS

## ALUMINIUM CABLE

21

TEKSON®

| Size mm² | ARMOURED 1 Core | 2 Core | 3 Core | 3.5 Core | 4 Core | UN ARMOURED 1 Core | 2 Core | 3 Core | 3.5 Core | 4 Core |
|---|---|---|---|---|---|---|---|---|---|---|
| 4 | – | 89 | 108 | – | 120 | – | – | 70 | – | 87 |
| 6 | – | 112 | 140 | – | 152 | – | – | 86 | – | 106 |
| 10 | – | 142 | 182 | – | 206 | – | 102 | 129 | – | 157 |
| 16 | – | 186 | 240 | – | 273 | – | 132 | 171 | – | 207 |
| 25 | – | 247 | 330 | 350 | 390 | – | 185 | 255 | – | 310 |
| 35 | – | 320 | 420 | 440 | 480 | – | 230 | – | 380 | 410 |
| 50 | – | 410 | 560 | 590 | 660 | – | – | – | 510 | 560 |
| 70 | – | – | – | 790 | 900 | 237 | – | – | 690 | 790 |
| 95 | – | – | – | 990 | 1140 | 300 | – | – | 930 | 1070 |
| 120 | – | – | – | 1260 | 1460 | 390 | – | – | 1230 | 1390 |
| 150 | 530 | – | – | 1570 | 1840 | 450 | – | – | 1560 | 1760 |
| 185 | 650 | – | – | 1910 | 2260 | 570 | – | – | – | – |
| 240 | 860 | – | – | 2480 | 2860 | 740 | – | – | – | – |
| 300 | 1030 | – | – | 3090 | – | 940 | – | – | – | – |
| 400 | 1310 | – | – | 3950 | – | 1210 | – | – | – | – |
| 500 | 1630 | – | – | – | – | 1520 | – | – | – | – |
| 630 | 2000 | – | – | – | – | 1870 | – | – | – | – |







## COPPER ARMOURED CABLE

22

TEKSON®

| Size mm² | 2 Core | 3 Core | 3.5 Core | 4 Core |
|---|---|---|---|---|
| 1.5 | 132 ●● | 190 | – | 234 |
| 2.5 | 206 | 275 | | 360 |
| 4 | 285 | 390 | | 510 |
| 6 | 420 | 600 | | 780 |
| 10 | 700 | 1040 | | 1270 |
| 16 | 950 | 1400 | | 1700 |
| 25 | – | 2230 | | 2800 |
| 35 | – | – | | 3800 |
| 50 | – | – | 5000 | 5500 |




HSN: 85444992

## JELLY FILLED TELEPHONE CABLE

23

### ARMOURED (0.50 MM)

| PAIR | Rate (Per Mtr) |
|---|---|
| 5 PAIR Jelly Filled | 150 |
| 10 PAIR Jelly Filled | 240 |
| 20 PAIR Jelly Filled | 420 |
| 50 PAIR Jelly Filled | 860 |



## ALUMINIUM CABLE SITASONS

SITASONS®

| Size mm² | ARMOURED 2 Core | 3.5 Core | 4 Core | UN ARMOURED 3 Core Solid | 4 Core |
|---|---|---|---|---|---|
| 4 | 63 | SITASONS | | SITASONS | |
| 6 | 83 | | | | |
| 10 | 108 | – | 160 | 108 Solid | 137 |
| 16 | – | – | 224 | 142 Solid | 180 |
| 25 | – | – | 330 | 180 Solid | 272 |
| 35 | – | – | 440 | 245 Solid | 360 |
| 50 | – | 520 | 580 | – | 500 |
| 70 | – | 670 | 760 | – | – |
| 95 | – | 870 | 990 | – | – |
| 120 | – | 1080 | – | – | – |

## COPPER ARMOURED SITASONS

24

| SIZE | 2 Core | 3 Core | 4 Core |
|---|---|---|---|
| 1.5 | 104 | SITASONS | |
| 2.5 | 178 | 232 | 300 |
| 4 | – | 340 | 440 |
| 6 | – | 500 | 650 |
| 10 | – | – | 1140 |

IS : 694
FIA TAC
FR / FRLS

w.e.f. Nov' 2025

# SITASONS® Cables



HSN: 85446020

## ALUMINIUM CABLE

25

### ARMOURED

| SIZE | 2 Core | 3.5 Core | 4 Core |
|---|---|---|---|
| 4 SS | 63 | – | – |
| 6 SS | 83 | – | – |
| 10 SS | 108 | – | 160 |
| 16 SS | – | – | 224 |
| 25 SS | – | – | 330 |
| 35 SS | – | – | 440 |
| 50 SS | – | 520 | 580 |
| 70 SS | – | 670 | 760 |
| 95 SS | – | 870 | 990 |
| 120 SS | – | 1080 | – |



### UN ARMOURED

| SIZE | 4 Core |
|---|---|
| 10 X 4 AU SS | 137 |
| 16 X 4 AU SS | 180 |
| 25 X 4 AU SS | 272 |
| 35 X 4 AU SS | 360 |
| 50 X 4 AU SS | 500 |

| SIZE | 3 Core |
|---|---|
| 10 x 3 AU SOLID | 108 |
| 16 x 3 AU SOLID | 142 |
| 25 x 3 AU SOLID | 180 |
| 35 x 3 AU SOLID | 245 |

### 2 CORE FLAT ALUMINIUM

| SIZE | 90 Mtr | 500Mtr |
|---|---|---|
| 4 X 2 FLAT SS | 2400 | — |
| 6 X 2 FLAT SS | 3100 | 17200 |
| 10 X 2 FLAT SS | 4900 | 27250 |
| 16 X 2 FLAT SS | 6750 | 37500 |
| 25 X 2 FLAT SS | 10000 | 27800 (250 M) |
| 35 X 2 FLAT SS | 14000 | 38900 (250 M) |

NEW



HSN: 85446020

## COPPER ROUND FLEXIBLE CABLE

26





| Color | Size (mm²) | SINGLE CORE 90 Mtr 1 Core | MULTI CORE (BLACK) 90 Mtr 2 Core | 3 Core | 4 Core | Rate per Mtr (Std Pkg - 90+90 Mtr) 5 Core | 6 Core | 7 Core | 8 Core | 10 Core | 12 Core |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0.50 | – | 3180 | 4100 | 5460 | 76 | 90 | 108 | 120 | 145 | 175 |
| | 0.75 | 1570 | 4100 | 5630 | 7400 | – | – | – | – | – | – |
| | 1.0 | 2070 | 5000 | 7000 | 9500 | 132 | 156 | 178 | 200 | 250 | 300 |
| | 1.5 | 2960 | 7050 | 10000 | 13400 | – | – | – | – | – | – |
| | 2.5 | 4800 | 11370 | 16000 | 21000 | – | – | – | – | – | – |
| | 4.0 | 7550 | 17600 | 25000 | 33000 | – | – | – | – | – | – |
| | 6.0 | 11000 | 26340 | 36600 | 48420 | | – | | | – | – |
| | | | | Per Mtr | | | | | | | |
| | 10 | 19600 | – | 720 | 940 | | – | | | – | – |
| | 16 | 31100 | – | 1110 | 1460 | | – | | – | | – |
| | 25 | 47730 | – | 1730 | 2300 | | | | – | – | – |
| | 35 | 67000 | – | – | – | | | | | | |
| | 50 | 95000 | – | – | – | | | | | | |



## WHITE ROUND (2.5 CORE)

27



| Size | Rate (90 Mtr) |
|---|---|
| .50 mm² x 3 Core | 4100 |
| .75 mm² x 2.5 Core | 4950 |
| 1.0 mm² x 2.5 Core | 6200 |
| 1.5 mm² x 2.5 Core | 9000 |
| 2.5 mm² x 2.5 Core | 14240 |

## COPPER ARMOURED

28

| SIZE | 2 Core |
|---|---|
| 1.5 x 2 Core SS | 104 |
| 1.5 x 2 Core Tekson | 132 |

(FRLS) With RED Color PVC
for Fire Alarm System



INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

IS : 694
FIA TAC
FR / FRLS

w.e.f. Nov' 2025

# SITASONS® Cables



## CCTV CAMERA WIRE 29




| Size | Rate | Length |
|---|---|---|
| 3 + 1 SS | 2130 | 90 M |
| 4 + 1 SS | 2510 | 90 M |
| 6 + 1 SS | 3170 | 90 M |
| 8 + 1 SS | 3600 | 90 M |

## SUBMERSIBLE CABLE 30



| Size | 90 M | 500 M |
|---|---|---|
| 1.5 X 3 Flat | 10200 | — |
| 2.5 X 3 Flat | 16300 | 90550 |
| 4 X 3 Flat | 25200 | 140000 |
| 6 X 3 Flat | 36850 | 204700 |

## CAT 6 | 2 CORE WHITE FLAT 31





| Size | Rate | Length |
|---|---|---|
| 0.75 Ivory Flat SS | 2750 | 90 M |
| 1.0 Ivory Flat SS | 3770 | 90 M |
| 0.50 White Parallel SS | 1600 | 90 M |
| CAT 6 SS | 12800 | 305 M |

## RG-6 | Telephone Pair 32



| Size | Rate | Length |
|---|---|---|
| RG-6 CCS SS | 1480 | 90 M |
| RG-6 Cop SS | 2800 | 90 M |
| 2 Pair SS | 1500 | 90 M |
| 4 Pair SS | 3000 | 90 M |
| 10 Pair SS | 7500 | 90 M |

# BUS BAR & DB

Now with Double Protection from Rusting GI SHEET & POWDER COATING

HSN: 85371000

100% Copper Strips




## BUS BAR CHAMBERS

| Rating(Amp) | VOLT | RATE | Box Size (CM) L X B X H |
|---|---|---|---|
| 32 | 415 | 1350 | 23 X 21 X 10 |
| 63 | 415 | 1840 | 30 X 23 X 10 |
| 100 | 415 | 2800 | 38 X 30 X 11 |
| 200 | 415 | 4400 | 46 X 38 X 13 |
| 320 | 415 | 5300 | 46 X 38 X 13 |
| 400 | 415 | 7600 | 51 X 43 X 16 |

## 2POLE / 4 POLE 33

| Size | RATE per piece | Size CM | Pkg |
|---|---|---|---|
| 2 Pole | 120 | 15 X 6 X 6 | 10 Piece |
| 4 Pole | 160 | 15 X 10 X 6 | 10 Piece |



Light Grey Color

100% Copper Short Patti



## SPN DB Single Door / Double Door 34

| Size | RATE | Size | RATE | Size (CM) |
|---|---|---|---|---|
| 4 Way | 290 | 19 X 12 X 6 | 550 | 22 X 13 X 10 |
| 6 Way | 390 | 19 X 15 X 6 | 640 | 22 X 18 X 10 |
| 8 Way | 430 | 19 X 19 X 6 | 740 | 22 X 22 X 10 |
| 10 Way | 510 | 19 X 22 X 6 | 830 | 22 X 24 X 10 |
| 12 Way | 580 | 19 X 27 X 6 | 920 | 22 X 28 X 10 |
| 16 Way | 700 | 19 X 37 X 6 | 1050 | 22 X 32 X 10 |

## TPN DB Double Door

| Size | RATE | Size (CM) L X B X H |
|---|---|---|
| 4 Way TPN | 1530 | 38 x 28 x 10 |
| 6 Way TPN | 1940 | 38 x 35 x 10 |
| 8 Way TPN | 2350 | 42 x 38 x 10 |
| 12 Way TPN | 3460 | 56 x 38 x 10 |

## M.C.C.B BOX 35

(Multipurpose: Compatible with most company's MCCBs)



| Rating(Amp) | VOLT | RATE | Box Size (CM) L X B X H |
|---|---|---|---|
| 100 | 415 | 880 | 40 x 20 x 9 |
| 200 | 415 | 1020 | 40 x 20 x 13 |
| 320 | 415 | 1620 | 50 x 26 x 13 |
| 400 | 415 | 3040 | 60 x 36 x 18 |

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

w.e.f. Nov' 2025

# SWITCHGEAR

TEKSON®

Now with Double Protection from Rusting GI SHEET & POWDER COATING

(OFF-LOAD)




## REWIRABLE SWITCH FUSE UNITS

HSN: 85365010

| Rating (Amp) | DP (240V) | Size (CM) |
|---|---|---|
| 63 | 4000 | 33 x 21 x 11 |

| Rating (Amp) | TPN (415V) | Box Size (CM) |
|---|---|---|
| 32 | 2300 | 26 x 22 x 9 |
| 63 | 5560 | 35 x 28 x 13 |
| 100 (Blade) | 9200 | 41 x 32 x 14 |
| 200 (Blade) | 15700 | 55 x 32 x 18 |




## HRC SWITCH (With Fuse & Double Brake)

HSN: 85365010

| Rating (Amp) | VOLT | TYPE | RATE | Box Size (CM) |
|---|---|---|---|---|
| 200 | 415 | HRC | 15700 | 35 x 35 x 33 |
| 320 | 415 | HRC | 16800 | 35 x 35 x 33 |
| 400 | 415 | HRC | 25000 | 36 x 45 x 35 |
| 630 | 415 | HRC | 54000 | 41 x 55 x 40 |
| 800 | 415 | HRC | 57000 | 41 x 55 x 40 |

(OFF-LOAD)




## CHANGEOVER SWITCHES - KNIFE TYPE

HSN: 85365010

Double Pole

| Rating (Amp) | DP (240V) | Size (CM) |
|---|---|---|
| NEW 32 | 1350 | 21 x 15 x 9 |
| 63 | 4000 | 31 x 21 x 17 |
| 100 | 6200 | 31 x 21 x 17 |

Four Pole

| Rating (Amp) | FP (415V) | Box Size (CM) |
|---|---|---|
| NEW 32 | 2650 | 21 x 27 x 9 |
| 63 | 6800 | 31 x 36 x 17 |
| 100 | 8800 | 31 x 36 x 17 |
| 200 | 19200 | 50 x 44 x 25 |
| 320 | 21400 | 50 x 44 x 25 |
| 400 | 44000 | 58 x 51 x 39 |
| 630 | 61000 | 65 x 64 x 31 |
| 800 | 65000 | 65 x 64 x 31 |




## INDUSTRIAL BUS BAR CHAMBERS

HSN: 85371000

Step Type Model




| Rating (Amp) | VOLT | RATE | Box Size (CM) LXBXH |
|---|---|---|---|
| 32 | 415 | 2100 | 26 x 23 x 13 |
| 63 | 415 | 2800 | 28 x 23 x 13 |
| 100 | 415 | 4300 | 36 x 30 x 15 |
| 200 | 415 | 7600 | 43 x 43 x 20 |
| 320 | 415 | 8600 | 43 x 43 x 20 |
| 400 | 415 | 16000 | 61 x 58 x 28 |
| 500 | 415 | 20000 | 61 x 58 x 28 |
| 630 | 415 | 32500 | 61 x 58 x 28 |
| 800 | 415 | 40000 | 61 x 58 x 28 |

# DISTRIBUTION BOARDS

FEATURES :

- > Made with Special **GI Sheet**
- > Heavy Duty Body
  - – 1.0MM (20 Gauge)
- > Extra Ordinary **Space**
  - – More Height for wiring comfort
- > Neutral Link Comb
  - – Pure Copper Silver-Plated
- > Spectacular Design
  - – Hidden Hinges
- > Special Granual Powder Coating





## SPN DB — Double Door

HSN: 85371000



| Size | RATE | Size (CM) |
|---|---|---|
| 4 Way DD | 850 | 24 x 18 x 9 |
| 6 Way DD | 980 | 24 x 22 x 9 |
| 8 Way DD | 1130 | 24 x 25 x 9 |
| 10 Way DD | 1280 | 24 x 29 x 9 |
| 12 Way DD | 1430 | 24 x 32 x 9 |
| 16 Way DD | 1700 | 24 x 39 x 9 |

## TPN DB — Double Door

HSN: 85371000



| Size | RATE | Size (CM) |
|---|---|---|
| 4 Way TPN | 2150 | 39 x 29 x 10 |
| 6 Way TPN | 2650 | 39 x 36 x 10 |
| 8 Way TPN | 3100 | 39 x 43 x 10 |
| 12 Way TPN | 4700 | 47 x 60 x 10 |



*12 TPN DD (With more Space for Wiring)*

## M.C.C.B. BOX (Multipurpose: Compatible with most company's MCCBs)

HSN: 85371000




| Rating(Amp) | VOLT | RATE | Cutting Size (MM) Length X Height | Box Size (CM) |
|---|---|---|---|---|
| 100 | 415 | 1120 | 76 MM x 52 MM | 41 x 21 x 9.5 |
| 200 | 415 | 1240 | 76 MM x 52 MM | 41 x 21 x 13.5 |
| 320 | 415 | 1800 | 76 MM x 95 MM | 50 x 24 x 13 |
| 400 | 415 | 3650 | 93 MM x 127 MM | 60 x 36 x 18 |

## A.C. BOX With Plug & Socket

HSN: 85371000



| Rating(Amp) | Volt | Type | RATE | Box Size (CM) |
|---|---|---|---|---|
| 20 A | 240 | SP | 630 | 15 x 12 x 6 |
| 20 A | 415 | TP | 1040 | 28 x 11 x 7 |
| 30 A | 415 | TP | 1460 | 28 x 11 x7 |



Premium Quality

## KIT KAT FUSE (Thermocol Packing)

HSN: 85361020

| Rating(Amp) | XL | With Extension |
|---|---|---|
| 63 DMC | 520 | – |
| 100 Porcelain | 960 | 1080 |
| 200 Porcelain | 1700 | 1900 |
| 500 Porcelain | – | 3170 |





w.e.f. Nov' 2025

# PVC ITEMS

TEKSON

HSN: 39174000







Batten Clip



HSN: 39269099



HSN: 39174000



HSN: 85371000



HSN: 84149030

( 6" Grill ) ( 6" Flap )





( 12" Flap )

## PVC CLIP (1)

| SIZE | RATE/Pkt | Pcs/Pkt | Packing |
|---|---|---|---|
| 4 MM | 33 | 100 Pcs | 100 Pkt |
| 7 MM | 46 | 100 Pcs | 100 Pkt |
| 10 MM | 74 | 100 Pcs | 100 Pkt |
| 12 MM | 96 | 100 Pcs | 100 Pkt |
| 16 MM | 150 | 100 Pcs | 25 Pkt |
| 20 MM | 190 | 100 Pcs | 25 Pkt |
| 25 MM | 280 | 100 Pcs | 20 Pkt |
| 32 MM | 740 | 100 Pcs | 10 Pkt |
| 40 MM | 1000 | 100 Pcs | 5 Pkt |
| 50 MM | 1800 | 100 Pcs | 5 Pkt |
| BattenClip | 46 | 100 Pcs | 100 Pkt |

## SITASONS® PVC CLIP

NEW

| SIZE | RATE/Pkt | Pcs/Pkt | Packing |
|---|---|---|---|
| 20 MM SITASONS® | 170 | 100 Pcs | 25 Pkt |
| 25 MM SITASONS® | 230 | 100 Pcs | 20 Pkt |

## PVC GITTI (2)

| SIZE | RATE/Pkt | Pcs/Pkt | Pack |
|---|---|---|---|
| 35x8 Gitti (Reg) | 240 | 500 Pcs (50x10) | 20 Pkt |
| **38 x 8 Gitti** | 320 | 500 Pcs (50x10) | 20 Pkt |
| 50 x 8 Gitti | 620 | 500 Pcs (50x10) | 10 Pkt |

## PVC ELBOW & TEE (3)

| SIZE | ITEM | RATE | Packing |
|---|---|---|---|
| 20 MM | Elbow | 290 / 100 | 500 Pcs |
| 25 MM | Elbow | 560 / 100 | 500 Pcs |
| 20 MM | Tee | 420 / 100 | 500 Pcs |
| 25 MM | Tee | 700 / 100 | 400 Pcs |
| 25 MM | Socket | 550 / 100 | 500 Pcs |

## PVC MCB BOX (4)

| SIZE | RATE/ Pcs | Packing |
|---|---|---|
| 2 Pole | 52 | 10 Pcs |
| 4 Pole | 74 | 10 Pcs |

## PVC SHUTTER (5)

| SIZE | RATE/ Pcs | Packing |
|---|---|---|
| 6" Grill Shutter | 240 | 15 Pcs |
| 6" Flap Shutter | 240 | 15 Pcs |
| 12" Flap Shutter | 260 | 8 Pcs |

HSN: 39174000







JUMBO

HSN: 85389000



HSN: 85389000

Switch & Socket MULTI PURPOSE





(6 Socket)



HSN: 39174000



## ABS JUNCTION BOX (6)

| SIZE | RATE/Dz | Box Pkg |
|---|---|---|
| 25 MM | 340 | 9 Dzn |

## PVC JUNCTION BOX (7)

| | | |
|---|---|---|
| 20 MM | 140 | 15 Dzn |
| 25 MM | 140 | 15 Dzn |

## JUNCTION BOX-JUMBO (8)

| | | |
|---|---|---|
| 25 MM | 270 | 9 Dzn |
| 32 MM | 530 | 4 Dzn |
| 40 MM | 570 | 4 Dzn |
| 50 MM | 920 | 2 Dzn |

## MODULAR SURFACE BOX (9)

| M | SIZE | RATE/ Pcs | Pack |
|---|---|---|---|
| 2 | 3 X 3 | 35 | 72 |
| 3 | 4 X 3 | 52 | 48 |
| 4 | 5 X 3 | 56 | 36 |
| 6 | 8 X 3 | 74 | 25 |
| 8 | 5 X 5 | 92 | 20 |
| 8 | 9 X 3 | 100 | 21 |
| 12 | 8 X 6 | 120 | 14 |
| 18 | 8 X 8 | 190 | 9 |

## PVC GANG BOX (10)

| SIZE | RATE | Pack |
|---|---|---|
| 1 Way 6A | 24 | 10 Pcs |
| 2 Way 6A | 30 | 10 Pcs |
| 3 Way 6A | 32 | 10 Pcs |
| 4 Way 6A | 38 | 10 Pcs |
| 5 Way 6A | 46 | 10 Pcs |
| 6 Way 6A | 50 | 10 Pcs |
| 6 Way 6A **Square** | 82 | 10 Pcs |
| 8 Way 6A **Square** | 64 | 10 Pcs |
| 10 Way 6A **Square** | 88 | 10 Pcs |
| 1 Way 16A | 34 | 10 Pcs |
| 2 Way 16A | 46 | 10 Pcs |
| 4 Way 16A | 92 | 10 Pcs |

## PVC MCB DUMMY (11)

| HSN: 85389000 | RATE | Packing |
|---|---|---|
| **1 Module** | 190 / 100 Pcs | 100 x 5 Pkt |

## PVC SQUARE BOX (12)

| | RATE/ Pcs | Packing |
|---|---|---|
| PVC SQ BOX | 9 | 50 |

## FLEXIBLE PIPE

HSN: 39173100

13




SITASONS




### MEDIUM

| SIZE | RATE(₹) | PKG |
|---|---|---|
| | | Rolls |
| 3/4" | 150 | 42 |
| 1" | 196 | 30 |

| SIZE | RATE | PKG |
|---|---|---|
| | | Rolls |
| 3/4" | 180 | 42 |
| 1" | 240 | 30 |

Length - 25 Mtr




TEKSON




### HEAVY

| SIZE | RATE | Pkg |
|---|---|---|
| ½" | 170 | 25 |
| 3/4" | 210 | 20 |
| 1" | 280 | 15 |
| 1 1/4" | 450 | 10 |
| 1 ½" | 530 | 10 |
| 2" | 570 | 10 |

| SIZE | RATE | Pkg | Length |
|---|---|---|---|
| ½" | 250 | 25 Roll | 25 Mtr |
| 3/4" | 300 | 20 Roll | 25 Mtr |
| 1" | 370 | 15 Roll | 25 Mtr |
| 1 1/4" | 630 | 10 Roll | 25 Mtr |
| 1 ½" | 670 | 10 Roll | 20 Mtr |
| 2" | 710 | 10 Roll | 15 Mtr |




### BLACK FLEXIBLE PIPE

| | RATE | PKG | (MTR) LENGTH |
|---|---|---|---|
| 10 MM | | | |
| 12 MM | | | |
| 16 MM | 710 | 5 | 25 |
| 20 MM | 810 | 5 | 25 |
| 25 MM | 1000 | 5 | 25 |
| 32 MM | 1680 | 5 | 25 |
| 40 MM | 1940 | 5 | 20 |
| 50 MM | 2000 | 5 | 15 |

## ROUND SHEET

HSN: 39269099

14



| 4" PLAIN | | 4" POP | | 4"PLAIN -3MM | | 5" PLAIN-3MM | | 7" POP | | 7" PLAIN | | 7"PLAIN-3MM | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Rate | Pkg | Rate | Pkg | Rate | Pkg | Rate | Pkg | Rate | Pkg | Rate | Pkg | Rate | Pkg |
| 4.0 | 1000 | 5.0 | 1000 | 9.0 | 1000 | 13 | 750 | 14 | 300 | 17 | 500 | 27 | 300 |

## PVC BATTEN

HSN: 39162019

15



| SIZE | QTY | RATE / Kg | RATE / pcs Approx | WT. (Apprx) |
|---|---|---|---|---|
| 20/12 | 200 Pcs | 220 Per KG | 43.00/- | 39 Kg |
| 25/16 | 120 Pcs | 220 Per KG | 53.00/- | 29 Kg |
| 30/15 | 120 Pcs | 220 Per KG | 64.00/- | 35 Kg |
| 38/20 | 50 Pcs | 220 Per KG | 92.00/- | 21Kg |
| 50/20 | 50 Pcs | 220 Per KG | 115.00/- | 26 Kg |

* Rates will be taken on "per KG basis" only. Per Piece rate mentioned only for reference

## PVC BENDS

HSN: 39174000

16



| SIZE | | RATE | PACK |
|---|---|---|---|
| 20 MM | Medium | 100 | 40 Dzn |
| 25 MM | Medium | 120 | 40 Dzn |
| 25 MM | Heavy | 180 | 40 Dzn |
| 32 MM | Heavy | 340 | 15 Dzn |

## PVC TAPE

HSN: 85469090

17

| | JUMBO | NORMAL |
|---|---|---|
| Length | 15 Mtr | 7 Mtr |
| List | 26/- Per Piece | 360/- per Box (30 Pcs) |
| Packing | 300 Pcs Carton | 480 Pcs per Bag |
| Colors | | |









## COTTON TAPE

HSN: 59061000
GST: 5%

18

Black Cotton Tape with Adhesive




| | Rate | Pkg |
|---|---|---|
| TEKSON Cotton Tape | 120 | 24 |



| | Rate | Pkg |
|---|---|---|
| T & T Cotton Tape | 76 | 10 |

w.e.f. Nov' 2025

# FITTING ITEMS

TEKSON®

HSN: 39174000

1

ABS TEKSON®

| 3"FAN BOX (ABS) | | 3"CONCEALED BOX | | 4"CONCEALED BOX | | DEEP T 3" | | JUNCTION BOX | |
|---|---|---|---|---|---|---|---|---|---|
| Rate | Pkg | Rate | Pkg | Rate | Pkg | Rate | Pkg | Rate | Pkg |
| 180/- | 12 PCS | 80/- | 20 PCS | 100/- | 20 PCS | 560/- | 1 Dz | 340/- | 9 Dz |

HSN: 73079990

2

METAL TEKSON HEAVY

| FAN BOX (T) | | 3"CONCEALED BOX | | 4"CONCEALED BOX | | DEEP T 3" MS | | HEAVY D Cast Iron (CI) JUNCTION BOX | |
|---|---|---|---|---|---|---|---|---|---|
| Rate | Pkg | Rate | Pkg | Rate | Pkg | Rate | Pkg | Rate | Pkg |
| 170/- | 35 PCS | 94/- | 80 PCS | 110/- | 60 PCS | 680/- | 15 DZN | 460/- | 42 Dzn |

3

METAL SITASONS MEDIUM

No Welding, No Joint Deep Drawn

| SITASONS FAN BOX (SS) | | Without Cover SITASONS 3"CONCEALED BOX | | New DIAMETER - 5.5" SUITABLE FOR CONCEALED LIGHT UPTO 5" CUTTING SITASONS 5"ROUND HANDI BOX | | MEDIUM B Cast Iron (CI) JUNCTION BOX | | |
|---|---|---|---|---|---|---|---|---|
| Rate | Pkg | Rate | Pkg | Rate | Pkg | Size | Rate | Pkg |
| 116/- | 60 PCS | 70/- | 100 PCS | 84/- | 80 PCS | 20 MM | 380/- | 60 Dzn |
| | | | | | | 25 MM | 400/- | 45 Dzn |

## FAN DOWN ROD TEKSON® 16 Gauge

HSN: 84149030

| Size | Rate | Pack | Color |
|---|---|---|---|
| 6" | 48 | 25 | |
| 9" | 50 | 25 | |
| 12" | 52 | 25 | |
| 15" | 65 | 25 | |
| 18" | 78 | 25 | |
| 21" | 91 | 25 | |
| 24" | 104 | 25 | |
| 30" | 130 | 25 | |
| 36" | 156 | 25 | |
| 48" | 224 | 25 | |
| 60" | 280 | 25 | |
| 72" | 336 | 25 | |
| 84" | 406 | 10 | |
| 96" | 464 | 10 | |
| 108" | 522 | 10 | |
| 120" | 580 | 10 | |

16 Gauge

## New FAN DOWN ROD SITASONS 20 Gauge

4

20 Gauge SITASONS

| Size | Rate | Pack | Color |
|---|---|---|---|
| 12" | 42 | 25 | |
| 15" | 53 | 25 | |
| 18" | 63 | 25 | |
| 24" | 84 | 25 | |
| 30" | 105 | 25 | |
| 36" | 126 | 25 | |

with Fresh Grey Rubber

HSN: 73181500

| ITEM | RATE | PKG |
|---|---|---|
| Fan Clamp 16G | 30 / Pcs | 250 |
| Fan Clamp 14G | 46 / Pcs | 100 |
| Fan Hook | 200 / Kg | 25Kg |
| 10MM Fan Fastner | 36 / Pcs | 20 |
| 12MM Fan Fastner | 62 / Pcs | 12 |
| 6 No. Wall Gitti Fastner | 12 / Pcs | 100 |
| 8 No. Wall Gitti Fastner | 16 / Pcs | 60 |
| 10 No. Wall Gitti Fastner | 24 / Pcs | 40 |
| 12 No. Wall Gitti Fastner | 46 / Pcs | 25 |
| 10 x 75 Wall Keel Fastner | 20 / Pcs | 70 |

# METAL BOXES



## 5 22G FOLDED GI WHITE BOX



| Md | SIZE | RATE | Pk |
|---|---|---|---|
| 2 | 3 X 3 | 36 | 120 |
| 3 | 4 X 3 | 44 | 90 |
| 4 | 5 X 3 | 55 | 70 |
| 6 | 8 X 3 | 75 | 40 |
| 8 | 5 X 5 | 82 | 35 |
| 8 | 9 X 3 | 94 | 35 |
| 12 | 8 X 6 | 112 | 20 |

HSN: 85389000

## 6 18G GI WHITE BOX



| Md | SIZE | RATE | Pk |
|---|---|---|---|
| 2 | 3 X 3 | 47 | 120 |
| 3 | 4 X 3 | 56 | 90 |
| 4 | 5 X 3 | 68 | 70 |
| 6 | 8 X 3 | 94 | 40 |
| 8 | 5 X 5 | 104 | 35 |
| 8 | 9 X 3 | 118 | 35 |
| 12 | 8 X 6 | 140 | 20 |
| 18 | 8 X 8 | 234 | 12 |

## 7 16G BLACK POWDER COATED BOX



| Md | SIZE | RATE | Pk |
|---|---|---|---|
| 2 | 3 X 3 | 70 | 120 |
| 3 | 4 X 3 | 84 | 90 |
| 4 | 5 X 3 | 102 | 70 |
| 6 | 8 X 3 | 146 | 40 |
| 8 | 5 X 5 | 150 | 35 |
| 8 | 9 X 3 | 168 | 35 |
| 12 | 8 X 6 | 210 | 20 |
| 18 | 8 X 8 | 310 | 12 |

## 8 STAINLESS STEEL

Loose Pieces Available



MODULAR BOX

| | SIZE | RATE | PK |
|---|---|---|---|
| 2 | 3 X 3 | 140 | 80 |
| 3 | 4 X 3 | 160 | 60 |
| 4 | 5 X 3 | 190 | 48 |
| 6 | 8 X 3 | 260 | 29 |
| 8 | 5 X 5 | 280 | 24 |
| 8 | 9 X 3 | 310 | 25 |
| 12 | 8 X 6 | 400 | 14 |

STAINLESS STEEL

## 9 18G GI Local Fit NON MODULAR



9" x 4"

NON MODULAR

| SIZE | RATE | PK |
|---|---|---|
| 4 X 4 | 76 | 70 |
| 7 X 4 | 108 | 40 |
| 9 X 4 | 132 | 30 |
| 8 X 6 | 170 | 20 |
| 8 X 10 | 270 | 10 |
| 8 X 12 | 290 | 10 |
| 10 X 12 | 370 | 7 |
| 12 X 14 | 470 | 5 |

HSN: 84149030

## 10 GI SHUTTER (POWDER COATED) For Exhaust Fans

Heavy Duty




| Size | RATE | Inner Cutting Dimension | Pkg |
|---|---|---|---|
| 9 Inch | 600 | 9" X 9" | 5 Pcs |
| 12 Inch | 740 | 12" X 12" | 5 Pcs |
| 15 Inch | 920 | 15" X 15" | 5 Pcs |
| 18 inch | 1290 | 18" X 18" | 5 Pcs |
| 24 inch | 1700 | 24" X 24" | 5 Pcs |

HSN: 73079990

## 11 MS SHADDLE WITHOUT BASE

New



| SIZE | | RATE (per pcs) | PACK |
|---|---|---|---|
| 12MM | | | |
| 16MM | | | |
| 3/4" | 20MM | 2.80 | 200 |
| 1" | 25MM | 3.20 | 125 |
| 1 1/4" | 32MM | 3.80 | 100 |
| 1½" | 40MM | 4.40 | 60 |
| 2" | 50MM | 5.00 | 50 |

HSN: 85389000

## 12 GI MCB CHANNEL / COPPER MCB SHORT PATTI



18 Gauge

20 Gauge

| Length | RATE | Pkg |
|---|---|---|
| 1 Meter | 110 | 10 Pcs |
| 2 Ft (36 Way) L-Shaped Fork Type | 240 | 10 Pcs |

## 13 CABLE TIE

HSN: 39269099

NYLON NATURAL COLOR



| SIZE | RATE | RATE |
|---|---|---|
| 4" | 100 X 2.0 | 21 |
| 6" | 150 X 2.5 | 42 |
| | 150 X 3.6 | 62 |
| 8" | 200 X 2.5 | 56 |
| | 200 X 3.6 | 80 |
| 10" | 250 X 3.0 | 82 |
| | 250 X 3.6 | 110 |
| 12" | 300 X 3.6 | 130 |
| | 300 X 4.8 | 170 |
| 14" | 350 X 3.6 | 156 |
| | 350 X 4.8 | 220 |
| 16" | 400 X 4.8 | 250 |
| 18" | 450 X 4.8 | 300 |

## SCREW

(1 Grus = 144 Pcs)

## 14 BRASS SCREW

HSN: 74153390



| Size | Rate/ Grus | Packing (Grus) |
|---|---|---|
| 1" | 720 | 6 |
| 1 ½ " | 980 | 3 |
| 2" | 1180 | 3 |
| 2 ½ " | 1460 | 3 |
| 3" | 1800 | 3 |
| 4" | 2420 | 2 |

HSN: 74152100 WASHER 640 (60 pcs x 12 pkt)

## 15 GYPSUM SCREW

HSN: 73181190

(Rate/ 1 Pcs)



| Size | Rate |
|---|---|
| ½" | 0.410 |
| ¾" | 0.420 |
| 1" | 0.520 |
| 1 ½ " | 0.760 |
| 2" | 0.960 |
| 2 ½ " | 1.180 |
| 3" | 1.520 |
| 4" | 3.000 |

HSN: 72173010

## 16 STEEL WIRE (TATA)



210 / kg 25 kg

Pkg: 500Gm | 1Kg

Color Code :

HSN: 73181190

(Rate / Pkt)



## 17 WOODEN SCREW

| | |
|---|---|
| 35 X 8 | 70 |



## CONDUCTOR CURRENT RATINGS @ 20°c (In Air)

| Area MM² | ALUMINIUM (AMP) | COPPER (AMP) | Area MM² | ALUMINIUM (AMP) | COPPER (AMP) |
|---|---|---|---|---|---|
| **1.5** | 13 | 17 | **95** | 155 | 260 |
| **2.5** | 18 | 24 | **120** | 180 | 305 |
| **4** | 23 | 36 | **150** | 205 | 355 |
| **6** | 30 | 47 | **185** | 240 | 415 |
| **10** | 40 | 62 | **240** | 280 | 500 |
| **16** | 51 | 79 | **300** | 315 | 585 |
| **25** | 70 | 108 | **400** | 375 | 695 |
| **35** | 86 | 132 | **500** | 410 | -- |
| **50** | 105 | 162 | **630** | 455 | -- |
| **70** | 130 | 215 | -- | -- | -- |

**Terms & Conditions:**

1. This Price List supersedes all previous lists
2. Prices are EXCLUSIVE OF GST as applicable will be charged EXTRA at the actual date of supply
3. Prices are subject to change without any prior notice and the rates prevailing on delivery date shall be applicable
4. Disputes (if any) are subject to Delhi/New Delhi Jurisdiction only
5. Any damage during transportation of material will be the responsibility of the purchasing party
6. Transportation cartage as applicable to be paid by the purchasing party
7. An interest of 18% will be charged for delay in payment beyond 30 days from billing



INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com