POLYCAB
IDEAS. CONNECTED.

POLYCAB INDIA LIMITED

LDC LP No. 06/2026-27 Dtd : 21st October 2026

List of Products Covered in Our LDC LP
Project Wires (200-300 Mtrs.)
Single Core Flexible Cables
Multicore Flexible Cables
Single Core XLPE Unarmoured/Armoured Cables
Solar Cables
BMS Cables
Braided Cables
Steel Braided Cables
Welding Cables
Aluminium Service Wires
Festoon Cables
Uninyvin Cables

POLYCAB
IDEAS. CONNECTED.

POLYCAB INDIA LIMITED

LDC LP No. 06/2026-27 Dtd : 21st October 2026

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL(MULTISTRAND) CABLES FLAME RETARDANT LEAD FREE (FRLF) / FLAME RETARDANT LOW SMOKE (FRLSH) / HEAT RESISTANT FLAME RETARDANT LOW SMOKE HALOGEN - LEAD FREE CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE 1100 VOLTS				POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL(MULTISTRAND) CABLES – HALOGEN FREE FLAME RETARDANT (HFFR) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE 1100 VOLTS	
Size (sq.mm.)	**FRLF**	**FRLS-H**	**GREEN WIRES HR-FRLS-H-LF**	**HFFR**	**Coils Per Box**
	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	**300 Mtrs (0.75-2.5) 200 Mtrs (4-16)**	**300 Mtrs (0.75-2.5) 200 Mtrs (4-16)**	**300 Mtrs (0.75-2.5) 200 Mtrs (4-16)**	
0.75	**10090**	**10280**	**10920**	**11275**	10
1	**12950**	**13185**	**13825**	**14170**	8
1.5	**18970**	**19345**	**20090**	**20625**	6
2.5	**31495**	**32020**	**32960**	**34270**	4
4	**32745**	**33175**	**34210**	**35220**	4
6	**49015**	**49620**	**51250**	**52705**	3
10	**84345**	**85320**	**88085**	**90580**	1
16	**132690**	**134015**	**138610**	**142545**	1

Notes

1. The above rates are exclusive of GST which shall be charged extra.
2. This Price List is subject to change without notice.
3. As per international practice which is also adopted by Bureau of Indian Standards, the diameter of the conductor shown above is nominal. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS 8130:1994 with its related classes and tables.

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

POLYCAB
IDEAS. CONNECTED.

POLYCAB INDIA LIMITED

LDC LP No. 06/2026-27 Dtd : 21st October 2026

Polycab FR PVC Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts					Polycab PVC Insulated and PVC Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS: 694:2010			
Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	(Price in Rs./100m)		(Price in Rs./100m)			
			Single Core	Packing	2 Core	3 Core	4 Core	2 - 4 Core Packing
0.5	16/.2	5	**2210**	24	**5655**	**7930**	**10405**	**5**
0.75	24/.2	8	**3190**	24	**8045**	**11095**	**14680**	**5**
1	32/.2	13	**4095**	20	**10055**	**14350**	**18910**	**5**
1.5	30/.25	17	**5925**	16	**14100**	**20100**	**26900**	**5**
2.5	50/.25	24	**9865**	12	**22600**	**32300**	**43700**	**4**
4	56/.3	30	**15630**	8	**34100**	**49800**	**65400**	
6	84/.3	38	**23350**	6	**50500**	**73700**	**97500**	
10	80/.4	52	**39925**	1	**86600**	**127200**	**167700**	

POLYCAB
IDEAS. CONNECTED.

POLYCAB INDIA LIMITED

LDC LP No. 06/2026-27 Dtd : 21st October 2026

Polycab FRLS Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts					Polycab PVC Insulated and FRLS Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS: 694:2010					
Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	(Price in Rs./100m)		(Price in Rs./100m)					
			Single Core	Packing	2 Core	3 Core	4 Core	2 - 4 Core Packing	5 Core	6 Core
0.5	16/.2	5	**2250**	24	**6027**	**8245**	**10715**	**5**	**13310**	**15865**
0.75	24/.2	8	**3245**	24	**8360**	**11400**	**15035**	**5**	**19170**	**22875**
1	32/.2	13	**4175**	20	**10360**	**14695**	**19205**	**5**	**25040**	**29830**
1.5	30/.25	17	**6000**	16	**14430**	**20420**	**27265**	**5**	**35395**	**41955**
2.5	50/.25	24	**10045**	12	**22950**	**32700**	**44400**	**4**	**57600**	**69600**
4	56/.3	30	**16000**	8	**34700**	**50600**	**66200**		**94000**	**112500**
6	84/.3	38	**23600**	6	**51250**	**74600**	**98400**		**139300**	**166900**
10	80/.4	52	**40300**	1	**88000**	**128600**	**169200**		**240500**	
16	126/.4	70	**62100**	1	**134200**	**196500**	**259800**		**364500**	
25	196/.4	88	**100800**	1	**225200**	**329300**	**436700**		**579900**	
35	276/.4	110	**139500**	1	**312900**	**459400**	**608600**		**807200**	
50	396/.4	145	**199000**	1	**444000**	**654400**	**865200**		**1152200**	
70	354/.5	215	**279000**	1	**623500**	**910500**	**1207900**		**1602600**	
95	484/.5	260	**368900**	1		**1254300**	**1660100**			
120	608/.5	305	**476500**	1		**1603500**	**2134300**			
150	750/.5	355	**596600**	1		**2020400**	**2669900**			
185	925/.5	415	**739000**	1		**2438100**	**3223400**			
240	1210/.5	500	**958200**	1		**3249700**	**4267600**			
300	1527/.5	585	**1198400**	1		**3965500**	**5347700**			
400	2036/.5	695	**1579100**	1		**5187600**	**7130700**			
500			**1973800**	1						
630			**2487100**	1						

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

POLYCAB
IDEAS. CONNECTED.

POLYCAB INDIA LIMITED

LDC LP No. 06/2026-27 Dtd : 21st October 2026

Polycab PVC Insulated, FRLS Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	**17950**	**21000**	**25950**	**30375**
0.75	24/.2	8	**26300**	**30200**	**37300**	**44400**
1	32/.2	13	**34200**	**39400**	**48800**	**57800**
1.5	30/.25	17	**48800**	**56000**	**69600**	**83800**
2.5	50/.25	24	**80300**	**92000**	**114800**	**137100**
4	56/.3	30	**136700**			

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	**35150**	**40500**	**47500**	**59650**
0.75	24/.2	8	**51700**	**58625**	**69500**	**87200**
1	32/.2	13	**65900**	**77100**	**90800**	**114200**
1.5	30/.25	17	**96900**	**110500**	**130800**	**165200**
2.5	50/.25	24	**159700**	**182100**	**216600**	**273400**

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

POLYCAB
IDEAS. CONNECTED.

POLYCAB INDIA LIMITED

LDC LP No. 06/2026-27 Dtd : 21st October 2026

Polycab Multi Strand Bare Copper conductor XLPE insulated PVC Sheathed Cables

Nominal Area	No/Dia of Strands	Current rating in Air at 40°C	Cu Conductor Unarmoured Cables	Cu Conductor Aluminium Armouring Cables
mm²	No/mm		Rs/100 Mtr.	Rs/100 Mtr.
6	84/0.3	55	**31300**	**42400**
10	80/0.4	75	**52800**	**71500**
16	126/0.4	103	**77500**	**91000**
25	196/0.4	126	**123600**	**138500**
35	276/0.4	152	**170000**	**187000**
50	396/0.4	189	**237700**	**260000**
70	354/0.5	240	**326100**	**357900**
95	484/0.5	297	**447300**	**466100**
120	608/0.5	346	**565700**	**588600**
150	750/0.5	390	**706400**	**735600**
185	925/0.5	460	**862600**	**888100**
240	1210/0.5	552	**1120700**	**1169900**
300	1527/0.5	640	**1397200**	**1470900**
400	2036/0.5	753	**1864000**	**1950500**

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

POLYCAB
IDEAS. CONNECTED.

POLYCAB INDIA LIMITED

LDC LP No. 06/2026-27 Dtd : 21st October 2026

POLYCAB SOLAR CABLES

Flexible Tinned Copper Conductor/ Cross linkable (E Beam) LSZH Insulation/ Cross linkable (E Beam) LSZH Sheathed Solar Cable as per EN 50618

Size in Sq.mm.	Price in Rs./100 Mtr.
2.5	12000
4	16200
6	23800
10	46700
16	74700
25	119800

Flexible Tinned Copper Conductor Single Core Multistrand, Cross Linked, Zero Halogen Low Smoke Insulation and Cross Linked Low Smoke Sheathing , Heat Resistant upto 120°C and UV Resistant Solar Cables

Size in Sq.mm.	Price in Rs./100 Mtr.
2.5	11775
4	15600
6	23075

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated,Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Price in Rs./100m)

Cores	0.5 sq.mm	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm
2	10185	13120	15760	20705	32525
3	12795	17065	21320	28600	45615
4	15775	21000	26900	37100	58950
5	19050	26200	33400	44900	73400
6	22000	30100	38700	53200	86300
7	24200	34400	43900	60500	103000
8	28300	39100	49900	70400	115400
10	34000	47200	61000	85600	138900
12	39400	55800	72400	101400	167300
14	45900	64600	85200	114400	
16	51100	73500	95300	134400	
19	59200	85900	111800	146900	
24	73800	107400	140600	198600	

Packing - 100/300 Mtrs. Coils & 2000 Mtrs. Drums

Note : 4% Extra Charges for Drum Packing

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

POLYCAB
IDEAS. CONNECTED.

POLYCAB INDIA LIMITED

LDC LP No. 06/2026-27 Dtd : 21st October 2026

POLYCAB INDUSTRIAL BRAIDED CABLES

Polycab Annealed Bare Cu Flexible Conductor PVC Insulated, Tinned Cu Braided (Screened) PVC Sheathed Flexible Unarmoured Cables 1100 Volts. (Price in Rs./100 Mtr)

Cores	0.5 Sq mm.	0.75 Sq mm.	1.0 Sq mm.	1.5 Sq mm.	2.5 Sq mm.	4 Sq mm.	6 Sq mm.	10 Sq mm.	16 Sq mm.	25 Sq mm.	35 Sq mm.
2	15750	18525	21900	27500	42950	62800	83400				
3	18525	23200	27800	36300	56300	83900	119400	202200	308700	523100	728000
4	22200	28100	34900	45600	71600	107800	155100	260000	401900	696100	948100
5	28400	35100	43600	56900	86800						
6	32300	40700	51100	65700	101700						
7	34900	44900	55600	74100	118200						
8	38200	50200	62600	84100	136700						
10	45500	60400	75100	102000	152600						
12	52200	71100	89100	122700	195200						
14	61500	83100	103300	139900	215000						
16	67300	91000	116200	158100	253100						
19	77200	105000	136800	183600	326700						
24	95900	128600	166200	230300	409600						

POLYCAB
IDEAS. CONNECTED.

POLYCAB INDIA LIMITED

LDC LP No. 06/2026-27 Dtd : 21st October 2026

POLYCAB MULTICORE STEEL BRAIDED CABLES

Flex Bare Copper Condutor,PVC Insulated, Cores Laid Up Together PVC Inner Sheathed, GI Wire Braided (Flexible Armouring), Overall PVC Sheathed Steel Braided Cables. (Price in Rs./100 Mtr.)

Cores	0.5 Sq.mm.	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm	4 sq.mm	6 sq mm
2	15200	19000	20800	26900	40800	61300	86700
3	19000	24600	27300	36200	56100	104900	140800
4	23200	30400	34200	46200	72100	110700	160400
5	27600	36500	41700	56200	88300		
6	31700	43100	48400	65800	104100		
7	35100	47900	54400	74400	118800		
8	40100	54200	61900	85200	136000		
10	48600	66800	76500	105000	168700		
12	56200	77900	89800	123400	199300		
14	64600	89100	102700	142800	230100		
16	72500	101100	116700	161700	262300		
19	84100	117600	136700	190200	308200		
24	105200	147400	171700	239300	388000		

Cores	10 Sq.mm.	16 Sq.mm.	25 Sq.mm.	35 Sq.mm.	50 Sq.mm.	70 Sq.mm	95 Sq.mm.
2	143100	217300	333700	458300	651800	900600	1207600
3	227000	338800	515500	701300	990300	1363500	1820300
4	268000	411200	638900	880900	1254900	1742300	2340400

Note : 3% Extra Charges for Drum Packing

POLYCAB INDUSTRIAL COPPER WELDING CABLES

Polycab Flexible Copper Conductor 1100 Volts Welding Cable

Nominal Area of Conductor (sq mm)	Current Carrying Capacity	Conductor Constn. Strands/ Dia in mm	HOFR Insulation Price/100m (Rs)
16	120	509/0.2	77100
25	160	796/0.2	118000
35	230	1115/0.2	165600
50	400	703/0.3	234200
70	600	999/0.3	330700
95	700	1346/0.3	436200
120	1100	1699/0.3	558800

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

POLYCAB
IDEAS. CONNECTED.

POLYCAB INDIA LIMITED

LDC LP No. 06/2026-27 Dtd : 21st October 2026

POLYCAB ALUMINIUM WIRES & CABLES

POLYCAB SINGLE CORE PVC INSULATED 1100 VOLTS SOLID ALUMINIUM CONDUCTOR WIRES AS PER IS 694

Size in Sq.mm.	Price in Rs./100 Mtr.
1.5	1945
2.5	3080
4	4365
6	5980
10	10100
16	14600
25	22500
35	30700
50	35000
70	45900
95	81500

POLYCAB PVC INSULATED AND SHEATHED TWIN CORE FLAT & THREE CORE ROUND CABLES 1100 VOLTS EACH CORE HAVING SINGLE SOLID ALUMINIUM CONDUCTOR SERVICE CABLES AS PER IS 694

No. of Cores	Sq.mm.	Price in Rs./100 Mtr.
2 Core	2.5	10640
2 Core	4	14300
2 Core	6	18800
2 Core	10	27400
2 Core	16	39900
3 Core	2.5	15600
3 Core	4	20600
3 Core	6	24100
3 Core	10	44600
3 Core	16	59600
4 Core	2.5	19000
4 Core	4	26800
4 Core	6	38100
4 Core	10	56000
4 Core	16	74300

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

POLYCAB
IDEAS. CONNECTED.

POLYCAB INDIA LIMITED

LDC LP No. 06/2026-27 Dtd : 21st October 2026

FESTOON CABLES

(Price in Rs./Mtr.)

Cores	0.5 Sq.mm.	0.75 Sq.mm.	1 Sq.mm.	1.5 Sq.mm.	2.5 Sq.mm.	4 Sq.mm.
3	120	153	197	264	431	667
4	164	195	250	341	555	866
5	231	304	391	484	682	942
6	275	367	464	578	819	1133
7	318	425	538	675	952	1313
8	367	481	612	776	1093	1509
9	422	561	708	879	1261	1721
10	464	618	785	974	1394	1919
12	555	735	937	1163	1662	2290
14	664	866	1096	1374	1949	2687
16	752	1000	1263	1563	2237	3078
18	832	1102	1417	1759	2485	3422
24	1126	1492	1912	2359	3343	4630

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com

POLYCAB
IDEAS. CONNECTED.

POLYCAB INDIA LIMITED

LDC LP No. 06/2026-27 Dtd : 21st October 2026

UNINYVIN CABLES

Multistranded Annealed Tinned Copper Conductor 105° C PVC Insulation with Nylon Braiding with Lacquer Coating Uninyvin Cables

Cable Size	Nom. Conductor Area (Sq.mm.)	Price in Rs./Mtr.
22	**0.347**	**37.20**
20	**0.556**	**49.00**
18	**0.966**	**72.70**
16	**1.17**	**84.40**
14	**2.05**	**135.00**
12	**3.22**	**203.00**
10	**5.33**	**324.00**
8	**8.76**	**513.00**
6	**13.30**	**763.00**
4	**21.50**	**1222.00**
2	**33.30**	**1862.00**
1	**40.70**	**2261.00**
0	**53.00**	**2742.00**
00	**68.30**	**3543.00**
000	**84.20**	**4387.00**
0000	**109**	**5552.00**

INDERSONS, S-11 Rajouri Garden, New Delhi 110027 email: sales@indersonsindia.com