

# Beautiful bathrooms deserve beautiful water heaters too.



GAS | ELECTRIC | INSTANT | HEAT PUMP



## Artize

A tribute to the fine traditions of exquisite craftsmanship and precision where design, technology and expertise combine products are crafted for luxurious the very essence of Artize-together as coordinates or even as individual pieces. Artize's exquisite can inspire the design principles of not just your bath spaces but of your entire living spaces.







The oldest brand from India's most trusted corporate in the bathware segment, Essco has been in existence for 5 decades. A value brand that added a whole new chapter to the country's bath fittings industry by ushering in the era of the organised bath market, Essco has been supporting affordable and sustainable housing in India. Its range of quality products are not only priced reasonably, but also offer a 10-year warranty and excellent customer service.

Essco has been standing tall in the Indian bath fittings industry since 1960 by delivering great performance at a low cost. And enabling Indian consumers to live a better quality of life through good sanitation and





Created for the premium segment, the Jaquar brand offers the Indian consumer easy access to the finest choices in bathing products. India's most trusted bath brand, Jaquar is an that is backed by unmatched customer service - available nationwide, with a single number. A global Superbrand, Jaguar's wide range of products combine beautifully designed aesthetics with the highest build quality to ensure that they can withstand tough Indian usage conditions. Customer confidence in the brand is further strengthened with the 10-year warranty and industry-leading customer care. A Complete Bathroom Solutions brand, Jaquar is a one-window solution brand for anyone





Jaguar Lighting gives you complete lighting solutions - for residential, commercial and outdoor use. Our extensive range lets you choose for varied budgets without compromising on quality and reliability. They are designed to complement and coordinate the most exclusive interior and exterior lifestyles and decors, from classic to contemporary. The house of Jaquar has the legacy of excellence that has been manifested time and again through its brand of bath fittings; Jaquar Lighting is no exception. Every lighting product reflects Jaquar's impeccable record of superlative quality and painstaking attention to detail.

## CONTENTS

Why Jaquar Water Heaters	3
How to select a water heater on the basis of capacity	5
Choose the right water heater for your needs	6
Insta Prime (Digital)	8
Insta	1(
Insta Gas	12
Erica Vertical (Manual)	14
Erica Vertical (Digital)	16
Elena Prime Vertical (Manual)	18
Elena Vertical (Manual)	20
Elena <sup>+</sup> (Manual)	22
Elena Horizontal (Manual)	24
Alexa Plus	26
Alexa	28
Versa Vertical (Manual)	30
Versa Horizontal (Manual)	32
Versa Horizontal (Digital)	34
Vema	36
Integra Monobloc Heat Pump	38
Integra Split Heat Pump	4(
Integra-X Split Heat Pump	42

### Why Jaquar Water Heaters

#### Water heaters that give you more.

To ensure that they are worthy of the trust that is placed by customers in every Jaquar product, a whole range of safety, longevity and energy efficiency features have been built in to these water heaters:

#### 1) MORE SAFETY

- Double Safety Thermostat dual overheating control mechanism cuts off power automatically even if primary cut off fails
- Multi-function Safety Valve discharges water and acts as a non-return valve if pressure or temperature exceed preset limits







Safety Valve

Double Safety Earth Leakage Thermostat Circuit Breaker

#### 2) MORE LIFE

- Superior Quality Glass-lined Inner Tank prevents rust, corrosion and prolongs the life of the inner tank
- Single/Dual Glass-coated Incoloy Heating Elements made of high quality steel for quicker heating and to prevent scale formation



High Quality Glass Lined Heating Element



#### 3) MORE SAVINGS

- High Density Insulation CFC-free PUF insulation, with added thickness to minimise heat loss and maximise energy savings
- Cathodic Protection a sacrificial Magnesium Anode protects and saves the tank from electrochemical reactions during water heating





Energy Saving High Density PUF Insulation

Cathodic Protection

#### 4) ATTRACTIVE DIGITAL FEATURES

- Cordless Remote: Wireless remote control for operational ease
- Full Digital Display
- On/Off Timer
- Clock Temperature Setting





Cordless Remote

Digital Controls and Display

\*Available in Alexa Plus 20L, Alexa 30L, Elena (Digital) 15/25L, Erica (Digital) 15/25L, Insta Prime, Versa Digital 40L-100L & Heat Pump 200L - 500L

#### 5) TRUST OF JAQUAR

 Quality sets Jaquar apart. The high standards of our products have cemented our reputation as the most valued premium brand in the bathing industry

#### 6) UNMATCHED CUSTOMER SERVICE

 Jaquar Water Heaters come with a warranty along with service back-up. Jaquar also offers a Preventive Maintenance Service for hassle-free bathrooms



## How to select your water heater on the basis of capacity

#### INSTANT GAS

Capacity (in litres)							
Model	6	10	16				
Insta Gas (LPG)	✓	✓					
Insta Gas (PNG)	✓	✓	✓				

#### **ELECTRIC**

					C	apacity (in	litres)							
Model	6	10	15	20	25	30	40	60	80	100	200	300	400	500
Elena (Manual)	✓	✓	✓		✓									
Erica (Manual)	✓	✓	✓		✓									
Erica (Digital)			✓		✓									
Elena+ (Manual)	✓	✓												
Elena (Horizontal)			✓		✓									
Elena Prime	✓	✓	✓		✓									
Versa (Vertical)							✓	✓	✓	✓				
Versa (Horizontal)							✓	✓	✓	✓				
Versa (Digital)							✓	✓	✓	✓				
Alexa Plus				✓										
Alexa						✓								
Verna (Floor Mounted)											✓	✓	✓	✓

#### INSTANT

Capacity								
Model	1 LITRE	3 LITRE						
Insta	3 kW/4.5 kW	3 kW/4.5 kW						
Insta Prime (Tankless) 3 phase	9 kW	12 kW	18 kW	24 kW				
Insta Prime (Tankless) Single phase	9 kW	-	-	-				

#### **HEAT PUMP**

Capacity (in litres)								
Model	200	300	400	500				
Integra Monobloc	✓	✓						
Integra Split		✓	✓	✓				
Integra-X Split	✓	✓	✓	✓				

## Choose the right water heater for your needs:

MODEL	INSTA PRIME	INSTA/ INSTA GAS	ERICA/ELENA			ENA al Model)
[LITRES]	1 & 3	1 & 3	6 & 10	15 & 25	15	25
INSTALLATION	WALL	WALL	WALL	WALL MOUNTED	WALL MOUNTED	WALL
USAGE	SHOWER	BUCKET BATH/ KITCHEN	BUCKET BATH/ KITCHEN	SHOWER	BUCKET	SHOWER
FAMILY SIZE	LARGE FAMILY	SMALL FAMILY	SMALL FAMILY	SMALL FAMILY	SMALL FAMILY	SMALL FAMILY
REMOTE	NO REMOTE	NO REMOTE	NO REMOTE	CORDLESS	NO REMOTE	NO REMOTE






ALEXA PLUS / ALEXA			VEF (Horizontal/Ve	VERNA (Floor Mounted)	INTEGRA/ INTEGRA-X (Floor Mounted)		
20	30	40	60	80	100	200, 300 400 & 500	200, 300 400 & 500
WALL MOUNTED	WALL MOUNTED	WALL	WALL	WALL MOUNTED	WALL MOUNTED	FLOOR MOUNTED	FLOOR MOUNTED
SHOWER	SHOWER	SHOWER	SHOWER PANELS	BATHTUB	WHIRLPOOL	WHIRLPOOL/ SPA	WHIRLPOOL/ SPA
SMALL FAMILY	SMALL FAMILY	LARGE FAMILY	LARGE FAMILY	LARGE FAMILY	LARGE FAMILY	LARGE FAMILY/ MULTIPLE BATHROOMS	LARGE FAMILY/ MULTIPLE BATHROOMS
WITH	WITH REMOTE	NO REMOTE	NO REMOTE	NO REMOTE	NO REMOTE	NO REMOTE	WITH REMOTE

\*Conditions apply. Features available on select models.

## INSTA PRIME (Digital)



Available in 9\*/12/18/24 kW Ideal for unlimited water supply during shower bath




Details	Insta Prime (Digital) 3 Phase	Insta Prime (Digital) Singe Phase
Rated Wattage	9/12/18/24 kW	9 kW
Voltage / Frequency (V/Hz)	400V/50Hz	230V/50Hz
Temperature Range	25°C to 70°C	30°C to 55°C
Working Pressure (Mpa)	0.8	0.6
Inlet / Outlet Connection (Inch)	1/2	1/2
Warranty	3 Years on heating element	3 Years on heating element
	1 Year on other components	1 Year on other components
Product Dimensions (in mm)	W H D	W H D
	260 385 90	215 360 60


Recommended for: Kitchen / Bucket Baths

## INSTA



Available in 1/3 litres
The perfect instant water heater for kitchens






Details	Insta				
Volume (L)	1/3				
Rated Wattage	3/4.5 kW				
Voltage / Frequency (V/Hz)	230V/50Hz				
Temperature Range	25°C to 75°C				
Working Pressure (Mpa)	6.5 Bar				
Inlet / Outlet Connection (Inch)	1/2				
Inner Container Material	Stainless Steel				
Warranty	5 Years on Tank				
	2 Years on Heating Element				
	2 Years on Other Parts				
Product Dimensions (in mm)	W H D				
	1 Litre 200 330 150				
	3 Litres 230 370 200				

Recommended for: Kitchen / Bucket Baths

## INSTA GAS







Details	Instant Ga	as			Instant Ga	as		
Volume (L)	06/10				16			
Rated Gas Supply Pressure (Pa)	NG - 2000	)			NG - 2000	)		
	LPG - 280	00						
Working Pressure (Mpa)	0.01-1				0.03-1			
Thermal Load (Heat Input-kW)	12/20kW				32kW			
Warranty	1 Year				1 Year			
Product Dimensions (in mm)		W	Н	D		W	Н	D
	06 Litres	300	445	120	16 Litres	410	680	223
	10 Litres	340	590	180				

Recommended for Kitchen & Bucket Bath

## ERICA VERTICAL (Manual)









Details	Erica Vertical (Manual)
Volume (L)	6/10/15/25
Rated Wattage	2 kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	25°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm)	W H D
	6 Litre 300 300 285
	10 Litres 340 340 328
	15 Litres 410 410 336
	25 Litres 470 470 375

Recommended for: Kitchen / Bucket Baths / Overhead Showers

## ERICA VERTICAL (Digital)









Details	Erica Vertical (Digital)				
Volume (L)	15/25				
Rated Wattage	1+2 kW				
Voltage / Frequency (V/Hz)	230V/50H	łz			
Temperature Range	25°C to 7	5°C			
Working Pressure (Mpa)	0.8				
Inlet / Outlet Connection (Inch)	1/2				
Warranty	7 Years or	n Tank			
	4 Years or	n Heating	Element		
	2 Years on Other Parts				
Product Dimensions (in mm)		W	Н	D	
	15 Litre	410	410	334	
	25 Litres	470	470	371	

Recommended for: Kitchen / Bucket Baths / Overhead Showers

## ELENA PRIME VERTICAL (Manual)








Details	Elena Prime (Manual)
Volume (L)	6/10/15/25
Rated Wattage	2 kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	25°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm)	W H D
	6 Litre 316 316 273
	10 Litres 366 366 285
	15 Litres 402 402 312
	25 Litres 452 452 369

Recommended for: Kitchen / Bucket Baths / Overhead Showers

## ELENA VERTICAL (Manual)








Details	Elena Vertical (Manual)
Volume (L)	6/10/15/25
Rated Wattage	2kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	25°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm)	W H D
	6 Litres 288 288 260
	10 Litres 328 328 295
	15 Litres 385 385 305
	25 Litres 448 448 345





Available in 6/10 litres
The perfect instant storage water heater for small familes






Details	Elena <sup>+</sup> Vertical (Manual)
Volume (L)	6/10
Rated Wattage	3 kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	25°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm)	W H D
	6 Litres 288 288 260
	10 Litres 328 328 295

Recommended for: Kitchen / Bucket Baths / Overhead Showers

## ELENA HORIZONTAL (Manual)






Details	Elena Horizontal (Manual)
Volume (L)	15/25
Rated Wattage	2 kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	25°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm)	W H
	15 Litres 495 320
	25 Litres 747 320

Available with Inlet / outlet on left hand side (LHS) and right hand side (RHS) Ideal for installation above false ceilings

## ALEXA PLUS





Details	Alexa Plus Horizontal (Digital)
Volume (L)	20
Rated Wattage	2/3/5 kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	25°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm)	W H D
	20 Litres 610 340 320


Recommended for Bucket Bath / Overhead Showers





2 STAR ENERGY RATING






Details	Alexa Horizontal (Digital)
Volume (L)	30
Rated Wattage	2/3/5kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	25°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm)	W H D
	30 Litres 718 365 344

Recommended for Bucket Bath / Overhead Showers

## VERSA VERTICAL (Manual)






Details	Versa Vertical (Manual)
Volume (L)	40/60/80/100
Rated Wattage	40/60 L - 2 kW
	80/100 L - 3 kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	35°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm)	W H
	40 Litres 400 675
	60 Litres 400 900
	80 Litres 470 905
	100 Litres 470 1095

Recommended for: Overhead Showers / Shower Panels / Bathtubs

## VERSA HORIZONTAL (Manual)








Details	Versa Horizontal (Manual)
Volume (L)	40/60/80/100
Rated Wattage	40/60 L - 2 kW
	80/100 L - 3 kW
Voltage / Frequency (V/Hz)	230V/50Hz
Temperature Range	35°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm)	W H
	40 Litres 685 400
	60 Litres 925 400
	80 Litres 895 470
	100 Litres 1065 470

Recommended for: Overhead Showers / Shower Panels / Bathtubs

## VERSA HORIZONTAL (Digital)








Details	Versa Horizontal (Digital)				
Volume (L)	40/60/80/100				
Rated Wattage	1/2/3 kW				
Voltage / Frequency (V/Hz)	230V/50Hz				
Temperature Range	35°C to 75°C				
Working Pressure (Mpa)	0.8				
Inlet / Outlet Connection (Inch)	1/2				
Warranty	7 Years on Tank				
	4 Years on Heating Element				
	2 Years on Other Parts				
Product Dimensions (in mm)	W H				
	40 Litres 685 400				
	60 Litres 925 400				
	80 Litres 895 470				
	100 Litres 1065 470				

Recommended for: Overhead Showers / Shower Panels / Bathtubs

# VERNA



Available in 200/300/400/500 litres For centralised hot water solutions




Details	Verna Floor Mounted (Manual)				
Volume (L)	200/300/400/500				
Rated Wattage	200/300/400L - 2.5 kW x 2				
	500L - 3.00 kW x 2				
Voltage / Frequency (V/Hz)	230V/50Hz				
Temperature Range	35-75°C				
Working Pressure (Mpa)	1.0				
Inlet / Outlet Connection (Inch)	3/4				
Warranty	3 Years on Tank				
	3 Years on Heating Element				
	3 Years on Other Parts				
Product Dimensions (in mm)	W H				
	200 Litres 540 1575				
	300 Litres 650 1600				
	400 Litres 710 1650				
	500 Litres 710 1999				

Recommended as the Centralised Heating Solution for Multiple Bathrooms





Available in 200/300 litres For use in multiple bathrooms with shower panels & bathtubs



Details	Integra Monobloc Heat Pump						
Tank Volume (L)	200/300						
Rated Heating Capacity (kW)	200L - 2.2						
	300L - 4.0	О					
Rated Input Power (kW)	200L - 0.55						
	300L - 0.9	99					
Working Ambient Temperature (Deg C)	-7 ~ 43						
Max Outlet Temperature (Deg C)	60/75						
Required Power Supply (V/Ph/Hz)	220/1/50						
Heating Element (kW)	2.0 kW						
Refrigerant Type	R134a						
Warranty	4 Years on Tank,						
	2 Years on heating element and compressor						
	1 Year on other components						
Net Dimension (mm)		W	Н	D			
	200L	560	1980				
	300L	560	1800	850			
Weight - Net/ Gross (Kg)	200L	100	150				
	300L	130	180				

Recommended for: the Centralised Heating Solution for Multiple Bathrooms






Available in 300/400/500 litres For use in multiple bathrooms with shower panels & bathtubs

# W

Heat Pump



#### Product Specifications


·						
Details	Integra Split Heat Pump					
Tank Volume (L)	300/400/500					
Rated Heating Capacity (kW)	300/400L - 5.2					
	500L - 7.2					
Rated Input Power (kW)	300/400L - 1.3					
	500L - 1.8					
Working Ambient Temperature (Deg C)	-7 ~ 43					
Max Outlet Temperature (Deg C)	60/75					
Required Power Supply (V/Ph/Hz)	220/1/50					
Heating Element (kW)	300L - 2.0 kW					
	400/500L - 4.0 kW					
Refrigerant Type	R410a					
Net Dimension - Heat Pump (mm)	W H D					
	300/400/500L 780 970 390					
Net Dimension - Water Tank (mm)	W H					
	300L 650 1427					
	400L 700 1480					
	500L 700 1850					
Warranty	4 Years on Tank,					
	2 Years on heating element and compressor					
	1 Year on other components					
Weight - Heat Pump - Net/Gross (Kg)	300/400L 48/65					
	500L 54/68					
Weight - Water Tank - Net/Gross (Kg)	300L 84/104					
	400L 105/125					
	500L 128/148					


Recommended for: the Centralised Heating Solution for Multiple Bathrooms

#### INTEGRA-X Split Heat Pump



Available in 200/300/400/500 litres For use in multiple bathrooms with shower panels & bathtubs





Details	Integra-	X Split He	eat Pum	р			
Tank Volume (L)	200/300/400/500						
Rated Heating Capacity (kW)	200 - 3.6/300L - 5.4						
	400 - 8.7/500L - 12.0						
Rated Input Power (kW)	200 - 0.87/300L - 1.3						
	400 - 2.15/500L - 2.95						
Working Ambient Temperature (Deg C)	-7 ~ 43						
Max Outlet Temperature (Deg C)	60/75						
Required Power Supply (V/Ph/Hz)	220/1/50						
Heating Element (kW)	200/300L - 3.0						
	400/500L - 4.0						
Refrigerant Type	R410a						
Net Dimension - Heat Pump (mm)			W	Н	D		
	200/300	L	385	550	936		
	400/500	L	420	800	986		
Net Dimension - Water Tank (mm)		W	Н				
	200L	515	1730				
	300L	685	1360				
	400L	685	1740				
	500L	733	1820				
Warranty	4 Years on Tank,						
	3 Years on heating element and compressor						
	1 Year on other components						
Weight - Heat Pump - Net/Gross (Kg)	200L	55/59					
	300L	60/65					
	400L 500L	80/87 96/104					
Weight - Water Tank - Net/Gross (Kg)	200L	78/84					
	300L 88/95						

Recommended for: the Centralised Heating Solution for Multiple Bathrooms

#### JAQUAR GROUP

Global Headquarters,

Plot No. 3, Sector-11, IMT Manesar, Gurgaon-122050 E-mail: Sales: support@jaquar.com, Customer Service: service@jaquar.com

#### **ORIENTATION CENTRES:**

AHMEDABAD: Ground Floor, Commerce House-4, B/S Shell Petrol Pump, Near Anand Nagar Cross Roads, 100 Ft. Road, Prahlad Nagar, Satellite, Ahmedabad.

E-mail: ahmedabad@jaquar.com

BANGALORE: No. 10, V.N. Street, Next to Hotel Ramada, Shivaji Nagar, Tasker Town, Bangalore-560051. Fax: 22862518.

E-mail: bangalore@jaquar.com

BHOPAL: Shop No. 7, 3rd Floor, City Center, Above Lotus, 1 Press Complex, M. P. Nagar, Zone-1, Bhopal- 462011. E-mail: bhopal@jaquar.com

BHUBANESWAR: Plot No. 853/1671, 2nd Floor, Jharpada, Cuttack Road, Bhubaneswar-751006. E-mail: bhubaneswar@jaquar.com

CHANDIGARH: SCO-52, 53 Sector-17A, Opp. Park Plaza, Chandigarh-160022. Fax: 2612755. E-mail: chandigarh@iaguar.com

CHENNAI: Ground Floor, KGN Towers, 62 Ethiraj Salai, Chennai-600105. Fax: 42144235. E-mail: chennai@jaquar.com

COCHIN: No. 35/563, Opp. International Stadium, Palarivattom P.O., Cochin-682025. Fax: 2340887/88. E-mail: cochin@jaquar.com

GUWAHATI: "Swagota Envission" Ground Floor, G.S.Road, Six-mile, Khanapara (Opp. Directorate Of Agriculture, Assam) Guwahati-781022 Email: guwahati@jaquar.com

HYDERABAD: Unit No. 202, Reliance Classic Banjara Hills, Road No.1, Hyderabad-500034. Fax: 23379595. E-mail: hyderabad@jaquar.com

INDORE: 304 - 307, Darshan Mall, 15/2, Race Course Road, Above HSBC Bank, Indore

E-mail: indore@jaquar.com

JAIPUR: Neelkanth, 1 Bhawani Singh Road, Opp. Nehru Sehkar Bhawan, C-Scheme, Jaipur-302 001. E-mail: jaipur@jaquar.com

JAMMU: C/o Bonny Square, Near ViSHAI Mega Mart, National Highway, Bypass Road, Kunjwani, Jammu, J&K - 180010. E-mail: jammu@jaquar.com KOLKATA: 2nd Floor, 55, Chowringhee Road, Kolkata-700071. E-mail: kolkata@jaguar.com

LUCKNOW: Ground Floor, ASHA Bhawan, 27/II A, Gokhle Marg, Lucknow. E-mail: lucknow@jaquar.com

LUDHIANA: 2nd Floor, Lodhi Complex, Mall Road, Ludhiana. E-mail: ludhiana@jaguar.com

MUMBAI: 101, 102, 103, 1st Floor, Kamla Spaces, Above Kohinoor Electronics, S.V. Road, Near Khira Nagar, Santacruz (W), Mumbai-400 054. Fax: 26613917. E-mail: mumbai@jaguar.com

NAGPUR: Kala Bhavan, 103/A South Ambazari Road, Shradhanand Peth Square, Laxminagar, Nagpur-440022 E-mail: nagpur@jaquar.com NEW DELHI: D-56, Defence Colony, New Delhi-110 024. Fax: 24636809. E-mail: delhincr@jaquar.com

PUNE: DSK Gandharva Heights, 5th Floor, Office No.501, Near Hotel Pride Executive, Ganeshkhind Road, Shivajinagar, Pune-411005. Fax: 25513921. E-mail: pune@jaquar.com

RAIPUR: M.K. Planet, Ring Road No. 1, New Rajendra Nagar, Raipur-492001.

SILIGURI: 1st Floor, M-Square, Opp. Hotel Sachitra, 2nd Mile, Sevoke Road, Siliguri-734002. E-mail: siliquri@jaquar.com

SURAT: 23, Siddhi Shopping Centre, Nr. Agrasen Bhavan Char Rasta, City Light Road, Surat. E-mail: surat@jaquar.com

#### AREA REPRESENTATIVES:

AGRA: 9359150880 AKOLA: 9823352288 AMRITSAR: 9815379722 AURANGABAD: 8308838837 BARODA: 9825036745 BHAGALPUR: 7070997690 BILASPUR: 9779063131 CALICUT: 9895006320 COIMBATORE: 9884874121 DEHRADUN: 9837145508 DHANBAD: 9234682208 DHARAMSHALA: 9779063131

GOA: 09552521255, 08380096835, 07722043848

GURGAON: 9711361408

GUWAHATI: 9207049049, 0361-2463051

GWALIOR: 9993097335
HISSAR: 9779248104
JABALPUR: 9981530765
JALANDHAR: 9815914466
JODHPUR: 9829076309
JHANSI: 9839101081
KANPUR: 9839101081
KARNAL: 9779904793
KOLHAPUR: 7722034848
LUCKNOW: 8009211122
MEERUT: 8755984321
MORADABAD: 9897616491
MUZAFFARPUR: 7870025300
NAGPUR: 9823072050

NASIK: 07045347116, 09167395440

NOIDA: 9953070353 PATNA: 9835036635

RAIPUR: 9893049275, 9630095014 RAJKOT: 9825036746, 9825036743

RANCHI: 9709122225 ROHTAK: 9779248104 SHIMLA: 9779238123 SOLAPUR: 9881066275 UDAIPUR: 9829026309 U.P. (WEST): 9837065190

UTTRAKHAND KUMAON: 9690055888, 7055065558

VARANASI: 9935166968, 7570003576 KATHMANDU: 9851043149, 9741126044







1800-121-6808 (Toll Free)



GAS | ELECTRIC | INSTANT | HEAT PUMP

# Jaquar | WATER HEATERS



www.jaquar.com

Follow us:







