

HAVELLS

# LIST PRICE

**w.e.f. 01st December, 2023**



# WIRES THAT KEEP YOUR HOME SAFE, THE WAY YOU KEEP LOVED ONES SAFE




**CHOOSE HAVELLS WIRES THAT DON'T CATCH FIRE OR EMIT HARMFUL GASES**

*bina dikhe, safe rakhe*

Indersons, ND 27, PH: 0114724 3000, sales@indersonsindia.com




1. **Heat Resistant Flame Retardan**
   (Higher Current Carrying Capacity)
2. **Anti Termite and Anti Rodent**
   (CPRI Certified)
3. **High Insulation Resistance**
   (Certified by CPRI)
4. **ROHS Compliant**
   Certified by Bureau Veritas
5. **101% Copper Conductivity**
6. **More than 99.95% Bare Copper Conductor**

## Life Line Plus S3 Heat Resistant Flame Retardant HRFR PVC Insulated Industrial Cables

Havells Single Core HRFR PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694

IS:694

**HSN CODE: 8544**

| Nominal area of conductor sq. mm | Basic Code | List Price in ₹ per 90 m | No. of Standard packing in master carton |
|---|---|---|---|
| 0.50 sq. mm | WHFFDN...A1X50 | ₹ **1000.00** | 20 N |
| 0.75 sq. mm | WHFFDN...A1X75 | ₹ **1355.00** | 20 N |
| 1.00 sq. mm | WHFFDN...A11X0 | ₹ **1835.00** | 20 N |
| 1.50 sq. mm | WHFFDN...A11X5 | ₹ **2675.00** | 16 N |
| 2.50 sq. mm | WHFFDN...A12X5 | ₹ **4270.00** | 12 N |
| 4.00 sq. mm | WHFFDN...A14X0 | ₹ **6280.00** | 4 N |
| 6.00 sq. mm | WHFFDN...A16X0 | ₹ **9365.00** | 4 N |

| Nominal area of conductor sq. mm | Basic Code | List Price in ₹ per 1000 m | Nominal area of conductor sq. mm | Basic Code | List Price in ₹ per 1000 m |
|---|---|---|---|---|---|
| 10.00 sq. mm | WHFFDN...G1010 | ₹ **172200.00** | 120.00 sq. mm | WHFFDN...G1120 | ₹ **2151400.00** |
| 16.00 sq. mm | WHFFDN...G1016 | ₹ **270500.00** | 150.00 sq. mm | WHFFDN...G1150 | ₹ **2669700.00** |
| 25.00 sq. mm | WHFFDN...G1025 | ₹ **435500.00** | 185.00 sq. mm | WHFFDN...G1185 | ₹ **3255400.00** |
| 35.00 sq. mm | WHFFDN...G1035 | ₹ **600300.00** | 240.00 sq. mm | WHFFDN...G1240 | ₹ **4426600.00** |
| 50.00 sq. mm | WHFFDN...G1050 | ₹ **863800.00** | 300.00 sq. mm | WHFFDN...G1300 | ₹ **5397000.00** |
| 70.00 sq. mm | WHFFDN...G1070 | ₹ **1232600.00** | 400.00 sq. mm | WHFFDN...G1400 | ₹ **7164400.00** |
| 95.00 sq. mm | WHFFDN...G1095 | ₹ **1625000.00** | - | - | - |

...Fill the colour code i.e. B = Blue B.

- Colours available: Red, Yellow, Blue, Black, Green & White.

For FRLSH Insulation/Sheath, the loading factor is 5%
For HFFR Insulation/Sheath, the loading factor is 7%

◯ Items generally available in stock. Order are accepted subject to availability of stock or for economical run after confirmation

List Price
List Price w.e.f. 01st December 2023




***Give yourself the safety of Lifeguard, the low-smoke, self-extinguishing wires***

BASEC ISO 9001 UKAS MANAGEMENT SYSTEMS 004

101% COPPER CONDUCTIVITY

life guard

Flame Retardant Low Smoke & Halogen FR-LSH PVC Insulated Industrial Cables
Havells Single Core FR-LSH PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694

IS:694

**HSN CODE: 8544**

| Nominal area of conductor sq. mm | Basic Code | List Price in ₹ per 90 m | No. of Standard packing in master carton |
|---|---|---|---|
| 1.00 sq. mm | WHFFFN…A11X0 | ₹ **1910.00** | 20 N |
| 1.50 sq. mm | WHFFFN…A11X5 | ₹ **2810.00** | 16 N |
| 2.50 sq. mm | WHFFFN…A12X5 | ₹ **4485.00** | 12 N |
| 4.00 sq. mm | WHFFFN…A14X0 | ₹ **6590.00** | 4 N |
| 6.00 sq. mm | WHFFFN…A16X0 | ₹ **9825.00** | 4 N |




***Choose HAVELLS Wires That Don't Catch Fire or Emit Harmful Gases***

101% COPPER CONDUCTIVITY RoHS compliant COMPLIANT • COMPLIANT REACH COMPLIANT

Life Shield

Halogen Free Flame Retardant HFFR Insulated Industrial Cables
Havells Single Core copper conductor (Flexible) Industrial Cables
HFFR compound insulated (Unsheathed), 1100 Volt **Confirming to IS 17048**

IS:17048

**HSN CODE: 8544**

| Nominal area of conductor sq. mm | Basic Code | List Price in ₹ per 90 m | No. of Standard packing in master carton |
|---|---|---|---|
| 1.00 sq. mm | WHFFZN…A11X0 | ₹ **1960.00** | 20 N |
| 1.50 sq. mm | WHFFZN…A11X5 | ₹ **2865.00** | 16 N |
| 2.50 sq. mm | WHFFZN…A12X5 | ₹ **4570.00** | 12 N |
| 4.00 sq. mm | WHFFZN…A14X0 | ₹ **6725.00** | 4 N |
| 6.00 sq. mm | WHFFZN…A16X0 | ₹ **10020.00** | 4 N |

...Fill the colour code i.e. B = Blue ..B

• Colours available: Red, Yellow, Blue, Black, Green & White.

◯ Items generally available in stock. ◯ Order are accepted subject to availability of stock or for economical run after confirmation

List Price

List Price w.e.f. 01st December, 2023

## 180 m

**Life Line**

Flame Retardant FR PVC Insulated Industrial Cables
Havells Single Core FR PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694

IS:694

**HSN CODE: 8544**

| Nominal area of conductor sq. mm | Basic Code | No. of Standard packing in master carton | List Price in ₹ per 180 m |
|---|---|---|---|
| 0.75 sq. mm | WHFFDN...L1X757 | 10 N | ₹ **2840.00** |
| 1.00 sq. mm | WHFFDN...L11X07 | 10 N | ₹ **3705.00** |
| 1.50 sq. mm | WHFFDN...L11X57 | 8 N | ₹ **5395.00** |
| 2.50 sq. mm | WHFFDN...L12X57 | 6 N | ₹ **8595.00** |
| 4.00 sq. mm | WHFFDN...L14X07 | 2 N | ₹ **13245.00** |
| 6.00 sq. mm | WHFFDN...L16X07 | 2 N | ₹ **19850.00** |

**lifeguard**

Flame Retardant Low Smoke & Halogen FR-LSH PVC Insulated Industrial Cables
Havells Single Core FR-LSH PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694

IS:694

**HSN CODE: 8544**

| Nominal area of conductor sq. mm | Basic Code | No. of Standard packing in master carton | List Price in ₹ per 180 m |
|---|---|---|---|
| 1.00 sq. mm | WHFFFN...L11X07 | 10 N | ₹ **3895.00** |
| 1.50 sq. mm | WHFFFN...L11X57 | 8 N | ₹ **5670.00** |
| 2.50 sq. mm | WHFFFN...L12X57 | 6 N | ₹ **9020.00** |
| 4.00 sq. mm | WHFFFN...L14X07 | 2 N | ₹ **13910.00** |
| 6.00 sq. mm | WHFFFN...L16X07 | 2 N | ₹ **20830.00** |

**Life Shield**

Halogen Free Flame Retardant HFFR Insulated Industrial Cables
Havells Single Core copper conductor (Flexible) Industrial Cables, HFFR compound insulated (Unsheathed), 1100 Volt **Confirming to IS 17048**

IS:17048

**HSN CODE: 8544**

| Nominal area of conductor sq. mm | Basic Code | No. of Standard packing in master carton | List Price in ₹ per 180 m |
|---|---|---|---|
| 1.00 sq. mm | WHFFZN...L11X07 | 10 N | ₹ **3960.00** |
| 1.50 sq. mm | WHFFZN...L11X57 | 8 N | ₹ **5785.00** |
| 2.50 sq. mm | WHFFZN...L12X57 | 6 N | ₹ **9210.00** |
| 4.00 sq. mm | WHFFZN...L14X07 | 2 N | ₹ **14185.00** |
| 6.00 sq. mm | WHFFZN...L16X07 | 2 N | ₹ **21255.00** |

**Features:**
Enhanced flexibility.
High bending capacity.
Ideal for wiring in closed confined spaces.

...Fill the colour code i.e. B = Blue B

Standard Packing: 180 m project packing
Conductors shall be of class V as per IS 8130
Conductor resistance as per IS 8130 is the governing criteria.
• Colours available: Red, Yellow, Blue, Black, Green.
Any other colour on specific request can also be supplied.

◯ Items generally available in stock. Order are accepted subject to availability of stock or for economical run after confirmation

List Price
List Price w.e.f. 01st December 2023

## 200 m

## PROJECT PACKAGING

Life Line

Flame Retardant FR PVC Insulated Industrial Cables

Havells Single Core FR PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694

IS:694

HSN CODE: 8544

| Nominal area of conductor sq. mm | Basic Code | No. of Standard packing in master carton | List Price in ₹ per 200 m |
|---|---|---|---|
| 0.75 sq. mm | WHFFDN…F1X75 | 10 N | **₹ 3150.00** |
| 1.00 sq. mm | WHFFDN…F11X0 | 10 N | **₹ 4115.00** |
| 1.50 sq. mm | WHFFDN…F11X5 | 6 N | **₹ 5995.00** |
| 2.50 sq. mm | WHFFDN…F12X5 | 4 N | **₹ 9545.00** |
| 4.00 sq. mm | WHFFDN…F14X0 | 2 N | **₹ 14715.00** |
| 6.00 sq. mm | WHFFDN…F16X0 | 2 N | **₹ 22050.00** |

lifeguard

Flame Retardant Low Smoke & Halogen FR-LSH PVC Insulated Industrial Cables

Havells Single Core FR-LSH PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694

IS:694

HSN CODE: 8544

| Nominal area of conductor sq. mm | Basic Code | No. of Standard packing in master carton | List Price in ₹ per 200 m |
|---|---|---|---|
| 1.00 sq. mm | WHFFFN…F11X0 | 10 N | **₹ 4320.00** |
| 1.50 sq. mm | WHFFFN…F11X5 | 6 N | **₹ 6305.00** |
| 2.50 sq. mm | WHFFFN…F12X5 | 4 N | **₹ 10020.00** |
| 4.00 sq. mm | WHFFFN…F14X0 | 2 N | **₹ 15455.00** |
| 6.00 sq. mm | WHFFFN…F16X0 | 2 N | **₹ 23150.00** |

**Features:**
Enhanced flexibility.
High bending capacity.
Ideal for wiring in closed confined spaces.

...Fill the colour code i.e. B = Blue B

Standard Packing: 200 m project packing
Conductors shall be of class V as per IS 8130
Conductor resistance as per IS 8130 is the governing criteria.
• Colours available: Red, Yellow, Blue, Black, Green.
Any other colour on specific request can also be supplied.



List Price

List Price w.e.f. 01st December, 2023

## Havells Multicore Round Cables




Havells PVC insulated and PVC Round Sheathed, Multicore Annealed Bare Copper Conductor (flexible) industrial cable for Voltage Grade 1100 Volt, Conforming to IS 694 : 2010

IS:694 HSN CODE: 8544

| Nominal Area of Conductor sq. mm | Basic Code | List Price in ₹ per 1000 m | Basic Code | List Price in ₹ per 1000 m | Basic Code | List Price in ₹ per 1000 m |
|---|---|---|---|---|---|---|
| | **2 Core** | | **3 Core** | | **4 Core** | |
| 0.50 sq. mm | WHMFDSKG2X50 | ₹ **30100.00** | WHMFDSKG3X50 | ₹ **40900.00** | WHMFDSKG4X50 | ₹ **52100.00** |
| 0.75 sq. mm | WHMFDSKG2X75 | ₹ **40800.00** | WHMFDSKG3X75 | ₹ **54800.00** | WHMFDSKG4X75 | ₹ **72000.00** |
| 1.00 sq. mm | WHMFDSKG21X0 | ₹ **50000.00** | WHMFDSKG31X0 | ₹ **69200.00** | WHMFDSKG41X0 | ₹ **89300.00** |
| 1.50 sq. mm | WHMFDSKG21X5 | ₹ **66700.00** | WHMFDSKG31X5 | ₹ **94200.00** | WHMFDSKG41X5 | ₹ **122700.00** |
| 2.50 sq. mm | WHMFDSKG22X5 | ₹ **105800.00** | WHMFDSKG32X5 | ₹ **151100.00** | WHMFDSKG42X5 | ₹ **197500.00** |
| 4.00 sq. mm | WHMFDSKG24X0 | ₹ **160200.00** | WHMFDSKG34X0 | ₹ **230600.00** | WHMFDSKG44X0 | ₹ **304300.00** |
| 6.00 sq. mm | WHMFDSKG26X0 | ₹ **234700.00** | WHMFDSKG36X0 | ₹ **347000.00** | WHMFDSKG46X0 | ₹ **444700.00** |
| 10.00 sq. mm | WHMFDSKG2010 | ₹ **390900.00** | WHMFDSKG3010 | ₹ **576400.00** | WHMFDSKG4010 | ₹ **766000.00** |
| 16.00 sq. mm | WHMFDSKG2016 | ₹ **645900.00** | WHMFDSKG3016 | ₹ **903300.00** | WHMFDSKG4016 | ₹ **1192800.00** |
| 25.00 sq. mm | WHMFDSKG2025 | ₹ **1030300.00** | WHMFDSKG3025 | ₹ **1485500.00** | WHMFDSKG4025 | ₹ **1977700.00** |
| 35.00 sq. mm | WHMFDSKG2035 | ₹ **1421700.00** | WHMFDSKG3035 | ₹ **2062900.00** | WHMFDSKG4035 | ₹ **2708100.00** |
| 50.00 sq. mm | – | – | WHMFDSKG3050 | ₹ **2916900.00** | WHMFDSKG4050 | ₹ **3860200.00** |
| 70.00 sq. mm | – | – | WHMFDSKG3070 | ₹ **4158300.00** | WHMFDSKG4070 | ₹ **5453800.00** |
| 95.00 sq. mm | – | – | WHMFDSKG3095 | ₹ **5473600.00** | WHMFDSKG4095 | ₹ **7140300.00** |
| | **5 Core** | | **6 Core** | | **7 Core** | |
| 0.50 sq. mm | WHMFDSKG5X50 | ₹ **63300.00** | WHMFDSKG6X50 | ₹ **80300.00** | WHMFDSKG7X50 | ₹ **89200.00** |
| 0.75 sq. mm | WHMFDSKG5X75 | ₹ **88800.00** | WHMFDSKG6X75 | ₹ **110100.00** | WHMFDSKG7X75 | ₹ **122700.00** |
| 1.00 sq. mm | WHMFDSKG51X0 | ₹ **113600.00** | WHFFDSKG61X0 | ₹ **139300.00** | WHMFDSKG71X0 | ₹ **156700.00** |
| 1.50 sq. mm | WHMFDSKG51X5 | ₹ **158500.00** | WHMFDSKG61X5 | ₹ **194700.00** | WHMFDSKG71X5 | ₹ **219000.00** |
| 2.50 sq. mm | WHMFDSKG52X5 | ₹ **258200.00** | WHMFDSKG62X5 | ₹ **315800.00** | WHMFDSKG72X5 | ₹ **350700.00** |
| 4.00 sq. mm | WHMFDSKG54X0 | ₹ **411700.00** | WHMFDSKG64X0 | ₹ **497800.00** | WHMFDSKG74X0 | ₹ **556600.00** |
| | **8 Core** | | **10 Core** | | **12 Core** | |
| 0.50 sq. mm | WHMFDSKG8X50 | ₹ **107400.00** | WHMFDSKGCX50 | ₹ **129300.00** | WHMFDSKGAX50 | ₹ **151700.00** |
| 0.75 sq. mm | WHMFASKG8X75 | ₹ **144200.00** | WHMFDSKGCX75 | ₹ **176600.00** | WHMFDSKGAX75 | ₹ **208400.00** |
| 1.00 sq. mm | WHMFDSKG81X0 | ₹ **184400.00** | WHMFDSKGC1X0 | ₹ **224800.00** | WHMFDSKGA1X0 | ₹ **267000.00** |
| 1.50 sq. mm | WHMFDSKG81X5 | ₹ **258000.00** | WHMFDSKGC1X5 | ₹ **320700.00** | WHMFDSKGA1X5 | ₹ **379300.00** |
| 2.50 sq. mm | WHMFASKB82X5 | ₹ **417900.00** | WHMFDSKGC2X5 | ₹ **513400.00** | WHMFDSKGA2X5 | ₹ **608600.00** |
| 4.00 sq. mm | WHMFDSKG84X0 | ₹ **653200.00** | WHMFDSKGC4X0 | ₹ **807900.00** | WHMFDSKGA4X0 | ₹ **950100.00** |
| | **14 Core** | | **16 Core** | | **19 Core** | |
| 0.50 sq. mm | WHMFDSKGEX50 | ₹ **175900.00** | WHMFDSKGIX50 | ₹ **202600.00** | WHMFDSKGDX50 | ₹ **232400.00** |
| 0.75 sq. mm | WHMFASKGEX75 | ₹ **240800.00** | WHMFDSKGIX75 | ₹ **274200.00** | WHMFDSKGDX75 | ₹ **321400.00** |
| 1.00 sq. mm | WHMFDSKGE1X0 | ₹ **310900.00** | WHMFDSKGI1X0 | ₹ **350700.00** | WHMFDSKGD1X0 | ₹ **416900.00** |
| 1.50 sq. mm | WHMFDSKGE1X5 | ₹ **441600.00** | WHMFDSKGI1X5 | ₹ **494900.00** | WHMFDSKGD1X5 | ₹ **593000.00** |
| 2.50 sq. mm | WHMFDSKGE2X5 | ₹ **707500.00** | WHMFDSKGI2X5 | ₹ **806900.00** | WHMFDSKGD2X5 | ₹ **964200.00** |
| 4.00 sq. mm | WHMFDSKGE4X0 | ₹ **1118700.00** | WHMFDSKGI4X0 | ₹ **1276700.00** | WHMFDSKGD4X0 | ₹ **1518300.00** |

For FR Insulation/Sheath, the loading factor is 2%
For FRLSH Insulation/Sheath, the loading factor is 5%
For HFFR Insulation/Sheath, the loading factor is 7%

◯ Items generally available in stock. ◯ Order are accepted subject to availability of stock or for economical run after confirmation

List Price
List Price w.e.f. 01st December 2023

## Havells Flat Cables




Havells Flat Three Core PVC Insulated & PVC Sheathed Industrial Cable for Submersible Pump Motors 1100 Volt, conforming to IS 694

IS:694

**HSN CODE: 8544**

| Nominal area of conductor sq. mm | Basic Code | List Price in ₹ per 1000 m |
|---|---|---|
| 1.50 sq. mm | WHPNDSKG31X5 | ₹ **97400.00** |
| 2.50 sq. mm | WHPNDSKG32X5 | ₹ **156100.00** |
| 4.00 sq. mm | WHPNDSKG34X0 | ₹ **233300.00** |
| 6.00 sq. mm | WHPNDSKG36X0 | ₹ **340300.00** |
| 10.00 sq. mm | WHPNDSKG3010 | ₹ **578500.00** |
| 16.00 sq. mm | WHPNDSKG3016 | ₹ **913100.00** |
| 25.00 sq. mm | WHPNDSKG3025 | ₹ **1409300.00** |
| 35.00 sq. mm | WHPNDSKG3035 | ₹ **1968600.00** |

Standard Packing: 100 m
also available: 500 m ± 5% on
non returnable wooden drums **(on demand)**

◯ Items generally available in stock.  Order are accepted subject to availability of stock or for economical run after confirmation

List Price
List Price w.e.f. 01st December, 2023

## Havells Shielded Cables




Havells 1100 Volt Flexible ABC Conductor, PVC Type D Insulated, Cores laid up, Overall Shielded by Al-mylar along with ATC drain wire & Overall PVC Type ST-3 Sheathed Cable

**HSN CODE: 8544**

| Item Description | Item Code | List Price in ₹ per 1000 m | Item Description | Item Code | List Price in ₹ per 1000 m | Item Description | Item Code | List Price in ₹ per 1000 m |
|---|---|---|---|---|---|---|---|---|
| **2 Core** | | | **3 Core** | | | **4 Core** | | |
| 2C x 0.50 sq. mm | WHSFDSKG2X50 | **₹ 48900.00** | 3C x 0.50 sq. mm | WHSFDSKG3X50 | **₹ 62600.00** | 4C x 0.50 sq. mm | WHSFDSKG4X50 | **₹ 75000.00** |
| 2C x 0.75 sq. mm | WHSFDSKG2X75 | **₹ 58500.00** | 3C x 0.75 sq. mm | WHSFDSKG3X75 | **₹ 78200.00** | 4C x 0.75 sq. mm | WHSFDSKG4X75 | **₹ 99400.00** |
| 2C × 1.00 sq. mm | WHSFDSKG21X0 | **₹ 69600.00** | 3C x 1.00 sq. mm | WHSFDSKG31X0 | **₹ 94900.00** | 4C x 1.00 sq. mm | WHSFDSKG41X0 | **₹ 114600.00** |
| 2C x 1.50 sq. mm | WHSFDSKG21X5 | **₹ 87600.00** | 3C x 1.50 sq. mm | WHSFDSKG31X5 | **₹ 116900.00** | 4C x 1.50 sq. mm | WHSFDSKG41X5 | **₹ 148700.00** |
| 2C x 2.50 sq. mm | WHSFDSKG22X5 | **₹ 132800.00** | 3C x 2.50 sq. mm | WHSFDSKG32X5 | **₹ 180900.00** | 4C x 2.50 sq. mm | WHSFDSKG42X5 | **₹ 233100.00** |
| 2C x 4.00 sq. mm | WHSFDSKG24X0 | **₹ 196500.00** | 3C x 4.00 sq. mm | WHSFDSKG34X0 | **₹ 260000.00** | 4C x 4.00 sq. mm | WHSFDSKG44X0 | **₹ 346800.00** |
| **5 Core** | | | **6 Core** | | | **7 Core** | | |
| 5C x 0.50 sq. mm | WHSFDSKG5X50 | **₹ 85300.00** | 6C x 0.50 sq. mm | WHSFDSKG6X50 | **₹ 90300.00** | 7C x 0.50 sq. mm | WHSFDSKG7X50 | **₹ 110400.00** |
| 5C x 0.75 sq. mm | WHSFDSKG5X75 | **₹ 112400.00** | 6C x 0.75 sq. mm | WHSFDSKG6X75 | **₹ 130500.00** | 7C x 0.75 sq. mm | WHSFDSKG7X75 | **₹ 155600.00** |
| 5C × 1.00 sq. mm | WHSFDSKG51X0 | **₹ 140500.00** | 6C x 1.00 sq. mm | WHSFDSKG61X0 | **₹ 160600.00** | 7C x 1.00 sq. mm | WHSFDSKG71X0 | **₹ 190800.00** |
| 5C x 1.50 sq. mm | WHSFDSKG51X5 | **₹ 180700.00** | 6C x 1.50 sq. mm | WHSFDSKG61X5 | **₹ 210800.00** | 7C x 1.50 sq. mm | WHSFDSKG71X5 | **₹ 256000.00** |
| 5C x 2.50 sq. mm | WHSFDSKG52X5 | **₹ 291200.00** | 6C x 2.50 sq. mm | WHSFDSKG62X5 | **₹ 355000.00** | 7C x 2.50 sq. mm | WHSFDSKG72X5 | **₹ 401700.00** |
| 5C x 4.00 sq. mm | WHSFDSKG54X0 | **₹ 431800.00** | 6C x 4.00 sq. mm | WHSFDSKG64X0 | **₹ 510100.00** | 7C x 4.00 sq. mm | WHSFDSKG74X0 | **₹ 602500.00** |
| **8 Core** | | | **10 Core** | | | **12 Core** | | |
| 8C x 0.50 sq. mm | WHSFDSKG8X50 | **₹ 132500.00** | 10C x 0.50 sq. mm | WHSFDSKGCX50 | **₹ 150600.00** | 12C x 0.50 sq. mm | WHSFDSKGAX50 | **₹ 175700.00** |
| 8C x 0.75 sq. mm | WHSFDSKG8X75 | **₹ 170700.00** | 10C x 0.75 sq. mm | WHSFDSKGCX75 | **₹ 210800.00** | 12C x 0.75 sq. mm | WHSFDSKGAX75 | **₹ 251000.00** |
| 8C × 1.00 sq. mm | WHSFDSKG81X0 | **₹ 210800.00** | 10C x 1.00 sq. mm | WHSFDSKGC1X0 | **₹ 261100.00** | 12C x 1.00 sq. mm | WHSFDSKGA1X0 | **₹ 311300.00** |
| 8C x 1.50 sq. mm | WHSFDSKG81X5 | **₹ 281100.00** | 10C x 1.50 sq. mm | WHSFDSKGC1X5 | **₹ 351400.00** | 12C x 1.50 sq. mm | WHSFDSKGA1X5 | **₹ 421700.00** |
| 8C x 2.50 sq. mm | WHSFDSKG82X5 | **₹ 461900.00** | 10C x 2.50 sq. mm | WHSFDSKGC2X5 | **₹ 572400.00** | 12C x 2.50 sq. mm | WHSFDSKGA2X5 | **₹ 672800.00** |
| 8C x 4.00 sq. mm | WHSFDSKG84X0 | **₹ 682800.00** | 10C x 4.00 sq. mm | WHSFDSKGC4X0 | **₹ 853600.00** | 12C x 4.00 sq. mm | WHSFDSKGA4X0 | **₹ 1024300.00** |

◯ Items generally available in stock. Order are accepted subject to availability of stock or for economical run after confirmation

List Price
List Price w.e.f. 01st December 2023

## Havells Solar Cables




Havells annealed tinned cooper conductor, cross linked polyolefin Zero Halogen Insulated, UV resistant cross linked polyolefin Zero Halogen Sheathed , Solar DC cable confirming to BSEN 50618.

**HSN CODE: 8544**

| Nominal area of conductor sq. mm | Basic Code | List Price in ₹ per 100 m |
|---|---|---|
| 2.5 sq. mm | WHBGGZ..B12X5 | ₹ **5520.00** |
| 4.0 sq. mm | WHBGGZ..B14X0 | ₹ **7965.00** |
| 6.0 sq. mm | WHBGGZ..B16X0 | ₹ **11550.00** |
| 10 sq. mm | WHBGGZ..B1010 | ₹ **19200.00** |

Havells annealed tinned cooper conductor, cross linked polyolefin Zero Halogen Insulated, UV resistant cross linked polyolefin Zero Halogen Sheathed , Solar DC cable confirming to TUV specification 1169/08.2007

**HSN CODE: 8544**

| Nominal area of conductor sq. mm | Basic Code | List Price in ₹ per 1000 m |
|---|---|---|
| 2.5 sq. mm | WHBGGZ…G12X5 | ₹ **52900.00** |
| 4.0 sq. mm | WHBGGZ…G14X0 | ₹ **77500.00** |
| 6.0 sq. mm | WHBGGZ…G16X0 | ₹ **112900.00** |


**Please get in touch with our sales representative for other SKU's, MOQ and delivery.**

◯ Items generally available in stock. ◯ Order are accepted subject to availability of stock or for economical run after confirmation



List Price

List Price w.e.f. 01st December, 2023




# Havells Communication Cables, The World will now be connected.

## Telecom Switch Board Cables

Havells PVC Insulated Telephone cables for indoor applications confirming to **TECHNICAL** specification **G/WIR06/02**



**HSN CODE: 8544**

| No. of Pairs | UNARMOURED 0.4 mm ATC | | | |
|---|---|---|---|---|
| | Basic Code | List Price in ₹ per 90 m | Basic Code | List Price in ₹ per 180 m |
| 1 Pair | WHTTATEA1P40 | ₹ **720.00** | WHTTATEL1P40 | ₹ **1440.00** |
| 2 Pair | WHTTATEA2P40 | ₹ **1205.00** | WHTTATEL2P40 | ₹ **2410.00** |
| 3 Pair | WHTTATEA3P40 | ₹ **1765.00** | WHTTATEL3P40 | ₹ **3530.00** |
| 4 Pair | WHTTATEA4P40 | ₹ **2295.00** | WHTTATEL4P40 | ₹ **4590.00** |
| 5 Pair | WHTTATEA5P40 | ₹ **2860.00** | WHTTATEL5P40 | ₹ **5720.00** |
| 10 Pair | WHTTATEA1040 | ₹ **5450.00** | WHTTATEL1040 | ₹ **10900.00** |
| 20 Pair | WHTTATEA2040 | ₹ **10145.00** | WHTTATEL2040 | ₹ **20290.00** |

Standard Packing: 90 m in carton  Project packing: 180 m poly wrapped

0.5 mm Telecom Switch Board Cables is available on request. Kindly contact our Sales Representative.

## Havells CATV Co-axial Cables

(Electrolytic Grade solid annealed Copper conductor, Jelly Field, Aluminium Foiled and Aluminium wire Braided)



**HSN CODE: 8544**

| Item / Type | Screen | Basic Code | List Price in ₹ per 90 m | Basic Code | List Price in ₹ per 305 m |
|---|---|---|---|---|---|
| RG 59 (Foam) | Al FOIL + Al BRAID | WHOJTTKARG59 | ₹ **2225.00** | WHOJTTKERG59 | ₹ **7540.00** |
| RG 06 (Foam) | Al FOIL + Al BRAID | WHOJTTKARG06 | ₹ **2685.00** | WHOJTTKERG06 | ₹ **9100.00** |
| RG 11 (Foam) | Al FOIL + Al BRAID | WHOJTTKARG11 | ₹ **6380.00** | WHOJTTKERG11 | ₹ **21620.00** |

## CCS Co-Axial Cable

INDUSTRIAL GRADE RG-06 CCS CO-AXIAL CABLE 90 m

**HSN CODE: 8544**

| Item / Type | Screen | Basic Code | List Price in ₹ per 90 m | Basic Code | List Price in ₹ per 305 m |
|---|---|---|---|---|---|
| RG 06 CCS | Al FOIL + Al BRAID | WHOJTTKARG09 | ₹ **1780.00** | WHOJTTKARG08 | ₹ **6030.00** |

◯ Items generally available in stock.  Order are accepted subject to availability of stock or for economical run after confirmation

Indersons, ND 27, PH: 0114724 3000, sales@indersonsindia.com

## Havells Computer LAN Network Cable

(Electrolytic grade solid annealed bare copper conductor,
4 Pair unshielded twisted pair (UTP) Industrial cables for LAN Network).

**HSN CODE: 8544**

| Item / Type | Basic Code | List Price in ₹ |
|---|---|---|
| UTP CAT 6 - 23 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 305 m - Grey | WHLJTTERCAT6 | ₹ **12665.00** |
| UTP CAT 6 - 23 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 305 m - Blue | WHLJTTBRCAT6 | ₹ **12665.00** |
| UTP CAT 6 - 23 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 305 m - Yellow | WHLJTTYRCAT6 | ₹ **12665.00** |
| UTP CAT 6 - 23 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 100 m - Grey | WHLJTAEBCAT6 | ₹ **4155.00** |
| UTP CAT 6 - 24 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 305 m - Grey | WHLJTTKRCAT6 | ₹ **11845.00** |
| UTP CAT 6 - 24 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 100 m - Grey | WHLJDSEBCAT6 | ₹ **3890.00** |




## Havells CCTV Camera Cable

PVC Insulated with RG59 Co-axial cable copper conductor and PVC outer Sheathed CCTV Camera Cable

**HSN CODE: 8544**

| Item / Type | Basic Code | List Price in ₹ per 90 m | Basic Code | List Price in ₹ per 305 m |
|---|---|---|---|---|
| CCTV 3+1 | WHOJTDWACT31 | ₹ **2465.00** | WHOJTDWRCT31 | ₹ **8355.00** |
| CCTV 4+1 | WHOJTDWACT41 | ₹ **2755.00** | WHOJTDWRCT41 | ₹ **9335.00** |




## Havells Speaker Cable

(Havells transparent FR PVC insulated, twin core copper conductor (Flexible) Industrial Speaker cable).

**HSN CODE: 8544**

| Item / Type | Basic Code | List Price in ₹ per 100 m |
|---|---|---|
| SPEAKER 2x0.5 sq. mm IND. 1.1 kV CABLE-100 m | WHPFDAWB2X50 | ₹ **2155.00** |
| SPEAKER 2x0.75 sq. mm IND. 1.1 kV CABLE-100 m | WHPFDBWB2X75 | ₹ **3205.00** |
| SPEAKER 2x1.0 sq. mm IND. 1.1 kV CABLE-100 m | WHPFDNWB21X0 | ₹ **4045.00** |
| SPEAKER 2x1.5 sq. mm IND. 1.1 kV CABLE-100 m | WHPFDNWB21X5 | ₹ **5820.00** |




Solid / Stranded annealed bare / tinned copper conductor, PVC Insulated, cores twisted to form pairs, pairs individual / overall shielded for interference rejection, unarmoured / armoured PVC sheathed 225 Volt / 650 Volt / 1100 Volt grade in conductor sizes: 0.5 sq. mm/ 0.75 sq. mm/ 1.0 sq. mm/ 1.5 sq. mm up to 80 pairs.

Also available with HR PVC / PE / Halogen Free Insulation and / or HR PVC / FR-LSH / Halogen Free Sheath.

**Suitable for Low Frequency Signals.**
**Prices available on demand.**

Note: Properties of HFFR is not covered under IS 694

Prices to be made available on request on furnishing constructional & requirement details for sizes not covered by this list prices.

◯ Items generally available in stock. ● Order are accepted subject to availability of stock or for economical run after confirmation



HAVELLS

Indersons, ND 27, PH: 0114724 3000, sales@indersonsindia.com