





Professional Luminaires Price List w.e.f. 1st Sep. 2021





- Architectural / Retail Lighting Office Lighting Industrial Lighting Street Lighting
- Area Lighting Landscape & Facade Lighting CCMS Solar LED Lighting Solutions

About Us



HPL is an established electrical equipment manufacturer with highly efficient manufacturing facilities and in-house research & development centers to produce best in class products for Indian and international markets. With an extensive sales and marketing network, comprising over 90 Branch & Representative Offices, 1200+ Workforce, 900+ Dealers & Distributors network with a pan-India presence of 35000+ Retailers. HPL enjoys a significant recall in the LV switchgear and various product segments across Industrial, Commercial and Consumer segments.

HPL Product Segments:


- LV Switchgears
- Modular Switches
- LED Lighting and Luminaires
- Solar

- LV Protection Devices
- Metering Solutions
- Wire & Cables

Content

LED Range	Pg
LED Industrial Lighting	1
LED Panels & Downlight	5
LED Retail & Decorative	10
LED Tubes & Batten	15
LED Street Light	18
LED Flood Light	21
LED Landscape & Facade Lighting	24
Solar LED Lighting Solutions	29
Lighting Control Solution	30







LED Industrial Lighting

LED Warehouse Lighting insures optimum productivity and ease of navigation by providing phenomenal lighting in your warehouse or industrial facility. High and low bay lighting along with powerful heavy duty heat sink. These superior quality LED high bay luminaire fixtures offer maximum energy savings, reduce maintenance costs.

- Long operational life time expectation of up to 50,000 hours.
- Estimated energy efficiency of 80%-90%.
- Operational in Extremely Cold or Hot Temperatures.
- · Zero UV Emissions.
- CRI >75 / PF >0.9.





LED Industrial Lighting

HSN CODE: 94054090



LED Weather Proof (IP-65)

Housing made of corrosion resistant unbreakable PC, gasket for IP65 Protection, 100 Lm/W

Product Type	Product Code	Case Nos.	List Price
LED Weather Proof 20W	HLPLEDW18(CW)	1	3150.00
LED Weather Proof 40W	HLPLEDW36(CW)	1	4250.00

LED Strom (Weather Proof IP-65)

Made up corrosion resistant unbreakable PC Housing, gasket for IP65 Protection suitable for Retrofit T8 LED Lamps

Product Type	Product Code	Case Nos.	List Price
LED Storm 18W PC CW	HLPLEDWT820(CW)	1	On request
LED Storm 36W PC CW	HLPLEDWT840(CW)	1	On request

Also available in Warm White.



Industrial batten fixture with single or twin LED Tube light, aluminium housing





Clean Room

Bottom opening IP65 Clean Room luminaire for pharma / sterile facilities

Product Type	Product Code	Case Nos.	List Price
1x1 Clean Room 24W	HLPLEDCR024CW	1	9330.00
2x2 Clean Room 40W	HLPLEDCR040CW	1	12650.00
2x2 Clean Room 60W	HLPLEDCR060CW	1	15000.00
2x2 Clean Room 80W	HLPLEDCR080CW	1	16650.00
1x4 Clean Room 40W	HLPLEDCR040NCW	1	14600.00

Options of powder coated frame & SS bottom frame are also available on request, *Above prices are with CRCA powder coated frame



Housing made up corrosion resistant unbreakable PC with high quality diffuser for glare free Aesthetically designed gaskit IP65 Protection, 100 lm/w

Product Type	Product Code	Case Nos.	List Price
Bulk Head 10W	HLPLEDBH10W(CW)	1	2000.00
Bulk Head 20W	HLPLEDBH20W(CW)	1	2625.00

Also available in aluminium housing.



Professional Luminaires Price List







Suspended type Pressure Die cast alunimiun LED IP65 Bay Light, upto 120 Lm/w* Housing adopts best heat dissipation, PC lens cover for excellent illumination

	Product Type	Product Code	Case Nos.	List Price 100 Lm/W	List Price 120 Lm/W
	LED Highbay 50W	HLPLEDHBBT050CW	1	6000.00	7500.00
	LED Highbay 70W	HLPLEDHBBT070CW	1	7000.00	9540.00
	LED Highbay 90W	HLPLEDHB090NCW	1	9000.00	12150.00
	LED Highbay 100W	HLPLEDHBBT100CW	1	10000.00	13500.00
	LED Highbay 120W	HLPLEDHBBT120CW	1	12000.00	16200.00
	LED Highbay 150W	HLPLEDHBBT150CW	1	15000.00	20250.00
	LED Highbay 180W	HLPLEDHBBT180CW	1	18000.00	24300.00
	LED Highbay 200W	HLPLEDHBBT200CW	1	20000.00	27000.00
-					

^{*}Also available in above 135lm/W efficacy, till 150 Wattage



Industrial LED IP66 Highbay having Innovative PDC housing, for better thermal management, with toughened glass and wide beam angle, up to 150 Lm/w

Product Type	Product Code	Case Nos.	List Price 135 Lm/W	List Price 150 Lm/W
Highbay 70W	HLPLEDHB070NCW	1	15000.00	18000.00
Highbay 100W	HLPLEDHB100NCW	1	18500.00	20000.00
Highbay 120W	HLPLEDHB120NCW	1	21000.00	23000.00
Highbay 150W	HLPLEDHB150NCW	1	22500.00	23500.00

Also available in 120lm/W efficacy on request



Recessed / Surface Mounted LED Canopy Light Suitable for Industrial Shed/ Petrol Pump Station with High Grade Aluminum Dia Cast Heat Sink with efficacy 100 lm/w

Product Type	Product Code	Case Nos.	List Price
Canopy Light 40W	HLPLEDCN40CW	1	9330.00
Canopy Light 60W	HLPLEDCN60CW	1	10000.00
Canopy Light 80W	HLPLEDCN80CW	1	10650.00
Canopy Light 100W	HLPLEDCN100CW	1	10650.00

PIT Light

Recessed / Surface Mounted LED Canopy Light Suitable for Industrial Shed/ Petrol Pump Station with High Grade Aluminium Dia Cast Heat Sink.

•	9		
Product Type	Product Code	Case Nos.	List Price
PIT Light 16W	HPLLEDPIT16WAC72	1	6000.00
PIT Light 16W	HPLLEDPIT16WDC24	1	6300.00
PIT Light 16W	HPLLEDPIT16WDC110	1	6500.00
PIT Light 20W	HPLLEDPIT20WAC110	1	6900.00
PIT Light 24W	HPLLEDPIT24WAC230	1	7200.00
PIT Light 24W	HPLLEDPIT24WDC24	1	7500.00















Well Glass (Weather Proof) IP-65

Hanging / Surface Mounted type Industrial LED Well Glass made of Pressure Die cast Aluminium Housing & PC Cover (efficacy upto 100 lm/w)

Product Type	Product Code	Case Nos.	List Price
Well Glass 30W CW	HLPLEDWG9030CW	1	3200.00
Well Glass 40W CW	HLPLEDWG9040CW	1	4200.00
Well Glass 50W CW	HLPLEDWG9050CW	1	4500.00
Well Glass 70W CW	HLPLEDWG9070CW	1	6500.00
Well Glass 80W CW	HLPLEDWG9080CW	1	7500.00

^{*}WW Also available on request

Flame Proof Fixture

Housing made of corrosion resistant pressure die cast aluminum impact dust and water resistant luminaries wire guard with efficacy 100 lm/w

Product Code	Case Nos.	List Price
HPLLEDFPWG40CW	1	15000.00
HPLLEDFPWG45CW	1	18000.00
HPLLEDFPWG60CW	1	20000.00
HPLLEDFPWG70CW	1	22000.00
HLPLEDFPWG080CW	1	29000.00
HLPLEDFPWG100CW	1	32000.00
HLPLEDFPWG120CW	1	On request
HLPLEDFPWG140CW	1	On request
HLPLEDFPWG150CW	1	On request
	HPLLEDFPWG40CW HPLLEDFPWG45CW HPLLEDFPWG60CW HPLLEDFPWG70CW HLPLEDFPWG100CW HLPLEDFPWG120CW HLPLEDFPWG120CW HLPLEDFPWG140CW	Product Code Nos. HPLLEDFPWG40CW 1 HPLLEDFPWG45CW 1 HPLLEDFPWG60CW 1 HPLLEDFPWG70CW 1 HLPLEDFPWG080CW 1 HLPLEDFPWG100CW 1 HLPLEDFPWG120CW 1 HLPLEDFPWG140CW 1

Refer our data sheet for product specification & application, before odering



Flame Proof Fixture

Made up corrosion resistant pressure die cast aluminum housing impact dust and water resistant luminaries with wire guard with efficacy 100 lm/w

Product Type	Product Code	Case Nos.	List Price
Flame Proof Well Glass 30W	HPLLEDFPWG30CW	1	On request
Flame Proof Well Glass 35W	HPLLEDFPWG35CW	1	On request
Flame Proof Well Glass 40W	HLPLEDFPWG40CW	1	On request

Refer our data sheet for product specification & application, before ordering



#Photo is indicative original product may differ.





LED Panels & Downlight

Recessed downlights are commonly used for ambient and directional lighting in both residential and commercial buildings. One of the earliest applications of solid-state lighting for general illumination, LED downlights are now widely available in a range of sizes and lumen packages, offering avaiable alternative to incandescent and compact fluorescent (CFL) products.

- · Long operational life time expectation of up to 50,000 hours.
- Estimated energy efficiency of 80%-90%.
- · Durable Quality LEDs are extremely durable & built with sturdy components.
- · Operational in Extremely Cold or Hot Temperatures.









Recessed mounted economical led panel light with high quality diffuser for uniform light with 100 lm/w



^{*}Housing made of pressed Aluminium sheet



Recessed mounted led panel light with high quality diffuser for uniform light upto 125 lm/w

Product Type	Product Code	Case Nos.	List Price
CRCA Panel 24 CW	New Product (125lm/w)	1	On request
CRCA Panel 30 CW	New Product (125 lm/w)	1	5100.00

CRCA Surface Panel

Surface mounted economical led panel light with high quality diffuser for uniform light. CRCA housing with 100 Im/w

Product Type	Product Code	Case Nos.	List Price
CRCA Panel 18E CW	LEDPNCRC18CW-S	1	3200.00
CRCA Panel 36E CW	LEDPNCRC36CW-S	1	4300.00
CRCA Panel 30W 1x2 CW	LEDPNCRC30CW-S	1	4050.00
CRCA Panel 36W 1x4 CW	LEDPNCRC36CW-S 1x4	1	4850.00

WW/NW available on request. 40W Square available on request.













Sleek Plus Recessed Panel Light (Square)

Recess Mounted Square LED Downlight, Aesthetically Designed Aluminum Die-Cast Enclosures, With Separate replaceable Constant Current Driver

Product Type	Product Code	Case Nos.	List Price
Sleek (Sq) 6W CW	HLPLEDSQDLS06CW	20	800.00
Sleek (Sq) 6W OW	HLPLEDSQDLS06OW	20	800.00
Sleek (Sq) 6W WW	HLPLEDSQDLS06WW	20	800.00
Sleek (Sq) 12W CW	HLPLEDSQDLS12CW	10	On request
Sleek (Sq) 12W OW	HLPLEDSQDLS12OW	10	On request
Sleek (Sq) 12W WW	HLPLEDSQDLS12WW	10	On request
Sleek (Sq) 15W CW	HLPLEDSQDLS15CW	10	1325.00
Sleek (Sq) 15W OW	HLPLEDSQDLS150W	10	1325.00
Sleek (Sq) 15W WW	HLPLEDSQDLS15WW	10	1325.00
Sleek (Sq) 18W CW	HLPLEDSQDLS18CW	10	1550.00
Sleek (Sq) 18W OW	HLPLEDSQDLS180W	10	1550.00
Sleek (Sq) 18W WW	HLPLEDSQDLS18WW	10	1550.00



Sleek Plus Recessed Panel Light (Round) Recessed Mounted Round LED Downlight, Aesthetically Designed Aluminum Die-Cast

Enclosures, With Separate replaceable Constant Current Driver

nelosares, with ocparate replaceable constant out the biver			
Product Type	Product Code	Case Nos.	List Price
Sleek (R) 6W CW	HLPLEDRDLS06CW	20	800.00
Sleek (R) 6W OW	HLPLEDRDLS06OW	20	800.00
Sleek (R) 6W WW	HLPLEDRDLS06WW	20	800.00
Sleek (R) 12W CW	HLPLEDRDLS12CW	10	On request
Sleek (R) 12W OW	HLPLEDRDLS120W	10	On request
Sleek (R) 12W WW	HLPLEDRDLS12WW	10	On request
Sleek (R) 15W CW	HLPLEDRDLS15CW	10	1325.00
Sleek (R) 15W OW	HLPLEDRDLS150W	10	1325.00
Sleek (R) 15W WW	HLPLEDRDLS15WW	10	1325.00
Sleek (R) 18W CW	HLPLEDRDLS18CW	10	1550.00
Sleek (R) 18W OW	HLPLEDRDLS18OW	10	1550.00
Sleek (R) 18W WW	HLPLEDRDLS18WW	10	1550.00



Jupiter Plus (Spot Light)

Product Type	Product Code	Case Nos.	List Price
Jupiter Plus 2W CW	HLPLED1102CW	50	300.00
Jupiter Plus 2W WW	HLPLED1102WW	50	300.00
Jupiter Plus 2W RED	HLPLED1102RD	50	300.00
Jupiter Plus 2W BLUE	HLPLED1102BL	50	300.00







JONEX Plus Surface Panel Light (Round)

Surface Mounted Round LED Downlight, Aesthetically Designed Aluminum housing Enclosures with Constant Driver

1
)
•

Product Type	Product Code	Case Nos.	List Price
Jonex Plus (R) 6W CW	HLPLEDSM06(CW)	20	850.00
Jonex Plus (R) 6W OW	HLPLEDSM06(OW)	20	850.00
Jonex Plus (R) 6W WW	HLPLEDSM06(WW)	20	850.00
Jonex Plus (R) 12W CW	HLPLEDSM12(CW)	10	1200.00
Jonex Plus (R) 12W OW	HLPLEDSM12(OW)	10	1200.00
Jonex Plus (R) 12W WW	HLPLEDSM12(WW)	10	1200.00
Jonex Plus (R) 15W CW	HLPLEDSM15(CW)	10	1425.00
Jonex Plus (R) 15W OW	HLPLEDSM15(OW)	10	1425.00
Jonex Plus (R) 15W WW	HLPLEDSM15(WW)	10	1425.00
Jonex Plus (R) 18W CW	HLPLEDSM18(CW)	10	1650.00
Jonex Plus (R) 18W OW	HLPLEDSM18(OW)	10	1650.00
Jonex Plus (R) 18W WW	HLPLEDSM18(WW)	10	1650.00

JONEX Plus Surface Panel Light (Square)

Surface Mounted Square LED Downlight, Aesthetically Designed Aluminum Housing Enclosures with Constant Driver



Product Type	Product Code	Case Nos.	List Price
Jonex Plus (Sq) 6W CW	HLPLEDSQSM06(CW)	20	850.00
Jonex Plus (Sq) 6W OW	HLPLEDSQSM06(OW)	20	850.00
Jonex Plus (Sq) 6W WW	HLPLEDSQSM06(WW)	20	850.00
Jonex Plus (Sq) 12W CW	HLPLEDSQSM12(CW)	10	1200.00
Jonex Plus (Sq) 12W OW	HLPLEDSQSM12(OW)	10	1200.00
Jonex Plus (Sq) 12W WW	HLPLEDSQSM12(WW)	10	1200.00
Jonex Plus (Sq) 15W CW	HLPLEDSQSM15(CW)	10	1425.00
Jonex Plus (Sq) 15W OW	HLPLEDSQSM15(OW)	10	1425.00
Jonex Plus (Sq) 15W WW	HLPLEDSQSM15(WW)	10	1425.00
Jonex Plus (Sq) 18W CW	HLPLEDSQSM18(CW)	10	1650.00
Jonex Plus (Sq) 18W OW	HLPLEDSQSM18(OW)	10	1650.00
Jonex Plus (Sq) 18W WW	HLPLEDSQSM18(WW)	10	1650.00



Brito Plus LED Panel

Recess Mounted Round LED Downlight, Aesthetically Designed PC housing Enclosures with Constant Driver

Product Type	Product Code	Case Nos.	List Price
Brito Plus LED Panel 6W	HPLLEDRB06(CW)P	20	400.00
Brito Plus LED Panel 6W	HPLLEDRB06(WW)P	20	400.00





Brito LED Panel (Round)

Recess Mounted Round LED Downlight, Aesthetically Designed PC housing Enclosures with Constant Driver

- '	lousing Enclosures with Cons	Starit Driver		
	Product Type	Product Code	Case Nos.	List Price
	BRITO LED (R) 6W	HPLLEDRB06(CW)	20	625.00
	BRITO LED (R) 6W	HPLLEDRB06(WW)	20	625.00
	BRITO LED (R) 12W	HPLLEDRB12(CW)	20	725.00
	BRITO LED (R) 12W	HPLLEDRB12(WW)	10	725.00
	BRITO LED (R) 15W	HPLLEDRB15(CW)	10	850.00
	BRITO LED (R) 15W	HPLLEDRB15(WW)	10	850.00



Recess Mounted Square LED Downlight, Aesthetically Designed PC housing Enclosures with Constant Driver

housing Enclosures with Constant Driver				
	Product Type	Product Code	Case Nos.	List Price
	BRITO LED (Sq.) 6W	HPLLEDSB06(CW)	20	625.00
	BRITO LED (Sq.) 6W	HPLLEDSB06(WW)	20	625.00
	BRITO LED (Sq.) 12W	HPLLEDSB12(CW)	20	725.00
	BRITO LED (Sq.) 12W	HPLLEDSB12(WW)	10	725.00
	BRITO LED (Sq.) 15W	HPLLEDSB15(CW)	10	850.00
	BRITO LED (Sq.) 15W	HPLLEDSB15(WW)	10	850.00

Reflettore

Recess Mounted Low Glare Downlight made of Pressure Die Cast Aluminium Housing, powder coated white, with High Efficient Moulded PC Diffuser & 10% THD Driver (CutOut Ø 138 mm), with SS Toggles, with 100 lm/w.

Product Type	Product Code	Case Nos.	List Price
Reflettore 10W	HPRFRE0110W408DW	20	2,000.00
Reflettore 15W	HPRFRE0115W408DW	20	2,200.00
Reflettore 18W	HPRFRE0118W408DW	20	2,400.00
Reflettore 24W	HPRTYP1RE0124W408W	20	2,600.00

Higher lumens & dimmable options available on request









LED Retail & Decorative

HPL LED Lighting panels provide super bright light by edge-lighting with highly efficient LEDs. Panels basically consist of surface mounted diode (SMD) chips that are embedded in panels. Diffuser made from acrylic material (PMMA) or polycarbonate (PC), for optimal and uniform illumination.

- · Flexibility in Design
- High Brightness
- Less Heat-dissipation
- · LED panel lights long life
- Shock-resistant
- Low Power Consumption
- CRI >75 / PF >0.9









Recess Mounted Controlled BEAM Downlight made of Pressure Die Cast Aluminium Housing, powder coated White, with Prefessionally Designed Optics & 10% THD Driver (CutOut Ø 110 mm) with 120 lm/w

Product Type	Product Code	Case Nos.	List Price
Dazzle 10W	HPDZLRE0110W4084DW	20	3,150.00
Dazzle 15W	HPDZLRE0115W4084DW	20	3,450.00
Dazzle 18W	HPDZLRE0118W4084DW	20	3,650.00
Dazzle 24W	HPDZLRE0124W4084DW	20	3,950.00
Dazzle 30W	HPDZLRE0130W4084DW	20	4,350.00
Dazzle 36W	HPDZLRE0136W4084DW	20	4,750.00

Note: Also Available with Dimmable Driver - Analog / DALI on request



Extraar

Recess Mounted Aimable Downlight made of Pressure Die Cast Aluminium Housing, powder coated White, with Prefessionally Designed Optics & 10% THD Driver (CutOut Ø 130 mm). Housing is Rotatable through 360° and Tilting Through 60° with 120 lm/w

Product Type	Product Code	Case Nos.	List Price
Extraar 15W	HPEXRE0115W40840DW	20	4,600.00
Extraar 18W	HPEXRE0120W40840DW	20	4,900.00
Extraar 24W	HPEXRE0124W40840DW	20	5,700.00
Extraar 30W	HPEXRE0130W40840DW	20	6,000.00

Note : Also Available with Dimmable Driver - Analog / DALI on request



Extert-V

Track Mounted Mounted Aimable Downlight, in Vertical Orientation, made of Pressure Die Cast Aluminium Housing, powder coated White, with Prefessionally Designed Optics & 10% THD Driver (CutOut Ø 130 mm). Housing is Rotatable through 350° and Tilting with 120 lm/w

Product Type	Product Code	Case Nos.	List Price
Extert-V 15W	HPEXTK115W57840DW	20	4,350.00
Extert-V 18W	HPEXTK118W57840DW	20	4,650.00
Extert-V 24W	HPEXTK124W57840DW	20	4,950.00
Extert-V 30W	HPEXTK130W57840DW	20	5,250.00
3 Phase Power Track-2 Mt.	HPPT3PH2MTRW	-	-
3 Phase Power Track-1 Mt.	HPPT3PH1MTRW	-	-
2 Phase Power Track-2 Mt.	HPPT2WR2MTRW	-	-
2 Phase Power Track-1 Mt.	HPPT2WR1MTRW	-	-

Note Pl. Order Pwer Track Separately . Also Available with Dimmable Driver - Analog / DALI on request

Professional Luminaires Price List







Luxrecta

HSN CODE: 94054090

LED modular system for trunking installation, including LED luminaires, aluminum installation profile and diffusers.

Product Type	Product Code	Case Nos.	List Price
Luxrecta 28W	HPLUTTR0128W408DW	20	4,350.00
Luxrecta 32W	HPLUTTR0132W408DW	20	4,550.00
Trunking Rail 1, 5m, Alu.	PWALTR15MTR7WRW		

Note: Pl. Order Power Track Separately. Also Available with Dimmable Driver - Analog / DALI on request Available 1.5mtr/3mtr option with CRCA & extruded aluminum. 36w/40w available on request.

Linelight-P

Suspended mounted linear down light luminaire with Enclosure made of heavy gauge extruded aluminium housing with Extruded diffuser.

Product Type	Product Code	Case Nos.	List Price
2ft	HPLLPPE0120W408DW	20	5,750.00
4ft	HPLLPPE40W408DW4F	20	7,250.00
8ft	HPLLPPE80W408DW8F	20	14,500.00

Note: Pl Order for Jointing Accessories & Suspension Kits Separately



Suspended mounted linear UP down light luminaire with Enclosure made of heavy gauge extruded aluminium housing with Extruded diffuser.

Product Type	Product Code	Case Nos.	List Price
2ft	HPLLPPE0120W408UDW	20	7,500.00
4ft	HPLLPPE40W408UDW4F	20	9,500.00
8ft	HPLLPPE80W408UDW8F	20	18,500.00

Note: Pl Order for Jointing Accessories & Suspension Kits Separately



Recess mounted linear UP down light luminaire with Enclosure made of heavy gauge extruded aluminium housing with powder coating finish with Extruded diffuser.

Product Type	Product Code	Case Nos.	List Price
2ft	HPLLRRE0120W408DW	20	5,350.00
4ft	HPLLRRE40W408DW4F	20	6,750.00
8ft	HPLLRRE80W408DW8F	20	14,000.00

Note : PI Order for Jointing Accessories Separately

Zoom Downlight (Rectangular)

Recessed Mounted Square COB based fully adjustable LED spotlight, Aluminum housing with 100 lm/w

Product Type	Product Code	Case Nos.	List Price
Zoom (Sq) 30W CW	HLPLEDZSQWB30CW	6	On request
Zoom (Sq) 30W OW	HLPLEDZSQWB300W	6	On request
Zoom (Sq) 30W WW	HLPLEDZSQWB30WW	6	On request
Zoom (Sq) 45W CW	HLPLEDZSQWB45CW	6	On request
Zoom (Sq) 45W OW	HLPLEDZSQWB45OW	6	On request
Zoom (Sq) 45W WW	HLPLEDZSQWB45WW	6	On request
*			

^{*}on demand






Professional Luminaires Price List Professional Lum









Recessed mounted round COB based fully adjustable LED spotlight, Aluminum Housing with 100lm/w

HLPLEDZRMB10CW	6	0 1
	o o	On request
HLPLEDZRMB100W	6	On request
HLPLEDZRMB10WW	6	On request
HLPLEDZRMB20CW	6	On request
HLPLEDZRMB20OW	6	On request
HLPLEDZRMB20WW	6	On request
HLPLEDZRMB30CW	6	On request
HLPLEDZRMB30OW	6	On request
HLPLEDZRMB30WW	6	On request
_	HLPLEDZRMB10WW HLPLEDZRMB20CW HLPLEDZRMB20OW HLPLEDZRMB20WW HLPLEDZRMB30CW HLPLEDZRMB30OW	HLPLEDZRMB10WW 6 HLPLEDZRMB20CW 6 HLPLEDZRMB20OW 6 HLPLEDZRMB20WW 6 HLPLEDZRMB30CW 6 HLPLEDZRMB30OW 6



Recessed mounted LED step light, Aesthetically Designed High Grade Aluminium Die Cast housing with inbuilt driver.

Product Type	Product Code	Case Nos.	List Price
LED Step Light 3W CW	HLPLEDSL2203CW	6	1125.00
LED Step Light 3W WW	HLPLEDSL2203WW	6	1125.00
LED Step Light 5W CW	HLPLEDSL2205CW	6	1500.00
LED Step Light 5W WW	HLPLEDSL2205WW	6	1500.00

Track Light

Track mounted COB based fully adjustable LED tracklight, Aesthetically Designed High Grade Aluminium Housing with 100 lm/w

Product Type	Product Code	Case Nos.	List Price
Track Light 20W CW	HLPTRACK20(CW)	1	On request
Track Light 20W WW	HLPTRACK20(WW)	1	On request
Track Light 30W CW	HLPTRACK30(CW)	1	On request
Track Light 30W WW	HLPTRACK30(WW)	1	On request

Also Available in Natural Colour

Rays

Product Type	Product Code	Case Nos.	List Price
Rays 30W	HPLRYS40030	1	On request
Rays 45W	HPLRYS50045	1	On request

Available in CW, WW & NW Colour Temperature and White, Grey and Red Colours

Milan

Product Type	Product Code	Case Nos.	List Price
Milan 45W	HPLMLN45	1	On request

Available in CW, WW & NW Colour Temperature and White, Grey and Red Colours







LED Decorative Lights

HSN CODE: 94054090



Polo

Product Type	Product Code	Case Nos.	List Price
Polo 30W	HPL600P30	1	On request

Available in CW, WW & NW Colour Temperature and White, Grey and Red Colours



Trios

Product Type	Product Code	Case Nos.	List Price
Trios 20W	HPLTR20	1	On request
Trios 30W	HPLTR30	1	On request
Trios 50W	HPLTR50	1	On request
Trios 70W	HPLTR70	1	On request

Available in CW, WW & NW Colour Temperature and White, Grey and Red Colours













LED Tubes & Battens

LED tube/PLL lights are commonly used in various lighting facilities to serve as a replacement light source for traditional fluorescent tubes. Fluorescent tube light fixtures are typically found in offices, institutions, shops, garages and many other places.

- Long operational life time expectation of up to 50,000 hours.
- Cover: Frosted, Color temperature: 3500-6500K.
- Material: PC + Aluminum; Base: G13.
- CRI >75/PF >0.9.









Aluminium housing for excellent Heat dissipation, High quality PC cover, Wide beam angle of 120°, upto 100 Lm/W.

Product Type	Product Code	Case Nos.	List Price
Indus 10W CW	HLPT81410(CW)	10	650.00
Indus 20W CW	HLPT81420(CW)	10	725.00

3000K (WW) & 4000K (OW) Also available on request *subject to minimum order quantity



PC Housing for excellent Heat dissipation. PC cover for LED linear lamp ensures soft and glare free lighting upto 100 Lm/W.

Product Type	Product Code	Case Nos.	List Price
Indus PC 9W T8 CW	HLPT81409PC(CW)	10	625.00
Indus PC 18W T8 CW	HLPT81418PC(CW)	10	650.00
Indus PC 18W with single side pin	HLPT81418PCSS(CW)	10	650.00
Indus PC 18W T8 CW	HLPT81420PC(CW)	10	650.00

3000K (WW) & 4000K (OW) Also available on request *subject to minimum order quantity

PLL Base

High quality indoor LED PLL Base Lamp 4 Pin, upto 100 Lm/W, Perfect for 2' x 2' fixtures , PL-L offers long life in a sleek profile.

Product Type	Product Code	Case Nos.	List Price
LED PLL Lamp 9W CW	HPLLEDPL09W(CW)	10	800.00
LED PLL Lamp 9W WW	HPLLEDPL09W(WW)	10	800.00
LED PLL Lamp 18W CW	HPLLEDPL18W(CW)	10	900.00
LED PLL Lamp 18W WW	HPLLEDPL18W(WW)	10	900.00



High quality indoor LED batten with motion sensor upto 100Lm/W.

Product Type	Product Code	Case Nos.	List Price
LED Batten Motion Sensor	HPLBT20WPCIMSCW	10	1750.00
LED Batten Motion Sensor	HPLBT20WPCIMSNW	10	1750.00
LED Batten Motion Sensor	HPLBT20WPCIMSWW	10	1750.00

Minimum order qty. - 200pcs.







16 Professional Luminaires Price List Price List Professional Luminaires Price List Pri









Designed Linear sleek Aesthetic PVC housing ,PC cover ensures soft and glare free lighting Wide beam angle of 120°, upto 100 Lm/ W.

Product Type	Product Code	Case Nos.	List Price
Neptune Silver 10W CW	HLPT515010PCGCW	10	525.00
Neptune Silver 10W WW	HLPT515010PCGWW	10	525.00
Neptune Silver 20W CW	HLPT51820PCGCW	10	625.00
Neptune Silver 20W WW	HLPT51820PCGWW	10	625.00



Neptune Plus (T5 Batten)
Replacement of T-5 conventional lamps with external Driver, aluminium housing PC Diffuser, upto 100 Lm/W

Product Type	Product Code	Case Nos.	List Price
Neptune Plus 10W CW	HLPT51510CW	10	625.00
Neptune Plus 10W WW	HLPT51510WW	10	625.00
Neptune Plus 20W CW	HLPT51520CW	10	825.00
Neptune Plus 20W WW	HLPT51520WW	10	825.00
Neptune Plus 40W CW	HLPT51540CW	10	1500.00
Neptune Plus 40W WW	HLPT51540WW	10	1500.00
<u> </u>			

LED Cadila Plus

High quality LED T5 indoor batten tube light with Aluminum Extrusion Housing, with efficacy over upto 100 Lm/W

Product Type	Product Code	Case Nos.	List Price
LED Cadila Plus 20W CW	HLPLEDCADPL20CW	10	On request
LED Cadila Plus 40W WW	HLPLEDCADPL40WW	10	On request









HPL has to its credit a supply of over 3,00,000 unit of Street Lights in various customer segments. Our street lights are manufactured is state of art manufacturing unit located in Haryana. These Street Lights are offered in IP66 for wattages over 45W. For lower wattages, regular supply is IP65 but IP66 is available on request





City Vision LED Street Light

HSN Code: 94051090



LED Street Light

Energy saving long life LED street light made up of pressure die cast aluminium housing with toughened glass having IP66 protection (110 Lm/W)

Product Type	Product Code	Case Nos.	List Price
LED Street Light 15W	HPLLEDSL1560E	1	2150.00
LED Street Light 18W	HPLLEDSL1860E	1	2250.00
LED Street Light 20W	HPLLEDSL2060E	1	2325.00
LED Street Light 25W	HPLLEDSL2560E	1	2650.00
LED Street Light 30W	HPLLEDSL3060E	1	3000.00
LED Street Light 40W	HPLLEDSL4060E	1	4000.00
LED Street Light 45W	HPLLEDSL4560E	1	4500.00
LED Street Light 60W	HPLLEDSL6060E	1	6000.00

Also available in 130lm/w efficacy.



LED Street Light

energy saving long life LED street light made up of pressure die cast aluminium housing with lens embedded PC cover having IP66 protection (110 Lm/W)

Product Type	Product Code	Case Nos.	List Price
LED Street Light 25W	HPLLEDSL2560A	1	2100.00
LED Street Light 30W	HPLLEDSL3060A	1	2800.00
LED Street Light 40W	HPLLEDSL4060A	1	4800.00
LED Street Light 45W	HPLLEDSL4560A	1	5000.00

Also available in 130lm/w efficacy.

LED Street Light

Energy saving long life LED street light made up of pressure die cast aluminium housing with toughened glass having IP66 protection (110 Lm/W)

Product Type	Product Code	Case Nos.	List Price
LED Street Light 72W	HPLLEDSL7260E	1	7200.00
LED Street Light 80W	HPLLEDSL8060E	1	8000.00
LED Street Light 90W	HPLLEDSL9060E	1	9000.00
LED Street Light 100W	HPLLEDSL10060E	1	10000.00
LED Street Light 120W	HPLLEDSL12060E	1	12000.00

Also available in 130lm/w efficacy.







LED Street Light

Energy saving long life LED street light made up of pressure die cast aluminium housing with toughened glass having IP66 protection (110 Lm/W)



Also available in 130lm/w efficacy.



LED Street Light (Dimmable)

Energy saving long life LED street light made up of pressure die cast aluminium housing with toughened glass having IP66 protection (110 Lm/W)

Product Type	Product Code	Case Nos.	List Price
LED Street Light 60W	HPLLEDDS06060	1	On request
LED Street Light 72W	HPLLEDDS07260	1	On request
LED Street Light 90W	HPLLEDDS09060	1	On request
LED Street Light 120W	HPLLEDDS12060	1	On request

Also available in 130lm/w efficacy.



LED Street Light (With LDR Sensor)

Energy saving long life LED street light made up of pressure die cast aluminium housing with toughened glass having IP66 protection (110 Lm/W)

Product Code	Case Nos.	List Price
HPLLEDDSL3060WS	1	4500.00
HPLLEDDSL4060WS	1	6400.00
HPLLEDDSL4560WS	1	6800.00
HPLLEDDSL6060WS	1	7200.00
HPLLEDDSL7260WS	1	7800.00
HPLLEDDSL9060WS	1	10500.00
	HPLLEDDSL3060WS HPLLEDDSL4060WS HPLLEDDSL4560WS HPLLEDDSL6060WS HPLLEDDSL7260WS	Product Code Nos. HPLLEDDSL3060WS 1 HPLLEDDSL4060WS 1 HPLLEDDSL4560WS 1 HPLLEDDSL6060WS 1 HPLLEDDSL7260WS 1

Also available in 130lm/w efficacy.











HPL offers a wide range of flood lights to choose from. It varies from COB to discreet and from 30W to 470W in various wattage ranges. These flood lights can be used for both narrow beam and wide beam applications.





Galaxy LED Flood Light Range

HSN Code: 94051090



Galaxy Flood Lights (With Lens) Made of high Pressure die-cast aluminium with front glass casing IP66 (110Lm/W).

Product Type	Product Code	Case Nos.	List Price
LED Flood Light 30W	HPLLEDFL03060F	1	3000.00
LED Flood Light 45W	HPLLEDFL04560F	1	4500.00
LED Flood Light 50W	HPLLEDFL05060F	1	5000.00
LED Flood Light 60W	HPLLEDFL06060F	1	6000.00
LED Flood Light 72W	HPLLEDFL07260F	1	7200.00
LED Flood Light 80W	HPLLEDFL08060F	1	8000.00
LED Flood Light 90W	HPLLEDFL09060F	1	9000.00
LED Flood Light 100W	HPLLEDFL10060F	1	10000.00
LED Flood Light 120W	HPLLEDFL12060F	1	12000.00
LED Flood Light 150W	HPLLEDFL15060F	1	15000.00

Also available in above 130lm/w efficacy



LED Flood Light (With Lens)

Made of high Pressure die-cast aluminium with front glass casing IP66 (110Lm/W).

Product Type	Product Code	Case Nos.	List Price
LED Flood Light 180W	HPLLEDFL18060S	1	18000.00
LED Flood Light 200W	HPLLEDFL20060S	1	20000.00

Also available in above 130lm/W efficacy. Available Various beam angles



LED Flood Light (With Lens)Made of high Pressure die-cast aluminium with back opening and separate compartment for maintaining driver with IP66 (110Lm/W).

Product Code	Case Nos.	List Price
HPLLEDFL25060D	1	25000.00
HPLLEDFL30060D	1	30000.00
HPLLEDFL35060D	1	35000.00
HPLLEDFL40060D	1	40000.00
HPLLEDFL50060D	1	50000.00
	HPLLEDFL25060D HPLLEDFL30060D HPLLEDFL35060D HPLLEDFL40060D	HPLLEDFL25060D 1 HPLLEDFL30060D 1 HPLLEDFL35060D 1 HPLLEDFL40060D 1

Also available in above 130lm/W efficacy. Available various beam angle.









Flood Light without Lens Series Made of high Pressure die-cast aluminium with front glass without lens fixture with IP66 upto 110Lm/W.

HSN Code: 94051090

HAMA	000011
4	NP.
-	

Product Type	Product Code	Case Nos.	List Price
LED Flood Light 30W	HPLLEDFL03060FP	1	2500.00
LED Flood Light 50W	HPLLEDFL05060FP	1	4000.00
LED Flood Light 60W	HPLLEDFL06060FP	1	5000.00
LED Flood Light 80W	HPLLEDFL08060FP	1	7000.00
LED Flood Light 100W	HPLLEDFL10060FP	1	8000.00
LED Flood Light 120W	HPLLEDFL12060FP	1	10000.00
LED Flood Light 150W	HPLLEDFL15060FP	1	13000.00
LED Flood Light 180W	HPLLEDFL18060P	1	On request
LED Flood Light 200W	HPLLEDFL20060P	1	On request

also available in above 130lm/W efficacy

LED Multi Purpose Light
IP 66, State of Art LED Multi Purpose IP66 luminaire with sleek, light weight pressure die-cast housing, with prismatic PC Lens, impact resistance of Ik08.



Product Type	Product Code	Case Nos.	List Price
LED Multi Purpose Light 50W	New Product	1	6300.00
LED Multi Purpose Light 60W	New Product	1	7300.00
LED Multi Purpose Light 80W	New Product	1	8500.00
LED Multi Purpose Light 100W	New Product	1	11800.00
LED Multi Purpose Light 120W	New Product	1	12500.00
LED Multi Purpose Light 150W	New Product	1	17000.00
LED Multi Purpose Light 200W	New Product	1	23500.00
LED Multi Purpose Light 235W	New Product	1	24700.00
LED Multi Purpose Light 250W	New Product	1	26000.00
LED Multi Purpose Light 300W	New Product	1	33800.00
LED Multi Purpose Light 400W	New Product	1	46000.00
LED Multi Purpose Light 500W	New Product	1	51000.00
O			

Can be used as Tunnel Light/Bay Light & Flood Light.



Surge Protection Device

Product Type	Product Code	Case Nos.	List Price
Surge Protection Device 10kv	HPLLRFHPLSPD-10kV	1	750.00





LED Landscape & Facade Lighting

HPL LED Post Top Lanterns & Decorative Lighting is best suited for Landscape Lighting and offers superior lighting solution and long maintenance free service life. LED Post Top Lanterns & Landscape Lighting combine classic design with cutting-edge LED technology. It is installed in city streets, campuses, commercial parking, residential and local municipal parks.





LED Outdoor Architectural RGB / RGBW Luminaries

HSN Code: 94051090



RGB LED Flood Light

Alethically designed color changing, LED floodlight delivering rich & dynamics colours with DMX Controller Intelligent Logarithmic cobalt technology for facade lighting.

Product Type	Product Code	Case Nos.	List Price
RGB LED Floodlight 45W	New Product	1	On request
RGB LED Floodlight 60W	New Product	1	On request
RGB LED Floodlight 120W	New Product	1	On request
RGB LED Floodlight 150W	New Product	1	On request
RGB LED Floodlight 200W	New Product	1	On request

DMX controller to be ordered separately, various beam angle options are available as per the design requirements, Monochromatic options also available on request.



RGB LED Linear Light

Modern Design Linear color changing IP 66, wall washer with multi angle lens for facade, aided by intelligent logarithmic control technology provided by DMX controller

Product Type	Product Code	Case Nos.	List Price
RGB LED Liner light 40W	New Product	1	On request
RGB LED Liner light 80W	New Product	1	On request

Length of 40W, 80W is 2 feet and 4 feet respectively, DMX controller to be ordered separately.



Uniquely designed RGBW Floodlight/ Linear up light which allows more real & bright white light to the dynamic colour changing options.

Product Type	Product Code	Case Nos.	List Price
RGBW LED Flood light 40W	New Product	1	On request
RGBW LED Flood light 50W	New Product	1	On request
RGB LED Liner Uplight 40W (740mm)	New Product	1	On request

RGBW DMX controller to be ordered separately









For all RGB/RGBW colour changing solutions, kindly consult our local professional lighting as additional accessories like DMX controller, Amplifiers, IP rated connecters etc. to be ordered separately for creating the dynamic effect lighting.







Millor Difference Mith Die C	at Dady, Cuitable for built I CD	ID E4 / Dulle 100 Lee (4)
IVIIIKV LJIIIUSEL VVIIN LJE G	st Body, Suitable for bulb LED	7. IP 54 (BUID TOO I M/W)

Product Type	Product Code	Case Nos.	List Price
LED 9W Dome PTL	HPLLEDPDC9W	1	4100.00
LED 12W Dome PTL	HPLLEDPDC12W	1	4200.00



Cone Round Milky Post Top Lantern Milky Diffuser With Die Cast Body, Suitable for bulb LED, IP 54 (Bulb 100 Lm/w)

Product Type	Product Code	Case Nos.	List Price
LED 9W Cone PTL	HPLLEDPCR9W	1	4150.00
LED 12W Cone PTL	HPLLEDPCR12W	1	4350.00



Pyramid Sq. Top Post Lantern Milky Diffuser With Metal Body, Suitable for bulb LED, IP 54 (Bulb 100 Lm/w)

Product Type	Product Code	Case Nos.	List Price
LED 12W Pyramid Sq. PTL	HPLLEDPPS12W	1	4500.00
LED 15W Pyramid Sq. PTL	HPLLEDPPS15W	1	5000.00



Cone Round Post Top Lantern

Clear/Milky Diffuser, Spun Cover, Die Cast Pole Mounting, IP 65, Module with LED (100 Lm/w)

Product Type	Product Code	Case Nos.	List Price
LED 25W Cone Round Post Top Lantern CW	HPLLEDPCR25W	1	9000.00
LED 35W Cone RD. Post Top	HPLLEDPCR35W	1	9500.00
LED 40W Cone PTL Clear	HPLLEDPCLR40W	1	10000.00
LED 40W Cone PTL Milky	HPLLEDPCR40W	1	10000.00



LED Ground Burials

Product Type	Product Code	Case Nos.	List Price
LED 3W Ground Burial	HPLLEDGL0360	1	3600.00
LED 5W Ground Burial	HPLLEDGL0560	1	4800.00



LED Ground Burials

Product Type	Product Code	Case Nos.	List Price
LED 9W Ground Burial	HPLLEDGL0960	1	7500.00
LED 12W Ground Burial	HPLLEDGL1260	1	9000.00
LED 15W Ground Burial	HPLLEDGL1560	1	11000.00







LED Decorative Street Light, Aesthetically designed with aluminium enclosure, IP 65 suspended mounting arrangement

Product Type	Product Code	Case Nos.	List Price
Decorative Street Light 40W	HPLLEDDEC04060	1	14000.00
Decorative Street Light 80W	HPLLEDDEC08060	1	17500.00
Decorative Street Light 120W	HPLLEDDEC12060	1	21000.00

Landscape Lighting Exotica

LED Decorative Landcape, Aesthetically designed LED post Top with aluminium enclosure, IP 65 pole mounting arrangement, complied to dark sky norms

Product Type	Product Code	Case Nos.	List Price
Landscape Lighting 40W	HPLLEDPCR40CR	1	40000.00
Landscape Lighting 80W	HPLLEDPCR80CR	1	46650.00

Landscape Lighting Exotica

LED Decorative Landcape, Aesthetically designed LED post Top with aluminium enclosure, pole mounting arrangement

Product Type	Product Code	Case Nos.	List Price
Landscape Lighting 40W	HPLLEDPCR40TR	1	On request
Landscape Lighting 80W	HPLLEDPCR80TR	1	On request

LED Spike Light

LED Decorative Spike Light Using Cob Led Source With aluminium Enclosure

Product Type	Product Code	Case Nos.	List Price
LED 3W Ground Spike	HPLLEDSP0360	1	3000.00
LED 6W Ground Spike	HPLLEDSP0660	1	4200.00
LED 9W Ground Spike	HPLLEDSP0960	1	7500.00
LED 12W Ground Spike	HPLLEDSP01260	1	8500.00

LED Bollard

Led Round Bollard 600mm milky Diffuser With Metal Body, Suitable for bulb LED, IP 54 (Bulb 100 Lm/w)

Product Type	Product Code	Case Nos.	List Price
LED 5W Round Bollard	HPLLEDB5W	1	4500.00
LED 7W Round Bollard	HPLLEDB7W	1	4650.00
LED 9W Round Bollard	HPLLEDB9W	1	4850.00















Square Bollard

Led Square Bollard 600mm milky Diffuser With Metal Body, Suitable for bulb LED, IP 54 (Bulb 100 Lm/w)

Product Type	Product Code	Case Nos.	List Price
LED 7W Square Bollard	HPLLEDBS7W	1	3025.00
LED 9W Square Bollard	HPLLEDBS9W	1	4800.00
LED 12W Square Bollard	HPLLEDBS12W	1	7000.00



Pyramid Top Bollard (Round & Square)

Milky Diffuser With Metal Body, Suitable for bulb LED, IP 54 (Bulb 100 Lm/w)

Product Type	Product Code	Case Nos.	List Price
LED 9W Bollard	HPLLEDBPR9W	1	5250.00
LED 12W Bollard	HPLLEDBPR12W	1	6500.00

Product Type	Product Code	Case Nos.	List Price
LED 9W Bollard	HPLLEDBPS9W	1	5250.00
LED 12W Bollard	HPLLEDBPS12W	1	7500.00







Solar LED Lighting Solutions

HSN Code: 94051090



All In One Integrated Solar Street Light

Compact, Aesthetic, Ecofriendly & Modern integrated solar streetlight in extruded aluminum construction with high efficiency monocrystalline silicon photo voltaic panel.

Product Type	Product Code	Lm/w	Case Nos.	List Price
Solar Street Light 12W	HPLSOL20ISL12W	120	1	25000.00
Solar Street Light 15W	HPLSOL20ISL15W	120	1	31000.00
Solar Street Light 18W	HPLSOL20ISL18W	120	1	37250.00
Solar Street Light 20W	HPLSOL20ISL20W	120	1	42000.00
Solar Street Light 25W	HPLSOL30ISL25W	120	1	52000.00
Solar Street Light 30W	HPLSOL30ISL30W	120	1	62000.00
Solar Street Light 40W	HPLSOL40ISL40W	120	1	82000.00
Solar Street Light 50W	HPLSOL40ISL50W	120	1	103500.00
Solar Street Light 60W	HPLSOL40ISL60W	120	1	124000.00
Solar Street Light 80W	HPLSOL40ISL80W	120	1	165300.00

Also available in 150 lm/w efficacy. 100W available on request.

Solar LED Standalone Street Light

Compact, Aesthetic, Ecofriendly & Modern solar streetlight in extruded aluminium construction with high efficiency monocrystalline silicon photo voltaic panel.



Also available in 150 lm/w efficacy. 100W available on request.



Octagonal Pole

Product Type	Product Code	Case Nos.	List Price
Pole 5 Mtr.	HPLSOL30ISL5MPOLE	1	On request
Pole 6 Mtr.	HPLSOL30ISL6MPOLE	1	On request
Pole 7 Mtr.	HPLSOL30ISL7MPOLE	1	On request
Pole 8 Mtr.	HPLSOL30ISL8MPOLE	1	On request
Pole 9 Mtr.	HPLSOL30ISL9MPOLE	1	On request
Pole 10Mtr.	HPLSOL30ISL10MPOLE	1	On request

18W/24W/30W Solar Mini Mast & 50W/75W/100W Solar High Mast can be offer on request.



Semi-Integrated Solar Street light

Product Type	Product Code	Case Nos.	List Price
Solar Street Light 12W SEMIINT	HPLLEDSSLMPPTSI12W	1	On request
Solar Street Light 24W SEMIINT	HPLLEDSSL24WMPPT	1	On request
Solar Street Light 30W SEMIINT	HPLLEDSSLMPPTSI30W	1	On request

Available in 15W & 18W on request. Panel will be supply separately.





Intelligent Street Light Solution

Acquire data, Monitor & Control Street Lights

Individual Street light & group controlling with*/without** dimming

- · Individual Street light controlling System is heart of street lighting system.
- It utilizes 6 LoWPAN communication standard over sub 1 GHz wireless communication helping to monitor and control every individual luminary.
- It utilizes or supports multiple Broadband communication network connectivity over GSM / GPRS, Ethernet and Wi-Fi for server end connectivity.

CCMS Entities

- Gateway
- Surge Protection Device
 Change Over
- Input and Output Switchgear
- · Cluster Meter
- Dual Chamber SMC enclosure







- Metallic / SMC Enclosure
- In built external > 20KA SPD
- Door Open Detection
- Dimmable Driver*

CCMS Advantages


- User friendly.
- · Single point control system fully programmable.
- · Automatic report generation.
- · Periodic data download at pre set intervals.
- · Controlling & Monitoring in groups as well as upto individual light point.
- · Programmable Automatic Real Time Operation of Street Lights with Sunset & Sunrise Time.
- Dimming at off peak hours possible.

THE HPL ADVANTAGE:

In House Manufacturing Facility Govt. Accredited In House R & D Center.













Coffee Day Essentials, Green Park, New Delhi

HPL Installations

Indoor & Outdoor









Indersons, ND 27, PH: 0114724 3000, sales@indersonsindia.com