

LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated
Industrial Cables
Flamegard - Flame Retardant Low Smoke
(FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant
(HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables

Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)


Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables

(HSN Code : 8544)



Residential & Commercial



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

List Price wef. 24 June 2025

FINOULTRA



FINOULTRA E BEAMED LOW SMOKE ZERO HALOGEN INSULATED INDUSTRIAL CABLES

FINOLEX MAKE FINOULTRA SINGLE CORE UNSHEATHED ELECTRON BEAM CROSS LINKED HALOGEN FREE FLAME RETARDANT INSULATED CABLES WITH FLEXIBLE CLASS 5 BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS 17048 : 2018

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10452	0.75	1,450	20
10453	1	1,860	20
10454	1.5	2,755	12
10455	2.5	4,405	12
10456	4	6,615	8
10457	6	9,750	4

Flame Retardant (FR) PVC Insulated Industrial Cables

GOLD PACK



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS 694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,375	20
10303	1	1,890	20
10304	1.5	2,770	12
10305	2.5	4,390	12
10306	4	6,415	8
10307	6	9,585	4

Flame Retardant (FR) PVC Insulated Industrial Cables



SILVER PACK

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,320	20
10303	1.00	1,700	20
10304	1.50	2,475	12
10305	2.50	4,000	12
10306	4.00	6,170	8
10307	6.00	9,230	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10312016	0.75	2,515	8
10313	1.00	3,270	8
10314	1.50	4,775	6
10315	2.50	7,755	4
10306016	4.00	12,035	4
10307016	6.00	18,085	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.0	845	30
10314	1.5	1,240	24
10315	2.5	2,020	24
10316	4.0	3,115	12
10317	6.0	4,675	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above

COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flamegard

Flame Retardant

Low Smoke(FR-LSH)

Industrial Cables



FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS 694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10112013	0.75	1,350	20
10113	1	1,745	20
10114	1.5	2,540	12
10115	2.5	4,080	12
10106	4	6,330	8
10107	6	9,470	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10112016	0.75	2,540	8
10113016	1	3,305	8
10114016	1.5	4,825	6
10115016	2.5	7,835	4
10106016	4	12,155	4
10107016	6	18,265	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

List Price wef. 24 June 2025

Halogen Free Flame Retardant (HFFR) Industrial Cables



HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE FINOGREEN SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES
IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES			
Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1,385	20
10403	1	1,785	20
10404	1.5	2,600	12
10405	2.5	4,200	12
10406	4	6,475	8
10407	6	9,690	4

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10413016	1	3,480	8
10414016	1.5	5,105	6
10415016	2.5	8,290	4
10406016	4	12,810	4
10407016	6	19,205	4



Flexible Cables

List Price wef. 24 June 2025

FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14001	0.50	985	1,035
14002	0.75	1,425	1,495
14003	1.00	1,850	1,945
14104	1.50	2,700	2,835
14105	2.50	4,385	4,605
14206	4.00	6,800	7,140

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14207	6	10,125	10,630
14208	10	17,550	18,430
14209	16	26,845	28,185
14210	25	41,945	44,040
14211	35	58,490	61,415
14212	50	82,920	87,065
14513	70	1,20,580	1,26,610
14514	95*	1,59,625	1,67,605
14515	120*	2,04,890	2,15,135
14516	150*	2,53,730	2,66,415
14517	185*	3,13,415	3,29,085
14518	240*	4,11,840	4,32,430

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

FINOLEX PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR
FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17002	0.50	2,490	2985	17102	1.5	5,815	6480
17002	0.75	3,430	4005	17102	2.5	9,410	10385
17002	1.00	4,285	4910	17202	4	14,720	16105

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17003	0.50	3,360	3865	17103	1.5	8,260	8950
17003	0.75	4,685	5255	17103	2.5	13,235	14230
17003	1.00	5,935	6580	17203	4	20,980	22370

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17004	0.50	4,280	4,825	17104	1.5	10,830	11,660
17004	0.75	5,990	6,590	17104	2.5	17,535	18,675
17004	1.00	7,670	8,355	17204	4	27,690	29,260

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17006	0.50	6,350	7070	17106	1.5	16,320	17440
17006	0.75	9,110	10025	17106	2.5	26,460	28035
17006	1.00	11,550	12510	17206	4	41,950	44195

SEVEN CORES (1+6)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	7,420	8180	17108	1.50	18,985	20190
17008	0.75	10,455	11380	17108	2.50	30,755	32370
17008	1.00	13,385	14410	17208	4.00	48,580	50810

EIGHT CORES*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	8,345	9210	17108	1.50	21,610	22930
17008	0.75	11,825	12805	17108	2.50	35,095	36875
17008	1.00	15,120	16185	17208	4.00	55,350	57745

TEN CORES (2+8)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17010	0.50	10,145	11,050	17110	1.50	26,610	28010
17010	0.75	14,600	15,720	17110	2.50	43,320	45240
17010	1.00	18,710	19,920	17210	4.00	68,670	71385

TWELVE CORES (3+9)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17012	0.50	12,015	12,995	17112	1.50	31,665	33200
17012	0.75	17,330	18,545	17112	2.50	51,890	54235
17012	1.00	22,250	23,570	17212	4.00	82,005	85010

FOURTEEN CORES (4+10)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17014	0.50	14,025	15,150	17114	1.50	37,000	38750
17014	0.75	20,060	21,350	17114	2.50	60,475	62990
17014	1.00	25,795	27,205	17214	4.00	95,250	98485

SIXTEEN CORES (8+11)*							
Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17016	0.50	15,905	17,150	17116	1.50	42,110	44050
17016	0.75	22,955	24,485	17116	2.50	68,865	71655
17016	1.00	29,510	31,180	17216	4.00	1,08,980	112755

NINETEEN CORES (1+6+12)*							
Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17019	0.50	18,630	19,920	17119	1.5	49,780	51945
17019	0.75	26,955	28,545	17119	2.5	81,030	83975
17019	1.00	34,900	36,760	17219	4	1,28,685	132705

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY							
FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010							

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)							
Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17203074	6	31,155	33,020	17203124	50*	2,58,255	270035
17203084	10	53,465	56,350	17503134	70*	3,65,255	378900
17203094	16*	83,105	87,040	17503144	95*	4,82,120	500435
17203104	25*	1,28,460	1,33,920	17503154	120*	6,43,970	669130
17203114	35*	1,80,125	1,87,690				

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)							
Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17204074	6	40,920	43,015	17204124	50*	3,38,875	351120
17204084	10	70,020	73,075	17504134	70*	4,83,215	499050
17204094	16*	1,08,385	1,12,630	17504144	95*	6,38,925	660885
17204104	25*	1,70,130	1,76,685	17504154	120*	8,34,840	861695
17204114	35*	2,37,850	2,46,475				

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M



Communication Cables



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

COAXIAL CABLES - JELLY



COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,810	5,521
RG 6 CU	2,530	7,717
RG 11 CU	5,780	17,629

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethylene Foam Insulation, With Laminated Aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,515	4,621
RG 11 CCS	3,030	9,242

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,540	10797

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

CCTV Cable



Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	3,265
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	11,065
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,575
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	12,115
65916013	RG59 JF X1+6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	4,165
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	14,115
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	1,855
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	3,625
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	2,075
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	4,095
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,135
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	4,190
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,365
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,670



Telephone Cable

TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHYLENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDANT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	880	31050103	10 pair	7,375
31050023	2 pair	1,570	31050203	20 pair	14,035
31050033	3 pair	2,315	31050503	50 pair	34,345
31050043	4 pair	3,050	31051001	100 pair	66,740
31050053	5 pair	3,800			

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	620	31040103	10 pair	5,145
31040023	2 pair	1,095	31040203	20 pair	9,665
31040033	3 pair	1,610	31040503	50 pair	23,330
31040043	4 pair	2,075	31041001	100 pair	44,440
31040053	5 pair	2,555			


Standard Length of coil is 90 Meters. | Standard Length of the drum is 500m +/-10%

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.



LAN Cable


Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	9,820
32255042	0.5x4P UTP CAT-6 LAN *YLW * 305M	305 Mtr	12,045
32245042	0.5x4P UTP CAT-6 LAN *GRY * 305M	305 Mtr	12,045
32275042	0.5x4P UTP CAT-6 LAN *BLU * 305M	305 Mtr	12,045
32265042	0.5x4P UTP CAT-6 LAN *GRN * 305M	305 Mtr	12,045
32925048	0.5x4 Pair CAT-5 (E) CCA LAN Cable	305 Mtr	6,755
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,870
32955048	0.5x4P UTP CAT-6 CCA LAN 305 Mtr	305 Mtr	8,435
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	16,800
32245044	0.5 x4P CAT6 LAN GRY 100M X 2	100 Mtr	3,715
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	14,930
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	20,555
32245142	4P CAT6 LITE LAN GRY 305M X 2	305 Mtr	11,331
32255142	4P CAT6 LITE LAN YLW 305M X 2	305 Mtr	11,331
32265142	4P CAT6 LITE LAN GRN 305M X 2	305 Mtr	11,331
32275142	4P CAT6 LITE LAN BLU 305M X 2	305 Mtr	11,331



Speaker Cable

List Price wef. 24 June 2025

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	1,905
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	2,770
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	3,415
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	5,120
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	7,980
60329024	Speaker Cable 2.5 SQMM (Transperant)100M	6	100 Mtr	8,535
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	475
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	695
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	855
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,280



Agriculture



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables



3 Core Flat Cable

3 CORE FLAT CABLE							
FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010							
Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)		
13713041	1.5	8970	13803101	25	131275		
13713051	2.5	14015	13803111	35	181905		
13703061	4	21170	13803121*	50	Prices for these sizes can be given on request.		
13803071	6	31045	13803131*	70			
13803081	10	53520	13803141*	95			
13803091	16	83915					
FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							
Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)		
13863049	1.5	9420	13823069	4	22230		
13863059	2.5	14715					
FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							
Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)		
13823079	6	32595	13823109	25	137840		
13823089	10	56195	13823119	35	191000		
13823099	16	88110					
3 CORE FLAT CCA CABLES							
FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							
Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	19735	13853109	36	354/.36	76510
13853089	14	140/.36	32850	13853119	50	594/.36	106150
13853099	23	226/.36	52010				

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us.

We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires

List Price wef. 24 June 2025




PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS
CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	545	1000	6
13000602	0.60	545	500	6
13000701	0.70	745	1000	6
13000702	0.70	745	500	6
13000801	0.80	955	1000	6
13000802	0.80	955	500	6
13000901	0.90	1,205	1000	5
13000902	0.90	1,205	500	6
13001001	1.00	1,470	1000	5
13001002	1.00	1,470	500	6
13001101	1.10	1,770	1000	4
13001102	1.10	1,770	500	6
13001201	1.20	2,095	1000	4
13001202	1.20	2,095	500	6
13001301	1.30	2,455	1000	3
13001302	1.30	2,455	500	6
13001402	1.40	2,855	500	5
13001502	1.50	3,265	500	5
13001602	1.60	3,700	500	4
13001702	1.70	4,175	500	4
13001802	1.80	4,680	500	4
13001902	1.90	5,205	500	3
13002002	2.00	5,805	500	3
13002102	2.10	6,385	500	3
13002202	2.20	6,990	500	2
13002302	2.30	7,635	500	2
13002402	2.40	8,320	500	2
13002502	2.50	9,020	500	2
13002602	2.60	9,740	500	2
13002702	2.70	10,480	500	2
13002804	2.80*	11,300	250	2
13003004	3.00*	12,945	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.
PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



Automobile / Solar Power



High thermal rating
to withstand
extreme temperatures



Excellent
resistant to
heat pressure



Long life &
highly durable
cables

Auto Battery Cables

List Price wef. 24 June 2025



AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	6,610	26,440
22210	354/.3	25	10,335	41,335
22211	495/.3	35	14,435	57,735
22212	703/.3	50	20,465	81,865
22513	360/.5	70	29,840	1,19,355
22514	475/.5.*	95	39,460	1,57,840
22515	608/.5.*	120	50,685	2,02,750
22516	750/.5.*	150	62,775	2,51,095
22517	925/.5.*	185	77,595	3,10,375
22518	1221/.5.*	240	1,02,030	4,08,120

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	880	3,510

1050 CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	230	905
2302	24/.21	0.75	340	1,355
2303	32/.21	1.00	455	1,800
2304	30/.26	1.50	660	2,640
2305	50/.26	2.50	1,100	4,380
2306	56/.31	4.00	1,825	7,265
2307	84/.31	6.00	2,705	10,790



Solar Cables

List Price wef. 24 June 2025

SOLAR DC CABLE

FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD.

**Product Code	Material Description	List Price per 100m (Rs.)
16905018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M RED	4,465
16995018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M Black	4,465
16906018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red	6,435
16996018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black	6,435
16907016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Red	9,445
16997016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Black	9,445

NOTES

- Prices: GST extra as applicable.
- Printing: Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
- Delivery: F.O.R. any station in India by road transport.
- Product Code: The full product code is of 8 digits. For example :
 22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m
 22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.
 a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor,
 225 represents Auto Cable IS specifications for 0.5 conductor.
 b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.
 c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.
 d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.
- Alteration: This Price List supersedes all our earlier price lists and is subject to change without notice.

Visit us at: www.finolex.com | [f](#) /Finolexcables | [t](#) /Finolexcables | [i](#) /Finolex.Cables



Finolex
Cables Limited

AN IS/ISO 9001:2015 CERTIFIED COMPANY

26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India.
 Tel: 020-27396200 | Fax: 020-27472239
 Visit us at: www.finolex.com | Email: sales@finolex.com
 CIN: L31300MH1967PLC016531

Finolex gets people together