



POLYCAB INDIA LIMITED

LDC LP No. 12/2020-21 Dtd : 25th January 2021

List of Products Covered in Our LDC LP

Coaxial Cables

Lan Cables

Telephone Switchboard Cables

Submersible Cables

Single Core Flexible Cables

Multicore Flexible Cables

Single Core XLPE Unarmoured/Armoured Cables

CCTV Cables

Solar Cables

BMS Cables

Braided Cables

Steel Braided Cables

Speaker Cables

Welding Cables

Aluminium Service Wires

Festoon Cables

Uninyvin Cables



POLYCAB INDIA LIMITED

LDC LP No. 12/2020-21 Dtd : 25th January 2021

POLYCAB INDUSTRIAL JELLY FLOODED COAXIAL CABLES

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.

Size	100m Unarmoured	305m Unarmoured	1000m Flexible Armoured
RG - 59	1975	6025	86000
RG - 6	2535	7730	91000
RG - 11	5770	17600	134000
RG-6 CCS	1740	5305	79000
RG-11 CCS	3400	10370	111000

POLYCAB LAN (COMPUTER) CABLES

Polycab 4 Pair <u>Unshielded</u> Twisted Pair (UTP) LAN (Computer) Cables			Polycab 4 Pair Foiled Twisted Pair (FTP) LAN (Computer) Cables	
	Unarmoured - Price per 305 m	Flexible Armoured- Price per 1000m	Unarmoured - Price per 305 m	Flexible Armoured- Price per 1000m
CAT 5 E	9435	99500	14950	114500
CAT 6	11225	108000	15800	133500
CAT 6 - A (GOLD)	15400	123000	20950	148500



POLYCAB INDIA LIMITED

LDC LP No. 12/2020-21 Dtd : 25th January 2021

POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD) CABLES

Polycab High Conductivity Solid Annealed Bare Copper industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired, Polyester and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outer Sheath generally conforming ITD Specification

No. of Pairs & Size	Price / 100 Mtr. (Rs.)		Price / 90 Mtr (Rs.)		Master Packing
	0.4 mm	0.5 mm	0.4 mm	0.5 mm	
1 Pair	654	905	588	815	20
2 Pair	1130	1600	1015	1440	20
3 Pair	1670	2360	1500	2125	16
4 Pair	2140	3100	1925	2790	12
5 Pair	2625	3865	2360	3480	8
10 Pair	5260	7480	4735	6730	1
20 Pair	9830	14225	8845	12800	1
50 Pair		34900			1
100 Pair		68100			1

POLYCAB INDUSTRIAL 3 CORE FLAT SUBMERSIBLE CABLES

Polycab PVC / Xlpe Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010

Size in Sq.mm.	PVC Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	Xlpe Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	PVC Insulated Price Per 100mtr. (Corrogated Box Packing)
1.5	8350	8775	8175
2.5	13500	14200	13300
4	19800	20800	19400
6	29100	30600	28500
10	49400	51800	
16	76800	80700	
25	120600	126700	
35	165700	174000	

**POLYCAB INDIA LIMITED**

LDC LP No. 12/2020-21 Dtd : 25th January 2021

Polycab PVC Insulated, PVC Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	7515	8465	10200	12000
0.75	24/.2	8	10400	11700	14400	17000
1	32/.2	13	13100	14700	18100	21500
1.5	30/.25	17	18200	20700	25300	30100
2.5	50/.25	24	29100	34000	42500	50000
4	56/.3	30	45700	53100		

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	14000	15900	18400	24500
0.75	24/.2	8	19600	22500	26200	34200
1	32/.2	13	24700	28400	33500	44400
1.5	30/.25	17	35000	39900	47100	61700
2.5	50/.25	24	58500	66500	78000	105000

Polycab Multi Strand Bare Copper conductor XLPE insulated PVC Sheathed Cables					CCTV Cables (Price in Rs./90m)	
Nominal Area	No/Dia of Strands	Current rating in Air at 40°C	Cu Conductor Unarmoured Cables	Cu Conductor Aluminium Armouring Cables	CCTV Cables 4+1	CCTV Cables 3+1
mm ²	No/mm		Rs/100 Mtr.	Rs/100 Mtr.	4055	3585
6	84/0.3	55	12400	17000	CCTV Armoured Cables (Price in Rs./Km.)	
10	80/0.4	75	20700	28900	CCTV 4+1 Armoured	125000
16	126/0.4	103	30700	35900		
25	196/0.4	126	48900	55100		
35	276/0.4	152	66800	74000		
50	396/0.4	189	93100	102900		
70	354/0.5	240	128400	141400		
95	484/0.5	297	174100	181700		
120	608/0.5	346	220100	229800		
150	750/0.5	390	275000	287300		
185	925/0.5	460	335500	346100		
240	1210/0.5	552	436000	456400		
300	1527/0.5	640	543500	574200		
400	2036/0.5	753	725000	760900		

**POLYCAB****POLYCAB INDIA LIMITED****LDC LP No. 12/2020-21 Dtd : 25th January 2021****Polycab PVC Insulated, FRLS Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts**

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	8080	9100	11000	12900
0.75	24/.2	8	11200	12600	15500	18300
1	32/.2	13	14100	15800	19500	23100
1.5	30/.25	17	19100	21700	26600	31600
2.5	50/.25	24	30600	35700	44600	52500
4	56/.3	30	48000	55800		
Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	15100	17100	19800	26300
0.75	24/.2	8	21100	24200	28200	36800
1	32/.2	13	26600	30500	36000	47700
1.5	30/.25	17	36800	41900	49500	64800
2.5	50/.25	24	61400	69800	81900	110300



POLYCAP INDIA LIMITED

LDC LP No. 12/2020-21 Dtd : 25th January 2021

POLYCAP SOLAR CABLES

Flexible Tinned Copper Conductor/ Cross linkable (E Beam) LSZH Insulation/ Cross linkable (E Beam) LSZH Sheathed Solar Cable as per EN 50618

Size in Sq.mm.	Price in Rs./100 Mtr.
4	7400
6	10500
10	17400
16	26900
25	41600
35	57700
50	82400
70	116000
95	151900
120	192800
150	240900
185	295000
240	388100
300	486900

Flexible Tinned Copper Conductor Single Core Multistrand, Cross Linked, Zero Halogen Low Smoke Insulation and Cross Linked Low Smoke Sheathing , Heat Resistant upto 120°C and UV Resistant Solar Cables

Size in Sq.mm.	Price in Rs./100 Mtr.
4	6600
6	9500
10	16200
16	25100
25	40700
35	56400
50	80500

Flexible Bare Copper Conductor Multistrand XLPE / PVC Insulated and UV Stabalized PVC Sheathed Single Core Solar Cables

Size in Sq.mm.	Price in Rs./100 Mtr.
4	6400
6	9400
10	16100
16	24800
25	38200
35	53400
50	76800

POLYCAP BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated,Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Price in Rs./100m)

Cores	0.5 sq.mm	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm
2	5300	6200	7300	9400	14400
3	6600	8100	9600	12700	20000
4	8100	10000	12100	16600	25700
5	9500	11800	14400	19800	31200
6	11100	13900	17200	23400	37400
7	12200	15500	19200	26500	42100
8	14000	17700	21800	29900	48100
10	17200	21600	26800	37200	59700
12	19800	25200	31700	43900	70400
14	22600	29100	36400	50400	81600
16	25500	33000	41100	57700	95700
19	29600	38500	48100	67600	110900
24	36900	48400	60800	85300	138900

Packing - 100/300 Mtrs. Coils & 2000 Mtrs. Drums

Note : 3% Extra Charges for Drum Packing



POLYCAB INDIA LIMITED

LDC LP No. 12/2020-21 Dtd : 25th January 2021

POLYCAB INDUSTRIAL BRAIDED CABLES

Polycab Annealed Bare Cu Flexible Conductor PVC Insulated, Tinned Cu Braided (Screened) PVC Sheathed Flexible Unarmoured Cables 1100 Volts. (Price in Rs./100 Mtr)

Cores	0.5 Sq mm.	0.75 Sq mm.	1.0 Sq mm.	1.5 Sq mm.	2.5 Sq mm.	4 Sq mm.	6 Sq mm.	10 Sq mm.	16 Sq mm.	25 Sq mm.	35 Sq mm.
2	7600	8400	9800	12100	17700	30100	38900	69800	104200		
3	8900	10600	12100	16100	23700	37700	54100	86800	122900	211300	280400
4	10700	13100	15900	20000	30300	45800	64700	124700	168100	289300	375500
5	13200	17200	21000	24200	36100						
6	14200	18700	22400	27700	43700						
7	15700	20500	24000	32700	46300						
8	18200	23700	30600	38200	57000						
10	21100	28400	35600	46500	69200						
12	24000	32400	39600	50800	77200						
14	28000	39600	51300	68300	92400						
16	31800	51100	54600	75100	107300						
19	38200	59500	65500	90100	133600						
24	44200	64200	76400	112000	159800						

**POLYCAB INDIA LIMITED**

LDC LP No. 12/2020-21 Dtd : 25th January 2021

POLYCAB MULTICORE STEEL BRAIDED CABLES

Flex Bare Copper Conductor, PVC Insulated, Cores Laid Up Together PVC Inner Sheathed, GI Wire Braided (Flexible Armouring), Overall PVC Sheathed Steel Braided Cables. (Price in Rs./100 Mtr.)

Cores	0.5 Sq.mm.	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm	4 sq.mm	6 sq mm
2	7800	9400	10400	13000	18500	26500	36300
3	9400	11400	13300	16600	24400	35800	50400
4	11200	13800	16100	21100	30900	45900	65000
5	13000	16400	19500	25200	37400		
6	14800	19000	22400	29100	43700		
7	15900	20800	24700	32200	49100		
8	18200	23400	27800	37200	56200		
10	21800	28600	34100	45200	69400		
12	25000	33000	39300	52800	81400		
14	28600	37400	44700	60600	93600		
16	31700	42100	50700	68100	106100		
19	36100	48600	59000	79800	124300		
24	46500	61600	73800	99800	155500		

Cores	10 Sq.mm.	16 Sq.mm.	25 Sq.mm.	35 Sq.mm.	50 Sq.mm.	70 Sq.mm	95 Sq.mm.
2	58900	87500	132600	180300	255400	350100	467000
3	82200	123600	189100	258000	366200	504900	675500
4	107100	161800	249300	340000	482900	666200	892100

Note : 3% Extra Charges for Drum Packing

POLYCAB INDUSTRIAL SPEAKER WIRES

Speaker Wires (Oxygen Free) (Price in Rs./90 mtr)

Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.
23/36	1775	23/38	1390	0.5 Sq.mm	1715	1.5 Sq.mm	4470
40/36	2820	40/38	2160	0.75 Sq.mm	2470	2 Sq.mm	6890
70/36	4890	70/38	3410	1 Sq.mm	3065	2.5 Sq.mm	7075

** Flame Retardant, Heat Resistant up to 90°C & Oil Resistant

POLYCAB INDUSTRIAL WELDING CABLES

Polycab Flexible Copper Conductor 1100 Volts Welding Cable

Nominal Area of Conductor (sq mm)	Current Carrying Capacity	Conductor Constn. Strands/ Dia in mm	HOFr Insulation Price/100m (Rs)
16	120	509/0.2	31400
25	160	796/0.2	46900
35	230	1115/0.2	66200
50	400	703/0.3	94000
70	600	999/0.3	131300
95	700	1346/0.3	177200
120	1100	1699/0.3	219100



POLYCAB INDIA LIMITED

LDC LP No. 12/2020-21 Dtd : 25th January 2021

POLYCAB ALUMINIUM WIRES & CABLES

POLYCAB SINGLE CORE PVC INSULATED 1100 VOLTS SOLID ALUMINIUM CONDUCTOR WIRES AS PER IS 694		POLYCAB PVC INSULATED AND SHEATHED TWIN CORE FLAT & THREE CORE ROUND CABLES 1100 VOLTS EACH CORE HAVING SINGLE SOLID ALUMINIUM CONDUCTOR SERVICE CABLES AS PER IS 694		
Size in Sq.mm.	Price in Rs./100 Mtr.	No. of Cores	Sq.mm.	Price in Rs./100 Mtr.
1.5	580	2 Core	2.5	3195
2.5	920	2 Core	4	4275
4	1300	2 Core	6	5665
6	1790	2 Core	10	8250
10	3000	2 Core	16	11900
16	4400	3 Core	2.5	4700
25	6800	3 Core	4	6200
35	9350	3 Core	6	7250
50	10600	3 Core	10	13500
70	13850	3 Core	16	17900
95	24600	4 Core	2.5	5775
		4 Core	4	8100
		4 Core	6	11400
		4 Core	10	16900
		4 Core	16	22400



POLYCAB INDIA LIMITED

LDC LP No. 12/2020-21 Dtd : 25th January 2021

FESTOON CABLES

(Price in Rs./Mtr.)

Cores	0.5 Sq.mm.	0.75 Sq.mm.	1 Sq.mm.	1.5 Sq.mm.	2.5 Sq.mm.	4 Sq.mm.
3	52	66	80	107	174	266
4	68	87	107	146	230	357
5	98	127	161	210	333	497
6	115	156	194	248	399	600
7	134	177	224	287	464	696
8	153	202	254	330	532	800
9	176	239	298	380	617	913
10	197	262	325	429	680	1015
12	232	311	388	497	811	1212
14	281	363	456	592	950	1507
16	317	420	527	674	1092	1730
18	349	464	590	753	1212	1916
24	475	628	797	1029	1630	2575

Page 11 of 12

**POLYCAB INDIA LIMITED**

LDC LP No. 12/2020-21 Dtd : 25th January 2021

UNINYVIN CABLES**Multistranded Annealed Tinned Copper Conductor 105° C PVC Insulation with Nylon Braiding with Lacquer Coating Uninyvin Cables**

Cable Size	Nom. Conductor Area (Sq.mm.)	Price in Rs./Mtr.
22	0.347	17.50
20	0.556	22.75
18	0.966	33.75
16	1.17	40.00
14	2.05	61.25
12	3.22	89.00
10	5.33	126.00
8	8.76	196.00
6	13.30	291.00
4	21.50	459.00
2	33.30	703.00
1	40.70	851.00
0	53.00	1105.00
00	68.30	1407.00
000	84.20	1744.00
0000	109	2242.00

Page 12 of 12