

We make more than switches.
We make your moments.



enGem

enGem - Safe and secure
switches from Lauritz Knudsen
#MadeForMoments



COMPLETE USB CHARGING SOLUTION

The enGem range allows customers to fast-charge devices with the power of 18W Combi type - Type A & Type C. The range also comes with a 2A USB Charger.



PREMIUM FLAT DESIGN

Impress your customers with the enGem range of premium flat-design plates. They come with superior plastic quality and wide cover plates that make them durable and easier to install.



HASSLE-FREE PLUGGING

When you choose enGem, your customers can be rest assured about the safety of their children due to its in-built safety shutter in sockets. More safety is sure to earn you more compliments.



360° ROTATION FOR BREAK-FREE OPERATIONS

When you recommend enGem switches, your customers get to enjoy the comfort of a fan without the hassle of a breakage-prone regulator. The 360° rotation regulator knob is built and designed for break-free operations.



CAPTIVE SCREWS AND FRONT REMOVAL SYSTEM

enGem switches reduce the time taken for every switch installation, thereby helping you finish the job quicker. These switches come with captive screws and front removal switches to make the installation process quicker and easier for you. But faster installations for you also mean lesser wait time for your customers. So, faster you finish the job, the more compliments you are bound to get.



1 LAKH + CLICKS & 10,000 TIMES SOCKET UNPLUGGING

Your customers will only compliment you when the switch you install lasts really long. enGem switches offer more than 1 Lakh clicks, which has also been certified by NABL*. What's more, you can plug sockets in and out over 10,000 times.



COLOUR & BEZEL OPTIONS AVAILABLE

enGem switches are now available in two classic colours, White & Stone Grey. And you get to choose Chrome & Gold bezel options too. enGem brings to you 6 stunning options to match with your home decor.




HOSPITALITY SOLUTIONS

Specially curated combinations & finishes to enhance guest experiences in hotels & resorts. Built to withstand frequent use These solutions balance durability with style for every touchpoint.



- 1 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell pushes are ISI marked and conforms to IS 3854: 2023
- "AX" rating for switches are suitable to fluorescent lights also.
- Suitable for Self Ballast Lamp



CB93102MW25



CB93602CW06

CB93302CW16

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.
- 6A/16A Sockets tested upto 25A rating also.

SWITCHES & BELL PUSH WITH 

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 6AX 1-way 1M	20	CB93101SW06	74	CB93101SS06	91
Switch 6AX 1-way with Indicator 1M	20	CB93301SW06	217	CB93301SS06	271
Switch 6AX 2-way 1M	20	CB93201SW06	201	CB93201SS06	252
Switch 16AX 1-way 1M	20	CB93101SW16	186	CB93101SS16	230
Switch 16AX 1-way with Indicator 1M	20	CB93301SW16	264	CB93301SS16	317
Switch 16AX 2-way 1M	20	CB93201SW16	282	CB93201SS16	352
Switch 20A 1-way 1M	20	CB93101SW20	243	CB93101SS20	305
Switch 20A 1-way with Indicator 1M	20	CB93301SW20	331	CB93301SS20	415
Switch 32A DP with Indicator lamp 2M	10	CB93402SW32	526	CB93402SS32	656
Bell Push 6A 1M	20	CB93101BW06	230	CB93101BS06	288
Bell Push 6A with Indicator 1M	20	CB93301BW06	256	CB93301BS06	319
Bell Push 6A with Indicator 2M	10	CB93302BW06	341	CB93302BS06	426

MOTOR STARTER

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
New Motor Starter 25A 2M	10	CB93102MW25	1009	CB93102MS25	1241

POWER SOCKET WITH 

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M	10	CB93602CW06	162	CB93602CS06	207
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB93302CW16	266	CB93302CS16	332



CB93101RW01 CB93102RW02 CB93102RS02 CB93101RS01

- 5 step fan regulator conforms to IS 11037: 2019
- All fan regulators are with 360 degree rotation.
- Fan Regulators also suitable for BLDC fan without remote.
- Dimmers only support incandescent and halogen load.



CB93101TW11 CB93101TW00 CB93101AW00 CB93201AW00 CB93102LW00



CB93101AW02 CB93101AW18 CB93101TS11 CB93102LS00 CB93101AS02 CB93401AW00

USB Charger conforms to IS 13252 (Part 1)



CB93101KW06
CB93101KW10
CB93101KW16
CB93101KW20
CB93101KW25
CB93101KW32

CB93202KW25
CB93202KW32

FEATURES

- Conforms to IS/IEC 60898 - part 1
- Breaking capacity - 3 kA
- No Line load biased
- Suitable for use as isolator

FAN REGULATORS & DIMMERS


Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB93101DW04	753	CB93101DS04	941
Fan Regulator 4-Step 80W 1M	10	CB93101RW01	519	CB93101RS01	624
Fan Regulator 5-Step 120W with ISI 2M	05	CB93102RW02	671	CB93102RS02	773

DATA SOCKETS & ACCESSORIES

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	CB93101TW11	213	CB93101TS11	272
New RJ 45 Cat 6A Socket with Shutter 1M	20	CB93301TW45	813	CB93301TS45	1045
TV Socket 1M	20	CB93101TW00	208	CB93101TS00	266
Cable Outlet 1M	20	CB93101AW00	172	CB93101AS00	216
Blank off Unit 1M	20	CB93201AW00	45	CB93201AS00	56
LED Foot Light 2M	5	CB93102LW00	1026	CB93102LS00	1283
USB Charger 2A 1M	10	CB93101AW02	1293	CB93101AS02	1552
New USB Charger 18W Type A & C 1M	10	CB93101AW18	2400	CB93101AS18	2700
LED Phase Indicator 1M-Full Glow	20	CB93401AW00	259	Same as White	

MINI MCBs

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3kA 1M	10	CB93101KW06	512	CB93101KS06	614
10A SP Mini MCB 3kA 1M	10	CB93101KW10	512	CB93101KS10	614
16A SP Mini MCB 3kA 1M	10	CB93101KW16	512	CB93101KS16	614
20A SP Mini MCB 3kA 1M	10	CB93101KW20	512	CB93101KS20	614
25A SP Mini MCB 3kA 1M	10	CB93101KW25	512	CB93101KS25	614
32A SP Mini MCB 3kA 1M	10	CB93101KW32	512	CB93101KS32	614
25A DP Mini MCB 3kA 2M	5	CB93202KW25	1142	CB93202KS25	1371
32A DP Mini MCB 3kA 2M	5	CB93202KW32	1142	CB93202KS32	1371



COVER PLATES WITH GRID FRAMES

Description	Dimensions W X H X D (mm)	Std Pack	White		Stone Grey	
			Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	98 X 90 X 14	15	CB93101FW00	123	CB93101FS01	167
2 Module Cover Plate+Grid Frame	98 X 90 X 14	15	CB93102FW00	123	CB93102FS01	167
3 Module Cover Plate+Grid Frame	126 X 90 X 14	10	CB93103FW00	160	CB93103FS01	217
4 Module Cover Plate+Grid Frame	158 X 90 X 14	10	CB93104FW00	189	CB93104FS01	256
6 Module Cover Plate+Grid Frame	229 X 90 X 14	5	CB93106FW00	280	CB93106FS01	377
8 Module Cover Plate+Grid Frame Horizontal	263 X 90 X 14	5	CB93108FW00	330	CB93108FS01	446
8 Module Cover Plate+Grid Frame Square	158 X 157 X 14	5	CB93208FW00	330	CB93208FS01	446
12 Module Cover Plate+Grid Frame	229 X 157 X 14	5	CB93112FW00	447	CB93112FS01	603
16 Module Cover Plate+Grid Frame	249 X 156 X 18	4	CB93116FW00	662	CB93116FS01	892
18 Module Cover Plate+Grid Frame	229 X 226 X 14	5	CB93118FW00	677	CB93118FS01	914

COVER PLATES WITH GRID FRAMES FOR BEZEL OPTIONS

Description	Std Pack	White with Chrome Bezel		White with Gold Bezel		Stone Grey with Chrome Bezel		Stone Grey with Gold Bezel	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	10	CB93101FW05	146	CB93101FW06	157	CB93101FS05	200	CB93101FS06	227
2 Module Cover Plate+Grid Frame	10	CB93102FW05	146	CB93102FW06	157	CB93102FS05	200	CB93102FS06	227
3 Module Cover Plate+Grid Frame	10	CB93103FW05	190	CB93103FW06	202	CB93103FS05	262	CB93103FS06	294
4 Module Cover Plate+Grid Frame	10	CB93104FW05	223	CB93104FW06	239	CB93104FS05	308	CB93104FS06	348
6 Module Cover Plate+Grid Frame	4	CB93106FW05	330	CB93106FW06	353	CB93106FS05	455	CB93106FS06	514
8 Module Cover Plate+Grid Frame Horizontal	4	CB93108FW05	406	CB93108FW06	432	CB93108FS05	562	CB93108FS06	628
8 Module Cover Plate+Grid Frame Square	4	CB93208FW05	406	CB93208FW06	432	CB93208FS05	562	CB93208FS06	628
12 Module Cover Plate+Grid Frame	4	CB93112FW05	570	CB93112FW06	584	CB93112FS05	759	CB93112FS06	818
16 Module Cover Plate+Grid Frame	4	CB93116FW05	845	CB93116FW06	866	CB93116FS05	1126	CB93116FS06	1212
18 Module Cover Plate+Grid Frame	4	CB93118FW05	864	CB93118FW06	886	CB93118FS05	1150	CB93118FS06	1240



HOSPITALITY RANGE **NEW**

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Mech Key Tag 32A 2M	5	CB93302HW32	946	CB93302HS32	1249
Spare key for Mech key tag	10	CB93302HW00	88	CB93302HS00	99
DND MMR inside room unit 2M	10	CB93502HW10	654	CB93502HS10	954
DND MMR outside room unit 1M	10	CB93601HW10	699	CB93601HS10	1058



- GI Metal Boxes Suitable for englaze, entice, enCurve and enGem ranges
- GI Metal Boxes Conforms to IS 14772:2000.
- New Standard retail packing as per above mentioned quantity, will be available soon with new packaging.
- With Marking
- Standard pack size suitable for Retail sales.

GI METAL MOUNTING BOXES

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2 Module	72 X 75 X 46	10	CB93102WM00	85
GI Metal Box-3 Module	98 X 75 X 46	10	CB93103WM00	125
GI Metal Box- 4 Module	133 X 75 X 53	10	CB93104WM00	152
GI Metal Box- 6 Module	204 X 75 X 53	10	CB93106WM00	218
GI Metal Box- 8 Module Horizontal	230 X 78 X 53	5	CB93108WM00	279
GI Metal Box- 8 Module Square	131 X 136 X 58	5	CB93208WM00	279
GI Metal Box- 12 Module	204 X 135 X 58	5	CB93112WM00	372
GI Metal Box- 16 Module	231 X 142 X 58	5	CB93116WM00	456
GI Metal Box- 18 Module	204 X 202 X 58	5	CB93118WM00	518

SURFACE MOUNTING BOXES

Suitable for entice, englaze and enGem range of plates



MOUNTING BOXES - PLASTIC SURFACE

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
Surface Mounting Box - 1/2M	98 X 90 X 50	12	CB91102WP00	102
Surface Mounting Box - 3M	126 X 90 X 50	10	CB91103WP00	134
Surface Mounting Box - 4M	158 X 90 X 50	12	CB91104WP00	159
Surface Mounting Box - 6M	229 X 90 X 50	5	CB91106WP00	209
Surface Mounting Box - 8M Horizontal	263 X 90 X 50	5	CB91108WP00	262
Surface Mounting Box - 8M Square	158 X 157 X 50	7	CB91208WP00	262
Surface Mounting Box - 12M	229 X 157 X 50	5	CB91112WP00	348
Surface Mounting Box - 16M	249 X 157 X 50	5	CB91116WP00	369
Surface Mounting Box - 18M	229 X 226 X 50	5	CB91118WP00	401