



**LIST PRICE**

w.e.f. 19th April, 2024

## Presenting Domestic Cable Range for Safer, Securer Homes.



**Life Line Plus S3 (HRFR) Cable - Life Guard (FR-LSH) Cable - Life Shield (HFFR) Cable  
- Multicore Round Cable - Flat Submersible Cable - Shielded Cables - Telephone Switch  
Board Cable - LAN Cable - CCTV Cable - Co-Axial TV Cable - Speaker Cables - Solar Cable**

Indersons, ND 27, PH: 0114724 3000, [sales@indersonsindia.com](mailto:sales@indersonsindia.com)



**1. Heat Resistant Flame Retardant**  
(Higher Current Carrying Capacity)



**2. Anti Termite and Anti Rodent**  
(CPRI Certified)



**3. High Insulation Resistance**  
(Certified by CPRI)



**4. ROHS Compliant**  
Certified by Bureau Veritas



**5. 101% Copper Conductivity**



**6. More than 99.95% Bare Copper Conductor**



**Heat Resistant Flame Retardant HRFR PVC Insulated Industrial Cables**  
Havells Single Core HRFR PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694



**HSN CODE: 8544**

Nominal area of conductor sq. mm	Basic Code			List Price in ₹ per 90 m	No. of Standard packing in master carton
0.50 sq. mm	WHFFDN...A1X50			₹ 1080.00	20 N
0.75 sq. mm	WHFFDN...A1X75			₹ 1490.00	20 N
1.00 sq. mm	WHFFDN...A11X0			₹ 2025.00	20 N
1.50 sq. mm	WHFFDN...A11X5			₹ 2955.00	16 N
2.50 sq. mm	WHFFDN...A12X5			₹ 4710.00	12 N
4.00 sq. mm	WHFFDN...A14X0			₹ 6930.00	4 N
6.00 sq. mm	WHFFDN...A16X0			₹ 10330.00	4 N
Nominal area of conductor sq. mm	Basic Code	List Price in ₹ per 1000 m	Nominal area of conductor sq. mm	Basic Code	List Price in ₹ per 1000 m
10.00 sq. mm	WHFFDN...G1010	₹ 189900.00	120.00 sq. mm	WHFFDN...G1120	₹ 2373500.00
16.00 sq. mm	WHFFDN...G1016	₹ 298300.00	150.00 sq. mm	WHFFDN...G1150	₹ 2945300.00
25.00 sq. mm	WHFFDN...G1025	₹ 480300.00	185.00 sq. mm	WHFFDN...G1185	₹ 3591600.00
35.00 sq. mm	WHFFDN...G1035	₹ 662200.00	240.00 sq. mm	WHFFDN...G1240	₹ 4883800.00
50.00 sq. mm	WHFFDN...G1050	₹ 952900.00	300.00 sq. mm	WHFFDN...G1300	₹ 5954600.00
70.00 sq. mm	WHFFDN...G1070	₹ 1359800.00	400.00 sq. mm	WHFFDN...G1400	7904600.00
95.00 sq. mm	WHFFDN...G1095	₹ 1792800.00	-	-	-

...Fill the colour code i.e. B = Blue B.

• Colours available: Red, Yellow, Blue, Black, Green & White.

For FRLSH Insulation/Sheath, the loading factor is 3%

For HFFR Insulation/Sheath, the loading factor is 5%

☐ Items generally available in stock. ☐ Order are accepted subject to availability of stock or for economical run after confirmation

**List Price**

List Price w.e.f. 19th April 2024



Indersons, ND 27, PH: 0114724 3000, sales@indersonsindia.com



**Give yourself the safety of Lifeguard,  
the low-smoke, self-extinguishing  
wires**



Flame Retardant Low Smoke & Halogen FR-LSH PVC Insulated Industrial Cables  
Havells Single Core FR-LSH PVC Insulated Industrial Grade Copper Conductor (Unsheathed)  
Flexible Cables, 1100 Volt Conforming to IS 694



**HSN CODE: 8544**

Nominal area of conductor sq. mm	Basic Code	List Price in ₹ per 90 m	No. of Standard packing in master carton
1.00 sq. mm	WHFFFN...A11X0	₹ 2085.00	20 N
1.50 sq. mm	WHFFFN...A11X5	₹ 3040.00	16 N
2.50 sq. mm	WHFFFN...A12X5	₹ 4850.00	12 N
4.00 sq. mm	WHFFFN...A14X0	₹ 7140.00	4 N
6.00 sq. mm	WHFFFN...A16X0	₹ 10645.00	4 N



**Choose HAVELLS Wires That Don't  
Catch Fire or Emit Harmful Gases**



Halogen Free Flame Retardant HFFR Insulated Industrial Cables  
Havells Single Core copper conductor (Flexible) Industrial Cables  
HFFR compound insulated (Unsheathed), 1100 Volt **Confirming to IS 17048**



**HSN CODE: 8544**

Nominal area of conductor sq. mm	Basic Code	List Price in ₹ per 90 m	No. of Standard packing in master carton
1.00 sq. mm	WHFFZN...A11X0	₹ 2125.00	20 N
1.50 sq. mm	WHFFZN...A11X5	₹ 3100.00	16 N
2.50 sq. mm	WHFFZN...A12X5	₹ 4950.00	12 N
4.00 sq. mm	WHFFZN...A14X0	₹ 7280.00	4 N
6.00 sq. mm	WHFFZN...A16X0	₹ 10845.00	4 N

...Fill the colour code i.e. B = Blue .B

• Colours available: Red, Yellow, Blue, Black, Green & White.

☐ Items generally available in stock.

☐ Order are accepted subject to availability of stock or for economical run after confirmation

**List Price**

List Price w.e.f. 19th April 2024

Indersons, ND 27, PH: 0114724 3000, sales@indersonsindia.com

180 m



Flame Retardant FR PVC Insulated Industrial Cables

Havells Single Core FR PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694

IS:694



HSN CODE: 8544

Nominal area of conductor sq. mm	Basic Code	No. of Standard packing in master carton	List Price in ₹ per 180 m
0.75 sq. mm	WHFFDN...L1X757	10 N	₹ 3165.00
1.00 sq. mm	WHFFDN...L11X07	10 N	₹ 4125.00
1.50 sq. mm	WHFFDN...L11X57	8 N	₹ 6005.00
2.50 sq. mm	WHFFDN...L12X57	6 N	₹ 9575.00
4.00 sq. mm	WHFFDN...L14X07	2 N	₹ 14755.00
6.00 sq. mm	WHFFDN...L16X07	2 N	₹ 22115.00



Flame Retardant Low Smoke &amp; Halogen FR-LSH PVC Insulated Industrial Cables

Havells Single Core FR-LSH PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694

IS:694



HSN CODE: 8544

Nominal area of conductor sq. mm	Basic Code	No. of Standard packing in master carton	List Price in ₹ per 180 m
1.00 sq. mm	WHFFFN...L11X07	10 N	₹ 4255.00
1.50 sq. mm	WHFFFN...L11X57	8 N	₹ 6185.00
2.50 sq. mm	WHFFFN...L12X57	6 N	₹ 9865.00
4.00 sq. mm	WHFFFN...L14X07	2 N	₹ 15195.00
6.00 sq. mm	WHFFFN...L16X07	2 N	₹ 22775.00



Halogen Free Flame Retardant HFFR Insulated Industrial Cables

Havells Single Core copper conductor (Flexible) Industrial Cables, HFFR compound insulated (Unsheathed), 1100 Volt **Confirming to IS 17048**

IS:17048



HSN CODE: 8544

Nominal area of conductor sq. mm	Basic Code	No. of Standard packing in master carton	List Price in ₹ per 180 m
1.00 sq. mm	WHFFZN...L11X07	10 N	₹ 4330.00
1.50 sq. mm	WHFFZN...L11X57	8 N	₹ 6310.00
2.50 sq. mm	WHFFZN...L12X57	6 N	₹ 10060.00
4.00 sq. mm	WHFFZN...L14X07	2 N	₹ 15490.00
6.00 sq. mm	WHFFZN...L16X07	2 N	₹ 23215.00

**Features:**

Enhanced flexibility.

High bending capacity.

Ideal for wiring in closed confined spaces.

...Fill the colour code i.e. B = Blue B.

Standard Packing: 180 m project packing

Conductors shall be of class V as per IS 8130

Conductor resistance as per IS 8130 is the governing criteria.

• Colours available: Red, Yellow, Blue, Black, Green.

Any other colour on specific request can also be supplied.

☐ Items generally available in stock.
 ☐ Order are accepted subject to availability of stock or for economical run after confirmation

List Price

List Price w.e.f. 19th April 2024



Indersons, ND 27, PH: 0114724 3000, sales@indersonsindia.com



**200 m**
**Flame Retardant FR PVC Insulated Industrial Cables**

Havells Single Core FR PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694

**PROJECT PACKAGING**

IS:694


**HSN CODE: 8544**

Nominal area of conductor sq. mm	Basic Code	No. of Standard packing in master carton	List Price in ₹ per 200 m
0.75 sq. mm	WHFFDN...F1X75	10 N	₹ 3505.00
1.00 sq. mm	WHFFDN...F11X0	10 N	₹ 4585.00
1.50 sq. mm	WHFFDN...F11X5	6 N	₹ 6680.00
2.50 sq. mm	WHFFDN...F12X5	4 N	₹ 10630.00
4.00 sq. mm	WHFFDN...F14X0	2 N	₹ 16390.00
6.00 sq. mm	WHFFDN...F16X0	2 N	₹ 24560.00


**Flame Retardant Low Smoke & Halogen FR-LSH PVC Insulated Industrial Cables**

Havells Single Core FR-LSH PVC Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volt Conforming to IS 694

IS:694


**HSN CODE: 8544**

Nominal area of conductor sq. mm	Basic Code	No. of Standard packing in master carton	List Price in ₹ per 200 m
1.00 sq. mm	WHFFFN...F11X0	10 N	₹ 4720.00
1.50 sq. mm	WHFFFN...F11X5	6 N	₹ 6880.00
2.50 sq. mm	WHFFFN...F12X5	4 N	₹ 10950.00
4.00 sq. mm	WHFFFN...F14X0	2 N	₹ 16885.00
6.00 sq. mm	WHFFFN...F16X0	2 N	₹ 25295.00

**Features:**

Enhanced flexibility.  
High bending capacity.  
Ideal for wiring in closed confined spaces.

...Fill the colour code i.e. B = Blue B.

Standard Packing: 200 m project packing  
Conductors shall be of class V as per IS 8130  
Conductor resistance as per IS 8130 is the governing criteria.

• Colours available: Red, Yellow, Blue, Black, Green.  
Any other colour on specific request can also be supplied.


**List Price**

List Price w.e.f. 19th April 2024

Indersons, ND 27, PH: 0114724 3000, sales@indersonsindia.com

## Havells Multicore Round Cables



Havells PVC insulated and PVC Round Sheathed, Multicore Annealed Bare Copper Conductor (flexible) industrial cable for Voltage Grade 1100 Volt, Conforming to IS 694 : 2010

IS:694  
 HSN CODE: 8544

Nominal Area of Conductor sq. mm	Basic Code	List Price in ₹ per 1000 m	Basic Code	List Price in ₹ per 1000 m	Basic Code	List Price in ₹ per 1000 m
<b>2 Core</b>			<b>3 Core</b>		<b>4 Core</b>	
0.50 sq. mm	WHMFDSKG2X50	₹ 33100.00	WHMFDSKG3X50	₹ 45000.00	WHMFDSKG4X50	₹ 57400.00
0.75 sq. mm	WHMFDSKG2X75	₹ 44900.00	WHMFDSKG3X75	₹ 60300.00	WHMFDSKG4X75	₹ 79300.00
1.00 sq. mm	WHMFDSKG21X0	₹ 55100.00	WHMFDSKG31X0	₹ 76200.00	WHMFDSKG41X0	₹ 98300.00
1.50 sq. mm	WHMFDSKG21X5	₹ 73500.00	WHMFDSKG31X5	₹ 103800.00	WHMFDSKG41X5	₹ 135200.00
2.50 sq. mm	WHMFDSKG22X5	₹ 116500.00	WHMFDSKG32X5	₹ 166600.00	WHMFDSKG42X5	₹ 217800.00
4.00 sq. mm	WHMFDSKG24X0	₹ 176600.00	WHMFDSKG34X0	₹ 254300.00	WHMFDSKG44X0	₹ 335700.00
6.00 sq. mm	WHMFDSKG26X0	₹ 258800.00	WHMFDSKG36X0	₹ 382800.00	WHMFDSKG46X0	₹ 490500.00
10.00 sq. mm	WHMFDSKG2010	₹ 431100.00	WHMFDSKG3010	₹ 635800.00	WHMFDSKG4010	₹ 845000.00
16.00 sq. mm	WHMFDSKG2016	₹ 712500.00	WHMFDSKG3016	₹ 996500.00	WHMFDSKG4016	₹ 1315900.00
25.00 sq. mm	WHMFDSKG2025	₹ 1136700.00	WHMFDSKG3025	₹ 1638900.00	WHMFDSKG4025	₹ 2182000.00
35.00 sq. mm	WHMFDSKG2035	₹ 1568500.00	WHMFDSKG3035	₹ 2275900.00	WHMFDSKG4035	₹ 2987800.00
50.00 sq. mm	-	-	WHMFDSKG3050	₹ 3218200.00	WHMFDSKG4050	₹ 4259000.00
70.00 sq. mm	-	-	WHMFDSKG3070	₹ 4587800.00	WHMFDSKG4070	₹ 6017300.00
95.00 sq. mm	-	-	WHMFDSKG3095	₹ 6039100.00	WHMFDSKG4095	₹ 7878100.00
<b>5 Core</b>			<b>6 Core</b>		<b>7 Core</b>	
0.50 sq. mm	WHMFDSKG5X50	₹ 69600.00	WHMFDSKG6X50	₹ 88500.00	WHMFDSKG7X50	₹ 98200.00
0.75 sq. mm	WHMFDSKG5X75	₹ 97800.00	WHMFDSKG6X75	₹ 121400.00	WHMFDSKG7X75	₹ 135200.00
1.00 sq. mm	WHMFDSKG51X0	₹ 125300.00	WHMFDSKG61X0	₹ 153600.00	WHMFDSKG71X0	₹ 172800.00
1.50 sq. mm	WHMFDSKG51X5	₹ 174700.00	WHMFDSKG61X5	₹ 214700.00	WHMFDSKG71X5	₹ 241400.00
2.50 sq. mm	WHMFDSKG52X5	₹ 284700.00	WHMFDSKG62X5	₹ 348200.00	WHMFDSKG72X5	₹ 386800.00
4.00 sq. mm	WHMFDSKG54X0	₹ 454100.00	WHMFDSKG64X0	₹ 549100.00	WHMFDSKG74X0	₹ 613900.00
<b>8 Core</b>			<b>10 Core</b>		<b>12 Core</b>	
0.50 sq. mm	WHMFDSKG8X50	₹ 118400.00	WHMFDSKG8X50	₹ 142400.00	WHMFDSKG8X50	₹ 167200.00
0.75 sq. mm	WHMFDSKG8X75	₹ 159000.00	WHMFDSKG8X75	₹ 194600.00	WHMFDSKG8X75	₹ 229800.00
1.00 sq. mm	WHMFDSKG81X0	₹ 203300.00	WHMFDSKG81X0	₹ 247900.00	WHMFDSKG81X0	₹ 294500.00
1.50 sq. mm	WHMFDSKG81X5	₹ 284500.00	WHMFDSKG81X5	₹ 353800.00	WHMFDSKG81X5	₹ 418300.00
2.50 sq. mm	WHMFDSKG82X5	₹ 461000.00	WHMFDSKG82X5	₹ 566300.00	WHMFDSKG82X5	₹ 671400.00
4.00 sq. mm	WHMFDSKG84X0	₹ 720500.00	WHMFDSKG84X0	₹ 891200.00	WHMFDSKG84X0	₹ 1048200.00
<b>14 Core</b>			<b>16 Core</b>		<b>19 Core</b>	
0.50 sq. mm	WHMFDSKG8X50	₹ 193900.00	WHMFDSKG16X50	₹ 223300.00	WHMFDSKG19X50	₹ 256200.00
0.75 sq. mm	WHMFDSKG8X75	₹ 265600.00	WHMFDSKG16X75	₹ 302400.00	WHMFDSKG19X75	₹ 354500.00
1.00 sq. mm	WHMFDSKG81X0	₹ 342900.00	WHMFDSKG161X0	₹ 386800.00	WHMFDSKG191X0	₹ 459800.00
1.50 sq. mm	WHMFDSKG81X5	₹ 487100.00	WHMFDSKG161X5	₹ 545800.00	WHMFDSKG191X5	₹ 654100.00
2.50 sq. mm	WHMFDSKG82X5	₹ 780500.00	WHMFDSKG162X5	₹ 890200.00	WHMFDSKG192X5	₹ 1063700.00
4.00 sq. mm	WHMFDSKG84X0	₹ 1234100.00	WHMFDSKG164X0	₹ 1408500.00	WHMFDSKG194X0	₹ 1675100.00

For FR Insulation/Sheath, the loading factor is 2%  
 For FRLSH Insulation/Sheath, the loading factor is 3%  
 For HFFR Insulation/Sheath, the loading factor is 5%

○ Items generally available in stock. ● Order are accepted subject to availability of stock or for economical run after confirmation

**List Price**  
 List Price w.e.f. 19th April 2024

Havells Flat Cables



Havells Flat Three Core PVC Insulated & PVC Sheathed Industrial Cable for Submersible Pump Motors 1100 Volt, conforming to IS 694

IS:694  
HSN CODE: 8544 

Nominal area of conductor sq. mm	Basic Code	List Price in ₹ per 1000 m
1.50 sq. mm	WHPNDSKG31X5	₹ 107400.00
2.50 sq. mm	WHPNDSKG32X5	₹ 172100.00
4.00 sq. mm	WHPNDSKG34X0	₹ 257200.00
6.00 sq. mm	WHPNDSKG36X0	₹ 375400.00
10.00 sq. mm	WHPNDSKG3010	₹ 638100.00
16.00 sq. mm	WHPNDSKG3016	₹ 1007300.00
25.00 sq. mm	WHPNDSKG3025	₹ 1554800.00
35.00 sq. mm	WHPNDSKG3035	₹ 2171900.00

Standard Packing: 100 m  
also available: 500 m ± 5% on  
non returnable wooden drums (on demand)

- ☐ Items generally available in stock.
- ☐ Order are accepted subject to availability of stock or for economical run after confirmation

List Price

List Price w.e.f. 19th April 2024

Indersons, ND 27, PH: 0114724 3000, sales@indersonsindia.com



## Havells Shielded Cables



Havells 1100 Volt Flexible ABC Conductor, PVC Type D Insulated, Cores laid up, Overall Shielded by Al-mylar along with ATC drain wire & Overall PVC Type ST-3 Sheathed Cable

HSN CODE: 8544

Item Description	Item Code	List Price in ₹ per 1000 m	Item Description	Item Code	List Price in ₹ per 1000 m	Item Description	Item Code	List Price in ₹ per 1000 m
<b>2 Core</b>			<b>3 Core</b>			<b>4 Core</b>		
2C x 0.50 sq. mm	WHSFDSKG2X50	₹ 53870.00	3C x 0.50 sq. mm	WHSFDSKG3X50	₹ 68950.00	4C x 0.50 sq. mm	WHSFDSKG4X50	₹ 82680.00
2C x 0.75 sq. mm	WHSFDSKG2X75	₹ 64480.00	3C x 0.75 sq. mm	WHSFDSKG3X75	₹ 86215.00	4C x 0.75 sq. mm	WHSFDSKG4X75	₹ 109510.00
2C x 1.00 sq. mm	WHSFDSKG21X0	₹ 76650.00	3C x 1.00 sq. mm	WHSFDSKG31X0	₹ 104625.00	4C x 1.00 sq. mm	WHSFDSKG41X0	₹ 126360.00
2C x 1.50 sq. mm	WHSFDSKG21X5	₹ 96615.00	3C x 1.50 sq. mm	WHSFDSKG31X5	₹ 128960.00	4C x 1.50 sq. mm	WHSFDSKG41X5	₹ 163905.00
2C x 2.50 sq. mm	WHSFDSKG22X5	₹ 146430.00	3C x 2.50 sq. mm	WHSFDSKG32X5	₹ 199470.00	4C x 2.50 sq. mm	WHSFDSKG42X5	₹ 257090.00
2C x 4.00 sq. mm	WHSFDSKG24X0	₹ 216630.00	3C x 4.00 sq. mm	WHSFDSKG34X0	₹ 286830.00	4C x 4.00 sq. mm	WHSFDSKG44X0	₹ 382615.00
<b>5 Core</b>			<b>6 Core</b>			<b>7 Core</b>		
5C x 0.50 sq. mm	WHSFDSKG5X50	₹ 94015.00	6C x 0.50 sq. mm	WHSFDSKG6X50	₹ 99530.00	7C x 0.50 sq. mm	WHSFDSKG7X50	₹ 121785.00
5C x 0.75 sq. mm	WHSFDSKG5X75	₹ 123865.00	6C x 0.75 sq. mm	WHSFDSKG6X75	₹ 143935.00	7C x 0.75 sq. mm	WHSFDSKG7X75	₹ 171600.00
5C x 1.00 sq. mm	WHSFDSKG51X0	₹ 154960.00	6C x 1.00 sq. mm	WHSFDSKG61X0	₹ 177110.00	7C x 1.00 sq. mm	WHSFDSKG71X0	₹ 210390.00
5C x 1.50 sq. mm	WHSFDSKG51X5	₹ 199265.00	6C x 1.50 sq. mm	WHSFDSKG61X5	₹ 232545.00	7C x 1.50 sq. mm	WHSFDSKG71X5	₹ 282360.00
5C x 2.50 sq. mm	WHSFDSKG52X5	₹ 321150.00	6C x 2.50 sq. mm	WHSFDSKG62X5	₹ 391560.00	7C x 2.50 sq. mm	WHSFDSKG72X5	₹ 443145.00
5C x 4.00 sq. mm	WHSFDSKG54X0	₹ 476320.00	6C x 4.00 sq. mm	WHSFDSKG64X0	₹ 562745.00	7C x 4.00 sq. mm	WHSFDSKG74X0	₹ 664665.00
<b>8 Core</b>			<b>10 Core</b>			<b>12 Core</b>		
8C x 0.50 sq. mm	WHSFDSKG8X50	₹ 146015.00	10C x 0.50 sq. mm	WHSFDSKGCX50	₹ 166090.00	12C x 0.50 sq. mm	WHSFDSKGAX50	₹ 193750.00
8C x 0.75 sq. mm	WHSFDSKG8X75	₹ 188240.00	10C x 0.75 sq. mm	WHSFDSKGCX75	₹ 232545.00	12C x 0.75 sq. mm	WHSFDSKGAX75	₹ 276850.00
8C x 1.00 sq. mm	WHSFDSKG81X0	₹ 232545.00	10C x 1.00 sq. mm	WHSFDSKGC1X0	₹ 287975.00	12C x 1.00 sq. mm	WHSFDSKGA1X0	₹ 343410.00
8C x 1.50 sq. mm	WHSFDSKG81X5	₹ 310025.00	10C x 1.50 sq. mm	WHSFDSKGC1X5	₹ 387610.00	12C x 1.50 sq. mm	WHSFDSKGA1X5	₹ 465190.00
8C x 2.50 sq. mm	WHSFDSKG82X5	₹ 509495.00	10C x 2.50 sq. mm	WHSFDSKGC2X5	₹ 631385.00	12C x 2.50 sq. mm	WHSFDSKGA2X5	₹ 742145.00
8C x 4.00 sq. mm	WHSFDSKG84X0	₹ 753170.00	10C x 4.00 sq. mm	WHSFDSKGC4X0	₹ 941720.00	12C x 4.00 sq. mm	WHSFDSKGA4X0	₹ 1130065.00

○ Items generally available in stock. ● Order are accepted subject to availability of stock or for economical run after confirmation

List Price

List Price w.e.f. 19th April 2024



Havells Solar Cables



Havells annealed tinned cooper conductor, cross linked polyolefin Zero Halogen Insulated, UV resistant cross linked polyolefin Zero Halogen Sheathed , Solar DC cable confirming to BSEN 50618.

HSN CODE: 8544

Nominal area of conductor sq. mm	Basic Code	List Price in ₹ per 100 m
2.5 sq. mm	WHBGGZ...B12X5	₹ 6090.00
4.0 sq. mm	WHBGGZ...B14X0	₹ 8790.00
6.0 sq. mm	WHBGGZ...B16X0	₹ 12740.00
10 sq. mm	WHBGGZ...B1010	₹ 21185.00

Havells annealed tinned cooper conductor, cross linked polyolefin Zero Halogen Insulated, UV resistant cross linked polyolefin Zero Halogen Sheathed , Solar DC cable confirming to TUV specification 1169/08.2007

HSN CODE: 8544

Nominal area of conductor sq. mm	Basic Code	List Price in ₹ per 1000 m
2.5 sq. mm	WHBGGZ...G12X5	₹ 58200.00
4.0 sq. mm	WHBGGZ...G14X0	₹ 85300.00
6.0 sq. mm	WHBGGZ...G16X0	₹ 124300.00

Please get in touch with our sales representative for other SKU's, MOQ and delivery.


- ☐ Items generally available in stock.
- ☐ Order are accepted subject to availability of stock or for economical run after confirmation



List Price  
List Price w.e.f. 19th April 2024

Indersons, ND 27, PH: 0114724 3000, sales@indersonsindia.com

Havells Communication Cables,  
The World will now be connected.



### Telecom Switch Board Cables

Havells PVC Insulated Telephone cables for indoor applications  
confirming to **TECHNICAL** specification **G/WIR06/02**



**HSN CODE: 8544**

No. of Pairs	UNARMoured 0.4 mm ATC			
	Basic Code	List Price in ₹ per 90 m	Basic Code	List Price in ₹ per 180 m
1 Pair	WHTTATEA1P40	₹ 790.00	WHTTATEL1P40	₹ 1580.00
2 Pair	WHTTATEA2P40	₹ 1325.00	WHTTATEL2P40	₹ 2650.00
3 Pair	WHTTATEA3P40	₹ 1950.00	WHTTATEL3P40	₹ 3900.00
4 Pair	WHTTATEA4P40	₹ 2530.00	WHTTATEL4P40	₹ 5060.00
5 Pair	WHTTATEA5P40	₹ 3155.00	WHTTATEL5P40	₹ 6310.00
10 Pair	WHTTATEA1040	₹ 6015.00	WHTTATEL1040	₹ 12030.00
20 Pair	WHTTATEA2040	₹ 11195.00	WHTTATEL2040	₹ 22390.00

Standard Packing: 90 m in carton    Project packing: 180 m poly wrapped

0.5 mm Telecom Switch Board Cables is available on request.  
Kindly contact our Sales Representative.

### Havells CATV Co-axial Cables

(Electrolytic Grade solid annealed Copper conductor,  
Jelly Field, Aluminium Foiled and Aluminium wire Braided)



**HSN CODE: 8544**

Item / Type	Screen	Basic Code	List Price in ₹ per 90 m	Basic Code	List Price in ₹ per 305 m
RG 59 (Foam)	AI FOIL + AI BRAID	WHOJTTKARG59	₹ 2435.00	WHOJTTKERG59	₹ 8245.00
RG 06 (Foam)	AI FOIL + AI BRAID	WHOJTTKARG06	₹ 2935.00	WHOJTTKERG06	₹ 9935.00
RG 11 (Foam)	AI FOIL + AI BRAID	WHOJTTKARG11	₹ 6975.00	WHOJTTKERG11	₹ 23635.00

### CCS Co-Axial Cable

INDUSTRIAL GRADE RG-06 CCS CO-AXIAL CABLE 90 m

**HSN CODE: 8544**

Item / Type	Screen	Basic Code	List Price in ₹ per 90 m	Basic Code	List Price in ₹ per 305 m
RG 06 CCS	AI FOIL + AI BRAID	WHOJTTKARG09	₹ 1945.00	WHOJTTKARG08	₹ 6590.00

○ Items generally available in stock.    ● Order are accepted subject to availability of stock or for economical run after confirmation

Indersons, ND 27, PH: 0114724 3000, sales@indersonsindia.com

## Havells Computer LAN Network Cable

(Electrolytic grade solid annealed bare copper conductor, 4 Pair unshielded twisted pair (UTP) Industrial cables for LAN Network).

HSN CODE: 8544

Item / Type	Basic Code	List Price in ₹
UTP CAT 6 - 23 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 305 m - Grey	WHLJTTERCAT6	₹ 13700.00
UTP CAT 6 - 23 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 305 m - Blue	WHLJTTBRCAT6	₹ 13700.00
UTP CAT 6 - 23 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 305 m - Yellow	WHLJTTRYCAT6	₹ 13700.00
UTP CAT 6 - 23 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 100 m - Grey	WHLJTAEB CAT6	₹ 4495.00
UTP CAT 6 - 24 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 305 m - Grey	WHLJTTRCAT6	₹ 12820.00
UTP CAT 6 - 24 AWG COMPUTER LAN CABLE WITH STAR SEPARATOR 100 m - Grey	WHLJDSEBCAT6	₹ 4210.00



## Havells CCTV Camera Cable

PVC Insulated with RG59 Co-axial cable copper conductor and PVC outer Sheathed CCTV Camera Cable

HSN CODE: 8544

Item / Type	Basic Code	List Price in ₹ per 90 m	Basic Code	List Price in ₹ per 305 m
CCTV 3+1	WHOJTDWACT31	₹ 2720.00	WHOJTDWRCT31	₹ 9215.00
CCTV 4+1	WHOJTDWACT41	₹ 3040.00	WHOJTDWRCT41	₹ 10310.00



## Havells Speaker Cable

(Havells transparent FR PVC insulated, twin core copper conductor (Flexible) Industrial Speaker cable).

HSN CODE: 8544

Item / Type	Basic Code	List Price in ₹ per 100 m
SPEAKER 2x0.5 sq. mm IND. 1.1 kV CABLE-100 m	WHPFDAWB2X50	₹ 2375.00
SPEAKER 2x0.75 sq. mm IND. 1.1 kV CABLE-100 m	WHPFDBWB2X75	₹ 3535.00
SPEAKER 2x1.0 sq. mm IND. 1.1 kV CABLE-100 m	WHPFDNWB21X0	₹ 4460.00
SPEAKER 2x1.5 sq. mm IND. 1.1 kV CABLE-100 m	WHPFDNWB21X5	₹ 6420.00



Solid / Stranded annealed bare / tinned copper conductor, PVC Insulated, cores twisted to form pairs, pairs individual / overall shielded for interference rejection, unarmoured / armoured PVC sheathed 225 Volt / 650 Volt / 1100 Volt grade in conductor sizes: 0.5 sq. mm/ 0.75 sq. mm/ 1.0 sq. mm/ 1.5 sq. mm up to 80 pairs.

Also available with HR PVC / PE / Halogen Free Insulation and / or HR PVC / FR-LSH / Halogen Free Sheath.

**Suitable for Low Frequency Signals.**

**Prices available on demand.**

Note: Properties of HFFR is not covered under IS 694

Prices to be made available on request on furnishing constructional & requirement details for sizes not covered by this list prices.

☐ Items generally available in stock. ☐ Order are accepted subject to availability of stock or for economical run after confirmation

**Terms & Conditions:** • Prices are in Indian ₹. • The List prices are inclusive of GST. • This List Price supercedes all our previous Price Lists. • Prices are subject to change without notice. • Company reserves the right to issue amendments, which may arise due to any errors in the list price.

Actual products may vary in colour, design, description and colour combination etc.

Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication. Specifications & performance data are constantly changing. Current details should therefore be checked with Havells Group.



**HAVELLS**

Indersons, ND 27, PH: 0114724 3000, sales@indersonsindia.com